

SV Stafford Duplex - S. Burlington, VT



STAFFORD DUPLEX - CONSTRUCTION SPECIFICATIONS

Builder	Homeowner/Project	Specification Date: 4/21/2021
Sterling Homes		Site Plan Date: 4/15/2021
1037 Hinesburg Road	South Village #108L	Plan Date: 4/20/2021
South Burlington, VT 05403	225 Stafford Street	
	South Burlington, VT 05403	

Stafford Duplex Plan: Two story New England style duplex home with un-finished Lower Level. Two floors of finished area with approximately 1,954 square feet of living space including first floor owner suite; 975 square feet of unfinished Lower Level, 484 square foot 2-car garage, 84 square foot front porch, and a 140 square foot deck.

Location	Total Square Feet
First Floor	975
Second Floor	979
Total Finished Square Feet	1,954
Lower Level	975
Garage	484
Front Porch	84
Deck	140

Personal Choice Lists		
PCL #	Color Code	Date
	RED	
	ORANGE	
	GOLD	
	GREEN	
	BLUE	
	PURPLE	
	PINK	
	RUST	
	HUNTER	
	SKY BLUE	
	LAVENDER	
	BROWN	
	NAVY	
	LIME	
	CRANBERRY	
	AQUA	
	PEACH	
	GRAPE	

Specification and Appendix Approval	
Appendix A: Window Schedule	
Appendix B: Exterior and Interior Door Schedule	
Appendix C: Lighting Schedule	
Appendix D: Plumbing Schedule	
Appendix E: Finish Hardware Schedule	
Appendix F: Flooring Schedule	
Appendix G: Appliance Schedule	

Client	Date
--------	------

Client	Date
--------	------

Builder	Collin Frisbie	Date
---------	----------------	------

SV Stafford Duplex - S. Burlington, VT



STAFFORD DUPLEX - CONSTRUCTION SPECIFICATIONS

Section	Information	Image
Permits		
	Builder responsible to obtain all necessary permits including: - Soil Erosion and Sediment Control - Well - N/A - Septic System - N/A - Zoning	
Surveys		
	Home is to be staked by builder	
Site Clearing		
	Builder is responsible for all site clearing, as needed	
Utilities Connections		
	Builder responsible for all site work and site balance to include	
Water	Connection to City of South Burlington water system	
Sewer	Connection to City of South Burlington sewer system	
Gas	Connection to Natural Gas lines at road.	
Power	Underground power	
Cable	Cable TV conduit to house	
	All excavation, fill and labor is included	
Energy Package		
	Home to be built to an VT Residential Building Energy Standards (RBES)	
Home to Include		
	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light.	
	PurePro DP511 Programmable Thermostat; First Floor and Second Floor	
	Additional caulking and sealing of joists to reduce air infiltration into the home, including shoe plate; windows; and where wires and pipes go to cold spaces	
	R-15 Rigid Thermax insulation on Interior of Lower Level - floor to top of concrete wall	
	Selected use of closed cell foam to improve overall air sealing of attic in home	
	Blower Door Test required for VT RBES	
Foundation		
Type	Poured Concrete	
Wall Height	8'	
Lookout Height	4' Frost Wall	
Strength	Min. 3000 PSI @2 days with steel reinforcement	
Footer	Continuous 8" x 16" reinforced	
Flat Work Concrete		
Lower Level	Poured Concrete	
Finish	Smooth	
"Keyway" Joints	Saw cut	
Thickness	4"	
Strength	House: Min. 3000 PSI @ 28 days Garage: Min. 4000 PSI @ 28 days	
Moisture Barrier	Tarred damp proofing membrane sprayed on exterior of foundation walls. 6 mil poly under concrete house slab.	
Ground water controls	Footing drains installed below footers around Lower Level and drained to daylight in back yard. Drain tile buried in clean stone; covered with mirafi fabric; clean sand fill against foundation. Site graded to shed surface water away from house.	
Rock Wall	Boulder rock walls as needed for the grading of the yard. Boulders from the site are machine-placed to create walls.	
Driveway/Entrance		
Drive	12" thick gravel two car driveway on top of mirafi fabric. Driveway to be finish paved with 2" of compacted asphalt.	
Walkway	42" wide walkway from front porch to sidewalk.	




SV Stafford Duplex - S. Burlington, VT



Frame		
Exterior Walls	2x6 SPF 24" o.c.	
Interior Walls	2x4 SPF 24" o.c.	
Plate Height	9'-1" on first floor; 8'-1" on second floor and 8' in lower level	
Plate	2x6 treated southern yellow pine with foam sill seal	
Floor Framing	11-7/8" Truss Joist TJI 230 Series I-joists @ 24" o.c.	
Sub Flooring	3/4" 4x8 T&G OSB glued and nailed	
Girders	2 or 3 ply Truss Joist Microlam LVL, nailed and glued, as specified by engineering load design, supported by 3-1/2" concrete filled lally columns in Lower Level	
Sheathing	7/16" 4x8 OSB	
Roof	Pre-engineered roof trusses 24" o.c. 5/8" T&G OSB rated sheeting	
Roof Pitch	Pre-engineered roof trusses 24" o.c. 5/8" T&G OSB rated sheeting Pitches: 6/12 at Main House; 6/12 at Garage; 4/12 and 6/12 at Front Porch	
House Wrap	Professional house wrap with flashing around all windows and doors	
Roofing		
	Ice and water shield on eaves and valleys. Vented on ridge to achieve proper ventilation.	
Underlayment	Owens Corning ProArmor Synthetic Roof Underlayment	
Shingles	Owens Corning TruDefinition Shingles Limited Lifetime Warranty	
Color	Color to be selected by owner	
Siding/Exterior Elements		
Siding	Noandex Woodsman Select	
Gable Ends	Double 4" Color to be selected by owner	
Clapboard	Double 4" Color to be selected by owner	
Board and Baton	None	
Eaves	Two piece aluminum wrapped - White	
Soffit	Perforated soffit for proper venting	
Corners	6" White Vinyl Corners with Foam Backer	
Trim Details	Frieze board and Garage Door Trim to be Miratech	
Drip Edge	Galvanized	
Shutters	Available as option	
Gutters & Downspouts		
Gutters & Downspouts	White Seamless Gutters	
Windows		
See Appendix A: Window Schedule		
Brand	Harvey Slimline	
Color	White	
Construction	Vinyl, Low-E, Insulated Double-Pane	
Exterior Casing	Flat	
U-Factor	0.30	
Grills	Between Glass 2 over 2	
Screens	Fiberglass Mesh	
Exterior Doors		
See Appendix B: Exterior and Interior Door Schedule		
Brand	Therma-Tru	
Color	See Exterior Paint Section	
Construction	Insulated Fiberglass	
Exterior Casing	5/4x4 Flat	
Storm Doors	None	
Overhead Garage Doors		
Model	8300 Series Insulated Steel Door	
Size	16' x 7'	
Design	Colonial Raised Panel with Stockton I Windows	
Color	Manufacturer White	
Opener	8" lift master 1/2 horsepower electric opener	
Remotes	2 remotes included	
Frame Key Pad	Keyless entry punch pad	








SV Stafford Duplex - S. Burlington, VT



Decks & Porches			
Covered Entry Porch			
Porch Framing	6'x 14' framed with PT 2x8 joists		
Decking	5/4x6 #1 PVC Azek Harvest Collection		
Posts	CPVC wrapped and PT 6x6 Posts and 2x8 roof beams - White		
Roof	Roof to be truss framed, roof shingles to match house		
Ceiling	White vinyl bead board		
Stairs	Stairs from porch to walkway to be PT box steps with 5/4x6 #1 Azek PVC Decking Treads		
Rail	Composite rails and balusters		
Hardware	CPVC to be screwed and plugged, no paint		
Finish	Porch posts, beams, rim board and stair risers - white CPVC Trim		
Color	Porch decking and stair tread to be Azek Harvest Collection PVC - Color Selected by owner		
Deck			
Deck Framing	14' X 10' deck framed with PT 2x10 joists		
Decking	5/4x6 Cedar Decking		
Access	Access to Deck from Dining Room		
Rail	Composite rail and balusters		
Stairs	Steps from deck to ground to be PT box stairs with 5/4x6 Cedar Treads		
Color	To be Selected by Owner		
Exterior Paint			
Exterior Doors - Excluding Front Door	Painted Satin Finish, White		
Exterior Trim - Including Frieze Board and Door Surrounds	Painted Satin Finish, White		
Front Door	2 coats Exterior Paint, Color to be Selected by Owner		
Sidelight	Painted Satin Finish, White		
Front Porch Rail	Composite Rail, White		
Front Porch Posts	CPVC wrapped, White		
Front Porch Roof Beams	CPVC Trim, White		
Front Porch Rim board	CPVC Trim, White		
Front Porch Stair Risers	CPVC Trim, White		
Front Porch Decking	Azek Harvest Collection PVC Decking		
Electrical & Low Voltage			
	Underground electrical service, 150 AMP Panel		
Plugs and Switches			
Switch Style	Toggle		
Plate Style	Toggle screw on plates		
Switch Color	White		
Dimmers	Available as an Option		
Exterior Plugs	Per Electrical Plan		
Lighting			
Lighting Fixtures	See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule)		
Recessed Lights	None		
Under Cabinet Lighting	Available as an Option		
Miscellaneous			
Door Chime	Nutone BK125LWH: One 2-note, white door chime		
Smoke/CO2	1 CO/Smoke per floor (3 Total), 1 Smoke per bedroom (3 Total)		
Bath Vents	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light		
Cat 5 (data/phone)	Yes, per electrical plan		
TV Jacks	Yes, per electrical plan		
Security/Surveillance	None		
Central Vacuum	Rough in only, 1 outlet per floor		
Audio	None		
Light Fixtures			
See Appendix C: Light Fixture Schedule			








SV Stafford Duplex - S. Burlington, VT



Plumbing		
Heating and Venting		
Furnace	York LX Series, TM9V	
Furnace Size	60,000 BTU	
Efficiency Rating	96.00%	
Zones	Zone 1: First Floor, Zone 2: Second Floor	
Air Conditioner	York LX Series, 3-Ton YCGD, 17 SEER R-410a coil	
Thermostat	PurePro DP511 Programmable Thermostat; First Floor and Second Floor	
Bath Venting	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light Vented to the outside	
Dryer Venting	Vented to the outside	
Gas		
Main Kitchen Range	Yes	
Main Fireplace	Yes	
Second Floor Dryer	Yes	
Furnace	Yes	
Hot Water System	Yes	
Grill Line at Deck	N/A	
Fireplace and Mantle		
Fireplace in Living Room		
Model	Empire DVCD36FP30N direct vent gas fireplace	
Mantle	Custom Built in Place Mantle (See picture/detail)	
Tile Surround	6" Slate Tile on Top and 2 Sides of Fireplace Face. Color to be Selected by Owner.	
Tile Hearth	12" Slate Tile Hearth to be full width of Mantle above, Flush with flooring. Color to be Selected by Owner.	
Venting	Direct vent to outside through wall	
Plumbing Fixtures		
See Appendix D: Plumbing Schedule		
Miscellaneous Plumbing		
Outdoor Faucets	2 Frost-Free Hose Bibs, located at back of the main house and on the side of the front porch	
Hot Water Heater	Rinnai R75-Lsi on demand water heater	
Laundry	Washer Box Valve with single handle shutoff and drain; appliances pricing optional	
Plumbing	PVC Drainage plumbing. PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber.	
Radon	Radon Piping runs from under Lower Level concrete slab through roof. This is a passive system, no fan.	
Utility Sink	Option available	
Cabinets & Countertops		
Cabinets		
Kitchen		
Brand	Mid Continent Signature Series	
Style	Concord Style in Maple	
Color	Natural	
Kitchen Island		
Brand	Mid Continent Signature Series	
Style	Concord Style in Maple	
Color	Natural	
Owner's Bath		
Size	72" Vanity with 2 bowls	
Brand	Mid Continent Signature Series	
Style	Concord Style in Maple	
Color	Natural	
Bath #2		
Size	60" Vanity with single bowl	
Brand	Mid Continent Signature Series	
Style	Concord Style in Maple	
Color	Natural	


SV Stafford Duplex - S. Burlington, VT



Countertops		
Kitchen		
Style	Classic Quartz Series	
Color	To Be Selected by Owner	
Edge Detail	Pencil Edge	
Cut-Outs	Under Mount Sink	
Backsplash	4" Quartz	
B/S Location	Perimeter Back Only	
Kitchen Island		
Style	Classic Quartz Series	
Color	To Be Selected by Owner	
Edge Detail	Pencil Edge	
Cut-Outs	None	
Owner's Bath		
Style	Cultured Marble with 2 integrated flush oval bowls	
Color	Cotton White	
Edge Detail	Square Edge	
Cut-Outs	None	
Back Splash	4" integral Cultured Marble	
B/S Location	Back Only	
Bath #2		
Style	Cultured Marble with 1 integrated flush oval bowl	
Color	Cotton White	
Edge Detail	Square Edge	
Cut-Outs	None	
Back Splash	4" integral Cultured Marble	
B/S Location	Back Only	
Wall & Trim Interior Detail Work		
Insulation		
Exterior Walls	R-21 6" Fiberglass Batts with Poly Vapor Barrier	
Interior Walls	R-13 3-1/2" Fiberglass Batts for bath walls (Soundproofing)	
Rigid Insulation	Box sill in first and second floor joists insulated with rigid insulation	
Attic	R-60 Cellulose with backer boards at eaves for ventilation	
Garage	Not insulated	
Foundation	3-1/2" R-21 Thermax glued to concrete wall	
Drywall		
Living area walls	1/2" Sheet Rock, taped with 3 coats of joint compound at walls and ceilings	
Ceilings	Smooth Finish, minor shadow variations are possible in ceilings	
Garage	Unfinished	
Trim Details		
Casing	3-1/2" Eased Edge with 5/4x4 head casing	
Base	5-1/2" Colonial Base Board	
Wainscot	36" High Wainscot at Mudroom	
Crown	Available as option	
Built - Ins		
	Bench and Coat Pegs at Mudroom Open Shelves at Dining Room	 
Mirrors		
Owners Bath	Plate Glass mirror with ground edge, no bevel	
Bath #2	Plate Glass mirror with ground edge, no bevel	
Powder Room	By Owner	

SV Stafford Duplex - S. Burlington, VT



Interior Stairs/Railing		
Main to Second Floor	Brown Maple Hardwood Stairs Box Stair Construction	
	Treads sealed to match hardwood flooring and risers painted to match interior trim.	
	First Floor to Landing to be open rail with turned balusters and turned round newel posts	
	Risers, baluster posts painted to match interior trim	
	Rails and newel stained to match wood floors (including rail on wall)	
Main to Lower Level	Carpet Grade Stairs	
	Rail on wall stained	
Handrail Brackets	Satin Nickel	
Closet Shelving		
	All closets systems will be vented wire and the system is indicated on the plan. See Closet Plan for Details.	
Interior Paint		
Painted Interior Walls	1 coat primer 2 coats Low VOC Flat Latex Paint, Color to be selected by owner.	
Accent Wall	Color and Location to be selected by owner	
Ceilings	To match walls	
Interior Trim	Painted, 1 coat primer, 2 coats Semi-Gloss Latex Paint, Color to be selected by owner.	
Interior Doors	Painted, 2 coats of Semi-Gloss Latex Paint, Color to be selected by owner.	
Fireplace Mantle	Painted, 2 Coats of Semi-Gloss Latex Paint, Color to be selected by owner.	
Open Shelving	Painted, 2 coats of Semi-Gloss Latex Paint, Trim Color	
Main to Second Floor Stairs	Treads, Rail and Newel Sealed and Matching Wood Floor Risers and Baluster Posts Painted to Match Interior Trim	
Main to Lower Level Stairs	Stained railing to Match Wood on First Floor	
Interior Doors		
See Door Appendix B: Exterior and Interior Door Schedule		
Finish Hardware		
See Appendix E: Finish Hardware Schedule		
Flooring		
See Appendix F: Flooring Schedule		
Appliances		
See Appendix G: Appliance Schedule		
Landscaping		
Lawn	All disturbed portions of yard to be seeded. Lawn area will generally include front yard, side yard and rear yard. Lawn area to be covered with approximately 4" of native topsoil.	
8 Foundation Shrubs	To be Selected by Owner, See Landscape Plan	
8 Perennial Flowers	To be Selected by Owner, See Landscape Plan	
2 Small Yard Trees	To be Selected by Owner, See Landscape Plan	
Cleaning		
	House cleaned prior to closing, including washing of windows	
Warranty		
	SCI Warranty as per contract	
	Continuing a policy of constant research and improvement, Sterling Construction, Inc reserves the right to make substitutions and specification changes.	

Appendix A: Window Schedule

Harvey Slimline All Vinyl Windows, Double insulated, Low E, GBG Grills 2 over 2

6 9/16 primed interior jambs, 2 1/2 colonial case interior


Flat exterior case with built in J and nailing flange

EZ-Tilt cleaning

Screens included

Energy Star Qualified

Maximum U Factor 0.30

	Letter	Size	Quantity	Description	Location	Image	Notes
	A	34x65	5	Double Hung	Living Room, Dining Room		
	B	34x53	3	Double Hung	Owners Bedroom, Bedroom 3		
	C	34x41	2	Double Hung	Owners Bath, Foyer		
	E	34x53	4	Double Hung	Owner Bedroom, Bedroom 2 and 3		
	EF	34x53	1	Fixed	Stair		
	EG	55x48	1	Slider	Lower Level		Egress

Appendix B: Exterior and Interior Door Schedule

EXTERIOR DOORS





Therma-Tru Smooth Star Fiberglass Exterior Doors with full weather stripping and adjustable sills

Grills between glass

6 9/16 primed jambs

5/4 x 4 flat exterior case, Double bore set-up

EZ Set Satin Nickel knob and deadbolt hardware, All doors keyed alike

	Quantity	Description	Opens	Size	Type	Hardware	Image	Notes
Foyer Entry								
	1	S220 2 Panel w/S100 SL Knob Side	RH	3'-0"	2 Panel	Double Bore		
Garage Entry								
	1	978HD 2 Panel Solid Steel	RH	3'-0"	2 Panel	Double Bore		
Dining Room Entry								
	1	7280 Harvey Vinyl Sliding Patio Door	RH	3'-0"	Slider	Glass		
Exterior Door Hardware								
Knobs	4	EZ - Set Keyed Entry w/deadbolt				Satin Nickel		All Keyed Alike





INTERIOR DOORS

2 Panel, Hollow core, Smooth molded hardboard, 4 9/16 PFJ split jambs






Colonial Casing both sides










Dexter Stratus Satin Nickel Hardware





Ball catches and (2) Dummy knobs per pair included

Interior Doors								
	15	Masonite Textured	See Plans - will display more clearly with plans	2'-4"	2 Panel Hollow Core	Double Bore		
Interior Door Hardware								
Knobs	15	EZ - Set				Satin Nickel		
Base Bumps	15					Satin Nickel		
Hinge Bumps	15					Satin Nickel		








Appendix C: Light Fixture Schedule








	Quantity	Description	SKU	Item	Color	Image	Notes
Garage Exterior							
	1	One Light Outdoor Wall Lantern	143182	Maxim 35016BK	Black		
Porch Exterior							
	1	One Light Outdoor Wall Lantern	143182	Maxim 35016BK	Black		
Front Porch							
	3	Click Lights - LED Flush Mount	3636303	Maxim 57641WTWT	White		
Foyer							
	1	Two Light Semi Flush Mount	086620	Generation Lighting 773730EN3-962	Brushed Nickel		
Mudroom							
	1	Click Lights - LED Flush Mount	3636303	Maxim 57641WTWT	White		
Kitchen Island							
	2	One Pendant Light	090083	Generation Lighting 6137301EN3-962	Brushed Nickel		
Kitchen							
	5	Click Lights - LED Flush Mount	363603	Maxim 57641WTWT	White		

Dining Room							
	1	Three Light Flush Mount	725440	Maxim 2681FTSN	Satin Nickel		
Living Room							
	1	Three Light Flush Mount	725440	Maxim 2681FTSN	Satin Nickel		
Powder							
	1	Two Light Vanity Wall	090109	Generation Lighting 4437302EN3-962	Brushed Nickel		
Stairwells							
	2	One Light Wall Sconce	517528	90179	Satin Nickel		1 - Main to Second Floor and 1 - in Main to Lower Level
Upstairs Hall							
	3	Two Light Flush Mount	216910	Maxim 2680MRSN	Satin Nickel		
Owners Bedroom Hallway							
	1	Click Lights - LED Flush Mount	363603	Maxim 57641WTWT	White		
Owners Bedroom							
	1	Three Light Flush Mount	725440	Maxim 2681FTSN	Satin Nickel		
Owners Vanity							
	2	Two Light Vanity Wall	090109	Generation Lighting 4437302EN3-962	Brushed Nickel		
Owners Closet							
	1	Two Light Flush Mount	216910	Maxim 2680MRSN	Satin Nickel		









Bedroom #2							
	1	Maxim	216910	Maxim 2680MRSN	Satin Nickel		
Bedroom #3							
	1	Maxim	216910	Maxim 2680MRSN	Satin Nickel		
Bath #2							
	1	Three Light Vanity Wall	090101	Generation Lighting 4437303EN3-962	Brushed Nickel		
Laundry Room							
	1	Two Light Flush Mount	216910	Maxim 2680MRSN	Satin Nickel		

Appendix D: Plumbing Schedule


	Qty.	Description	Manufacturer	Product No.	Finish	Image	Notes
Kitchen							
Sink	1	McAllister Double Bowl Undermount Sink	Sterling	11406-NA	Stainless Steel		32" L x 18" W, 8" Deep. Dearborn Stainless Basket Strainer
Faucet	1	Simplice with Spray	Kohler	K-596-VS	Vibrant Stainless		
Garbage Disposal	1	Badger 5, 1/2 HP	Insinkerator	N/A	N/A		
Owner's Bath							
Faucet	2	Refinia Center set Lavatory Faucet	Kohler	K-5316-4-CP	Polished Chrome		
Shower	1	34"x60" Shower Pan	Aquatic	6034CPANNS	White		Tile Shower Walls, see flooring tile section. Straight Curtain Rod Installed.
Shower Fixture	1	Refinia Shower Trim	Kohler	K-TS5320-4G-CP	Polished Chrome		
Toilet	1	Windham Elongated Toilet Bowl	Sterling	403082-RA-0	White		29" L x 16" W x 30" H

Bath #2							
Faucet	1	Refinia Center set Lavatory Faucet	Kohler	K-5316-4-CP	Polished Chrome		
Tub/Shower	1	60" Alcove Tub/Shower	Aker Products	141004	White		Straight Curtain Rod Installed.
Tub/Shower Trim	1	Refinia Tub/Shower Trim	Kohler	K-TS5318-4G-CP	Polished Chrome		
Toilet	1	Windham Elongated Toilet Bowl	Sterling	403082-0	White		29" L x 16" W x 30" H
Powder Bath							
Faucet	1	Refinia Center set Lavatory Faucet	Kohler	K-5316-4-CP	Polished Chrome		
Toilet	1	Windham Elongated Toilet Bowl	Sterling	403082-0	White		29" L x 16" W x 30" H
Pedestal Sink	1	Wellworth Pedestal	Kohler	K-2293-4-0	White		

Appendix E: Finish Hardware Schedule





	Qty.	Description	Manufacturer	Product No.	Finish	Image	Notes
Owner's Bath							
Knob	8	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel		
Robe Hook	1	Alteo Robe Hook	Kohler	K-37055-CP	Polished Chrome		
Tissue Holder	1	Alteo Pivoting Toilet Tissue Holder	Kohler	K-37054-CP	Polished Chrome		
Towel Bar	1	Alteo 24" Towel Bar	Kohler	K-37051-CP	Polished Chrome		
Powder Bath							
Towel Ring	1	Alteo Towel Ring	Kohler	K-37057-CP	Polished Chrome		
Tissue Holder	1	Alteo Pivoting Toilet Tissue Holder	Kohler	K-37054-CP	Polished Chrome		
Bath #2							
Knob	8	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel		
Robe Hook	1	Alteo Robe Hook	Kohler	K-37055-CP	Polished Chrome		
Tissue Holder	1	Alteo Pivoting Toilet Tissue Holder	Kohler	K-37054-CP	Polished Chrome		
Towel Bar	1	Alteo 24" Towel Bar	Kohler	K-37051-CP	Polished Chrome		
Kitchen Surround							
Knob	19	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel		
Kitchen Island							
Knob	4	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel		

Appendix F: Flooring Schedule

Wood Floors							
Location	Make	Style	Finish	Size		Image	
Kitchen, Dining Room, Living Room	BSL	Pacific Grade Maple	Natural	4-1/4" Width			
Tile Floors							
	Make/Style	Finish/Color	Tile Size	Orientation	Tile Grout	Image	Notes
Owner Bath	TBD	TBD	TBD	TBD	TBD		
Owner Bath Shower Walls	TBD	TBD	TBD	TBD	TBD		
Bath 2	TBD	TBD	TBD	TBD	TBD		
Fireplace Surround & Hearth	Slate	TBD	TBD	TBD	TBD		6" - Top and Sides of fireplace front 12" Hearth width of mantle
Foyer, Mudroom	TBD	TBD	TBD	TBD	TBD		
Powder	TBD	TBD	TBD	TBD	TBD		

Carpet							
	Make	Style	Color	Details		Image	
Owners Bedroom, Walk in Closet	TBD	TBD	TBD				
Bedroom 2, Bedroom 3, Upstairs Hall	TBD	TBD	TBD				
Vinyl Floors							
	Make	Style	Color			Image	Notes
Laundry Room	TBD	TBD	TBD				

Appendix G: Appliance Schedule

Appliance	Quantity	Manufacturer	Model	Color	Description	Image	Notes
Kitchen							
Refrigerator	1	GE	GNE27JSMSS	Stainless	GE Energy Star 27.0 Cu. Ft. French Door		
Gas Range	1	GE	JGB700SEJSS	Stainless	GE 30" Free-Standing Gas Range		
Dishwasher	1	GE	GDF510PSMSS	Stainless	GE Dishwasher with Front Controls		Gray Plastic Tub and Door Liner
Microwave	1	GE	JVM3160RFSS	Stainless	GE 1.6 Cu. Ft. Over-the-Range-Microwave Oven		
Laundry Room							
Washer							Available as option
Gas Dryer							Available as option