

#### **MIDLAND DUPLEX HOME - CONSTRUCTION SPECIFICATIONS**

Builder Sterling Homes 1037 Hinesburg Road South Burlington, VT 05403 Homeowner/Project

South Village #108R 225 Midland Ave South Burlington, VT 05403 Specification Date: 4/21/2021 Site Plan Date: 4/15/2021 Plan Date: 4/20/2021

Midland Duplex Plan: Two story New England style duplex home with un-finished Lower Level. Two floors of finished area with approximately 1,875 square feet of living space including first floor owners suite; 1,162 square feet of unfinished Lower Level, 484 square foot 2-car garage, 96 square foot front porch, and a 192 square foot deck.

**Total Square Feet** Location First Floor 1,162 Second Floor 713 **Total Finished Square Feet** 1,875 Lower Level 1,162 Garage 484 Front Porch 96 Deck 192

PCL # Color Code Date

RED

ORANGE

GOLD

GREEN

**Personal Choice Lists** 

BLUE
PURPLE
PINK
RUST
HUNTER
SKY BLUE
LAVENDER
BROWN
NAVY
LIME
CRANBERRY

AQUA PEACH

**GRAPE** 

#### **Specification and Appendix Approval**

Appendix A: Window Schedule
Appendix B: Exterior and Interior Door Schedule
Appendix C: Lighting Schedule
Appendix D: Plumbing Schedule
Appendix E: Finish Hardware Schedule
Appendix F: Flooring Schedule
Appendix G: Appliance Schedule

Client		Date
Client		Date
Builder	Callin Establis	Data.
Bullaer	Collin Frisbie	Date



	MIDLAND DUPLEX HOME - CONSTRUCTION SPECIFICATIONS	
Section	Information	Image
ermits		
	Builder responsible to obtain all necessary permits including:	
	- Soil Erosion and Sediment Control	
	- Well - N/A	
	- Septic System - N/A	
	- Zoning	
urveys		
	Home is to be staked by builder	
ite Clearing	Divided in the second side of th	
tilities Connections	Builder is responsible for all site clearing, as needed	
tilities connections	Builder responsible for all site work and site belance to include	
NA/=+=::	Builder responsible for all site work and site balance to include	
Water	Connection to City of South Burlington water system	
Sewer	Connection to City of South Burlington sewer system	
Gas	Connection to Natural Gas lines at road.	
Power	Underground power	
Cable	Cable TV conduit to house	
	All excavation, fill and labor is included	
nergy Package		
Hemata to 1.1	Home to be built to an VT Residential Building Energy Standards (RBES)	
Home to Include		
	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light	
	PurePro DP511 Programmable Thermostat; First Floor and Second Floor	
	Additional caulking and sealing of joists to reduce air infiltration into the home, including shoe	
	plate; windows; and where wires and pipes go to cold spaces	
	R-15 Rigid Thermax insulation on Interior of Lower Level - floor to top of concrete wall	
	Selected use of closed cell foam to improve overall air sealing of attic in home	
	Blower Door Test required for VT RBES	
oundation		
Туре	Poured Concrete	
Wall Height	8'	
Lookout Height	4' Frost Wall	
Strength	Min. 3000 PSI @2 days with steel reinforcement	
Footer	Continuous 8" x 16" reinforced	
at Work Concrete		
Lower Level	Poured Concrete	
Finish	Smooth	
"Keyway" Joints	Saw cut	
Thickness	4"	
Strength	House: Min. 3000 PSI @ 28 days Garage: Min. 4000 PSI @ 28 days	
	Tarred damp proofing membrane sprayed on exterior of foundation walls.	
Moisture Barrier	6 mil poly under concrete house slab.	
	Footing drains installed below footers around Lower Level and drained to daylight in back yard.	
Ground water controls	Drain tile buried in clean stone; covered with mirafi fabric; clean sand fill against foundation.	
	Site graded to shed surface water away from house.	
	Poulder rock walls as peopled for the grading of the ward	
Rock Wall	Boulder rock walls as needed for the grading of the yard.  Roulders from the site are machine-placed to create walls	
riveway/Entrance	Boulders from the site are machine-placed to create walls.	
iiveway/ Liiu alice	12" thick gravel two car driveway on top of mirafi fabric.	
Drive	Driveway to be finish paved with 2" of compacted asphalt.	
	Driveway to be mish paved with 2 of compacted aspilant.	
Walkway	42" wide walkway from front porch to sidewalk.	14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1



		HOWES
Frame		
Exterior Walls	2x6 SPF 24" o.c.	
Interior Walls	2x4 SPF 24" o.c.	
Plate Height	9'-1" on first floor; 8'-1" on second floor and 8' in lower level	
Plate	2x6 treated southern yellow pine with foam sill seal	
Floor Framing	11-7/8" Truss Joist TJI 230 Series I-joists @ 24" o.c.	
Sub Flooring	3/4" 4x8 T&G OSB glued and nailed	
	2 or 3 ply Truss Joist Microlam LVL, nailed and glued, as specified by engineering load design,	
Girders	supported by 3-1/2" concrete filled lally columns in Lower Level	
Sheathing	7/16" 4x8 OSB	
Roof	Pre-engineered roof trusses 24" o.c. 5/8" T&G OSB rated sheeting	
	Pre-engineered roof trusses 24" o.c. 5/8" T&G OSB rated sheeting Pitches: 6/12 at Main House;	
Roof Pitch	6/12 at Garage; 5/12 and 4/12 at Porch	
House Wrap	Professional house wrap with flashing around all windows and doors	
Roofing	Troressional house wrap with hashing around all windows and doors	
Roomig	Ice and water shield on eaves and valleys. Vented on ridge to achieve proper ventilation.	
Underlayment		Transit with the same
Underlayment	Owens Corning ProArmor Synthetic Roof Underlayment Owens Corning Trupofinition Shingles Limited Lifetime Warranty	
Shingles	Owens Corning TruDefinition Shingles Limited Lifetime Warranty	
Color	Color to be selected by owner	The second secon
Siding/Exterior Elements	Name day Wandaman Calast	
Siding	Noandex Woodsman Select	
Gable Ends	Double 4" Color to be selected by owner	
Clapboard	Double 4", Color to be selected by owner	
Board and Baton	None	
Eaves	Two piece aluminum wrapped - White	
Soffit	Perforated soffit for proper venting	
Corners	6" White Vinyl Corners with Foam Backer	
Trim Details	Frieze board and Garage Door Trim to be Miratech	
Drip Edge	Galvanized	
Shutters	Available as option	
Gutters & Downspouts		
Gutters & Downspouts	White Seamless Gutters	
Windows		
	See Appendix A: Window Schedule	
Brand	Harvey Slimline	
Color	White	
Construction	Vinyl, Low-E, Insulated Double-Pane	
Exterior Casing	Flat	
U-Factor	0.30	
Grills	Between Glass 2 over 2	
Screens	Fiberglass Mesh	
Exterior Doors	Time (Bidd) Michil	
Exterior Doors	See Appendix B: Exterior and Interior Door Schedule	
Drand	Therma-Tru	
Brand Color		
	See Exterior Paint Section	
Construction	Insulated Fiberglass	
Exterior Casing	5/4x4 Flat	
Storm Doors	None	
Overhead Garage Doors		
Model	8300 Series Insulated Steel Door	
Size	16' x 7'	
Design	Colonial Raised Panel with Stockton I Windows	
Color	Manufacturer White	
Opener	8" lift master 1/2 horsepower electric opener	
Remotes	2 remotes included	
Frame Key Pad	Keyless entry punch pad	



Decks & Porches		
Covered Entry Porch		
Porch Framing	6' x 22' framed with PT 2x8 joists	-
Decking	5/4x6 #1 PVC Azek Harvest Collection	$\dashv$
Posts	CPVC wrapped and PT 6x6 Posts and 2x8 roof beams - White	
Roof	Roof to be truss framed, roof shingles to match house	
Ceiling	White vinyl bead board	
Stairs	Stairs from porch to walkway to be PT box steps with 5/4x6 #1 Azek PVC Decking Treads	
Rail	Composite rails and balusters	
Hardware	CPVC to be screwed and plugged, no paint	_
Finish	Porch posts, beams, rim board and stair risers - white CPVC Trim	_
Color	Porch decking and stair tread to be Azek Harvest Collection PVC - Color Selected by owner	
Deck		
Deck Framing	14' X 14' deck framed with PT 2x10 joists - 4 sqft notch at intersection with house	
Decking	5/4x6 Cedar Decking	
Access	Access to Deck from Dining Room	
Rail	Composite rail and balusters	7
Stairs	Steps from deck to ground to be PT box stairs with 5/4x6 Cedar Treads	7
Color	To be Selected by Owner	_
Exterior Paint	To be selected by Owner	<u> </u>
Exterior Doors - Excluding Front Door	Painted Satin Finish, White	
	Painted Satin Finish, white	$\dashv$
Exterior Trim - Including Frieze Board and Door Surrounds	Painted Satin Finish, White	
	2	_
Front Door	2 coats Exterior Paint, Color to be Selected by Owner	_
Sidelight	Painted Satin Finish, White	_
Front Porch Rail	Composite Rail, White	_
Front Porch Posts	CPVC wrapped, White	_
Front Porch Roof Beams	CPVC Trim, White	
Front Porch Rim board	CPVC Trim, White	
Front Porch Stair Risers	CPVC Trim, White	
Front Porch Decking	Azek Harvest Collection PVC Decking	
Electrical & Low Voltage		
	Underground electrical service, 150 AMP Panel	
Plugs and Switches		
Switch Style	Toggle	Φ.
Plate Style	Toggle screw on plates	
Switch Color	White	100
Dimmers	Available as an Option	
Exterior Plugs	Per Electrical Plan	Φ
Lighting	The Electrical Figure	
	Soo Lighting Einigh Schodule (Appendix Cr. Light Einturge Schodule)	$\dashv$
Lighting Fixtures	See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule)	-
Recessed Lights	None Oction	-
Under Cabinet Lighting	Available as an Option	_
Miscellaneous		_
Door Chime	Nutone BK125LWH: One 2-note, white door chime	_
Smoke/CO2	1 CO/Smoke per floor (3 Total), 1 Smoke per bedroom (3 Total)	_
Bath Vents	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light	
Cat 5 (data/phone)	Yes, per electrical plan	
TV Jacks	Yes, per electrical plan	7
Security/Surveillance	None	7
Central Vacuum	Rough in only, 1 outlet per floor	7
Audio	None	7
Light Fixtures		
Light Fixed Co	See Appendix C: Light Fixture Schedule	
	See Appendix C. Light Fixture Schedule	



	Plumbing	HOWES
Heating and Venting		
Furnace	York LX Series, TM9V	
Furnace Size	60,000 BTU	
Efficiency Rating	96.00%	
Zones	Zone 1: First Floor, Zone 2: Second Floor	- 5:36 hz
Air Conditioner	York LX Series, 3-Ton YCGD, 17 SEER R-410a coil	
Thermostat	PurePro DP511 Programmable Thermostat; First Floor and Second Floor	The second secon
Bath Venting	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light Vented to the outside	
Dryer Venting	Vented to the outside	
Gas		
Main Kitchen Range	Yes	
Main Fireplace	Yes	
Second Floor Dryer	Yes	
Furnace	Yes	
Hot Water System	Yes	
Grill Line at Deck	N/A	
Fireplace and Mantle		
Fireplace in Living Room		
Model	Empire DVCD36FP30N direct vent gas fireplace	
Mantle	Custom Built in Place Mantle (See picture/detail)	
Tile Surreund	6" Slate Tile on Top and 2 Sides of Fireplace Face.	
Tile Surround	Color to be Selected by Owner.	Service section for
<del>-</del> 11	12" Slate Tile Hearth to be full width of Mantle above, Flush with flooring.	
Tile Hearth	Color to be Selected by Owner.	
Venting	Direct vent to outside through wall	
Plumbing Fixtures		
	See Appendix D: Plumbing Schedule	
Miscellaneous Plumbing		
Outdoor Faucets	2 Frost-Free Hose Bibs, located at back of the main house and on the side of the front porch	HIII.
Hot Water Heater	Rinnai R75-Lsi on demand water heater	
Laundry	Washer Box Valve with single handle shutoff and drain; appliances pricing optional	
	PVC Drainage plumbing.	
Plumbing	PEX continuous piping for all domestic water.	
	All plumbing installed according to National Plumbing Code by licensed plumber.	
Radon	Radon Piping runs from under Lower Level concrete slab through roof.	
Nadon	This is a passive system, no fan.	
Utility Sink	Option available	
	Cabinets & Countertops	
Cabinets		1
Kitchen		
Brand	Mid Continent Signature Series	
Style	Concord Style in Maple	1 1000
Color	Natural	January 1
Kitchen Island		
Brand	Mid Continent Signature Series	
Style	Concord Style in Maple	
Color	Natural	
Owner's Bath		
Size	72" Vanity with 2 bowls	
Brand	Mid Continent Signature Series	10.000
Style	Concord Style in Maple	PRE-MINI
Color	Natural	
Bath #2		
Size	60" Vanity with single bowl	
Brand	Mid Continent Signature Series	1000000
Style	Concord Style in Maple	
Style	concert copie in mapre	



		HOMES
Countertops		
Kitchen		
Style	Classic Quartz Series	
Color	To Be Selected by Owner	
Edge Detail	Pencil Edge	hel Hill
Cut-Outs	Under Mount Sink	
Backsplash	4" Quartz	
B/S Location	Perimeter Back Only	
Kitchen Island		
Style	Classic Quartz Series	
Color	To Be Selected by Owner	
Edge Detail	Pencil Edge	
Cut-Outs	None	Kitchen Tops (not color or Style)
Owner's Bath		
Style	Cultured Marble with 2 integrated flush oval bowls	
Color	Cotton White	
Edge Detail	Square Edge	
Cut-Outs	None	
Back Splash	4" integral Cultured Marble	
B/S Location	Back Only	
Bath #2	Back Offiy	
Style	Cultured Marble with 1 integrated flush oval bowl	E.
Color	Cotton White	
Edge Detail	Square Edge	
Cut-Outs	None	
Back Splash	4" integral Cultured Marble	
B/S Location	Back Only	
	Wall & Trim Interior Detail Work	
Insulation		
Exterior Walls	R-21 6" Fiberglass Batts with Poly Vapor Barrier	
Interior Walls	R-13 3-1/2" Fiberglass Batts for bath walls (Soundproofing)	
Rigid Insulation	Box sill in first and second floor joists insulated with rigid insulation	
Attic	R-60 Cellulose with backer boards at eves for ventilation	
Garage	Not insulated	
Foundation	3-1/2" R-21 Thermax glued to concrete wall	
Drywall		
Living area walls	1/2" Sheet Rock, taped with 3 coats of joint compound at walls and ceilings	
Ceilings	Smooth Finish, minor shadow variations are possible in ceilings	
Garage	Unfinished	
Trim Details	<u></u>	
Casing	3-1/2" Eased Edge with 5/4x4 head casing	
Base	5-1/2" Colonial Base Board	1.5
Wainscot	36" High Wainscot at Mudroom	
Crown	Available as option	and the same of th
Built - Ins		
	Bench and Coat Pegs at Mudroom	
	Open Shelves at Dining Room	11111
Mirrors		
Owners Bath	Plate Glass mirror with ground edge, no bevel	W I
Bath #2	Plate Glass mirror with ground edge, no bevel	
Powder Room	By Owner	
Powaer Room	By Owner	A. C.



Interior Stairs/Railing		
Main to Second Floor	Brown Maple Hardwood Stairs Box Stair Construction	
	Treads sealed to match hardwood flooring and risers painted to match interior trim.	
	First Floor to Landing to be open rail with turned balusters and turned round newel posts	
	Risers, baluster posts painted to match interior trim	3
	Rails and newel stained to match wood floors (including rail on wall)	
Main to Lower Level	Carpet Grade Stairs	
	Rail on wall stained	
Handrail Brackets	Satin Nickel	
Closet Shelving		
	All closets systems will be vented wire and the system is indicated on the plan. See Closet Plan for Details.	
Interior Paint		
Painted Interior Walls	1 coat primer 2 coats Low VOC Flat Latex Paint, Color to be selected by owner.	
Accent Wall	Color and Location to be selected by owner	
Ceilings	To match walls	
Interior Trim	Painted, 1 coat primer, 2 coats Semi-Gloss Latex Paint, Color to be selected by owner.	
Interior Doors	Painted, 2 coats of Semi-Gloss Latex Paint, Color to be selected by owner.	
Fireplace Mantle	Painted, 2 Coats of Semi-Gloss Latex Paint, Color to be selected by owner.	
Open Shelving	Painted, 2 coats of Semi-Gloss Latex Paint, Trim Color	
Main to Second Floor Stairs	Treads, Rail and Newel Sealed and Matching Wood Floor	
Main to Second Floor Stairs	Risers and Baluster Posts Painted to Match Interior Trim	
Main to Lower Level Stairs	Stained railing to Match Wood on First Floor	
Interior Doors		
	See Door Appendix B: Exterior and Interior Door Schedule	
Finish Hardware		
-1 :	See Appendix E: Finish Hardware Schedule	
Flooring	Con Announdity Ft Flooring Cohodula	
Appliances	See Appendix F: Flooring Schedule	
Appliances	See Appendix G: Appliance Schedule	
Landscaping	See Appendix G. Appliance Schedule	
Lanuscaping	All disturbed portions of yard to be seeded.	
Lawn	Lawn area will generally include front yard, side yard and rear yard.	
Lawii	Lawn area to be covered with approximately 4" of native topsoil.	
8 Foundation Shrubs	To be Selected by Owner, See Landscape Plan	
8 Perennial Flowers	To be Selected by Owner, See Landscape Plan	
2 Small Yard Trees	To be Selected by Owner, See Landscape Plan	
Cleaning	1.5 55 55 55 55 57 57 55 55 55 55 55 55 55	
	House cleaned prior to closing, including washing of windows	
Warranty		
•	SCI Warranty as per contract	
	, , , , , , , , , , , , , , , , , , ,	
	Continuing a policy of constant research and improvement, Sterling Construction, Inc reserves	
	the right to make substitutions and specification changes.	



#### **Appendix A: Window Schedule**

Harvey Slimline All Vinyl Windows, Double insulated, Low E, GBG Grills 2 over 2 6 9/16 primed interior jambs, 2 1/2 colonial case interior Flat exterior case with built in J and nailing flange EZ-Tilt cleaning Screens included Energy Star Qualified

	Letter	Size	Quantity	Description	Location	Image	Notes		
	А	34x65	3	Double Hung	Living Room				
	В	34x53	8	Double Hung	Owners Bedroom, Bedroom 2 & 3, Stairwell, Garage				
	E	34x53	3	Double Hung	Owner Bedroom, Bedroom 2 & 3				
	EG	55x48	1	Slider	Lower Level		Egress		
	J	27x41	1	Double Hung	Owner's Bath				



#### Appendix B: Exterior and Interior Door Schedule EXTERIOR DOORS

Therma-Tru Smooth Star Fiberglass Exterior Doors with full weather stripping and adjustable sills

Grills between glass

6 9/16 primed jambs

5/4 x 4 flat exterior case, Double bore set-up

EZ Set Satin Nickel knob and deadbolt hardware, All doors keyed alike

	Quantity	Description	Opens	Size	Туре	Hardware	Image	Notes		
oyer Entry										
	1	S220 2 Panel	RH	3'-0"	2 Panel	Double Bore				
arage Entry										
	1	978HD 2 Panel Solid Steel	RH	3'-0"	2 Panel	Double Bore				
ining Room Entry										
	1	7280 Harvey Vinyl Sliding Patio Door	RH	3'-0"	Slider	Glass				
xterior Door Hard	ware									
Knobs	4	EZ - Set Keyed Entry w/deadbolt				Satin Nickel		All Keyed Alike		
			IN'	TERIOR DOORS						
Colonial Casing botl Dexter Stratus Satir Ball catches and (2)	h sides	ardboard, 4 9/16 PFJ s air included	plit jambs							
nterior Doors		T								
	15	Masonite Textured	See Plans - will display more clearly with plans	2'-4"	2 Panel Hollow Core	Double Bore				
nterior Door Hardy	ware									
Knobs	15	EZ - Set				Satin Nickel				
Base Bumps	15					Satin Nickel	*			
Hinge Bumps	15					Satin Nickel				



Appendix C: Light Fixture Schedule							
		Apper	ndix C: Light	Fixture Sched	lule		
	Quantity	Description	SKU	Item	Color	Image	Notes
Garage Exterior						91	
	1	One Light Outdoor Wall Lantern	143182	Maxim 35016BK	Black	4	
orch Exterior							
	1	One Light Outdoor Wall Lantern	143182	Maxim 35016BK	Black		
Front Porch							
	3	Click Lights - LED Flush Mount	3636303	Maxim 57641WTWT	White		
oyer							
	1	Two Light Semi Flush Mount	086620	Generation Lighting 773730EN3-962	Brushed Nickel		
Mudroom							
	1	Click Lights - LED Flush Mount	3636303	Maxim 57641WTWT	White		
Citchen Island							
	2	One Pendant Light	090083	Generation Lighting 6137301EN3-962	Brushed Nickel		
Kitchen							
	5	Click Lights - LED Flush Mount	363603	Maxim 57641WTWT	White		



Dining Poom						HOMES
Dining Room						
	1	Three Light Flush Mount	725440	Maxim 2681FTSN	Satin Nickel	
Living Room	1					
	1	Three Light Flush Mount	725440	Maxim 2681FTSN	Satin Nickel	
Powder						
	1	Two Light Vanity Wall	090109	Generation Lighting 4437302EN3-962	Brushed Nickel	
Stairwells						
	2	One Light Wall Sconce	517528	90179	Satin Nickel	1 - Main to Second Floor and 1 - in Main to Lower Level
Upstairs Hall						
	3	Two Light Flush Mount	216910	Maxim 2680MRSN	Satin Nickel	
Owners Bedroom H	allway					
	1	Click Lights - LED Flush Mount	363603	Maxim 57641WTWT	White	
Owners Bedroom						
	1	Three Light Flush Mount	725440	Maxim 2681FTSN	Satin Nickel	*
Owners Vanity						
	2	Two Light Vanity Wall	090109	Generation Lighting 4437302EN3-962	Brushed Nickel	
Owners Closet						
	1	Two Light Flush Mount	216910	Maxim 2680MRSN	Satin Nickel	



						TOWES		
Bedroom #2								
	1	Maxim	216910	Maxim 2680MRSN	Satin Nickel			
Bedroom #3								
	1	Maxim	216910	Maxim 2680MRSN	Satin Nickel			
Bath #2								
	1	Three Light Vanity Wall	090101	Generation Lighting 4437303EN3-962	Brushed Nickel	the its it is		
Laundry Room	aundry Room							
	1	Two Light Flush Mount	216910	Maxim 2680MRSN	Satin Nickel			



		Anne	endix D. Plum	nbing Schedu	ıle	п	OMES
	Qty.	Description	Manufacturer	Product No.	Finish	Image	Notes
Kitchen						_	
Sink	1	McAllister Double Bowl Undermount Sink	Sterling	11406-NA	Stainless Steel		32" L x 18" W, 8" Deep. Dearborn Stainless Basket Strainer
Faucet	1	Simplice with Spray	Kohler	K-596-VS	Vibrant Stainless	3	
Garbage Disposal	1	Badger 5, 1/2 HP	Insinkerator	N/A	N/A		
Owner's Bath							
Faucet	2	Refinia Center set Lavatory Faucet	Kohler	K-5316-4-CP	Polished Chrome		
Shower	1	34"x60" Shower Pan	Aquatic	6034CPANNS	White		Tile Shower Walls, see flooring tile section. Straight Curtain Rod Installed.
Shower Fixture	1	Refinia Shower Trim	Kohler	K-TS5320-4G-CP	Polished Chrome		
Toilet	1	Windham Elongated Toilet Bowl	Sterling	403082-RA-0	White		29" L x 16" W x 30" H



Bath #2						п	OMES
Faucet	1	Refinia Center set Lavatory Faucet	Kohler	K-5316-4-CP	Polished Chrome		
Tub/Shower	1	60" Alcove Tub/Shower	Aker Products	141004	White		Straight Curtain Rod Installed.
Tub/Shower Trim	1	Refinia Tub/Shower Trim	Kohler	K-TS5318-4G-CP	Polished Chrome		
Toilet	1	Windham Elongated Toilet Bowl	Sterling	403082-0	White		29" L x 16" W x 30" H
Powder Bath							
Faucet	1	Refinia Center set Lavatory Faucet	Kohler	K-5316-4-CP	Polished Chrome		
Toilet	1	Windham Elongated Toilet Bowl	Sterling	403082-0	White		29" L x 16" W x 30" H
Pedestal Sink	1	Wellworth Pedestal	Kohler	K-2293-4-0	White		



	Appendix E: Finish Hardware Schedule								
	Qty.	Description	Manufacturer	Product No.	Finish	Image	Notes		
Owner's Bath									
Knob	8	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel				
Robe Hook	1	Alteo Robe Hook	Kohler	K-37055-CP	Polished Chrome				
Tissue Holder	1	Alteo Pivoting Toilet Tissue Holder	Kohler	K-37054-CP	Polished Chrome				
Towel Bar	1	Alteo 24" Towel Bar	Kohler	K-37051-CP	Polished Chrome				
Powder Bath									
Towel Ring	1	Alteo Towel Ring	Kohler	K-37057-CP	Polished Chrome				
Tissue Holder	1	Alteo Pivoting Toilet Tissue Holder	Kohler	K-37054-CP	Polished Chrome				
Bath #2					·				
Knob	8	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel				
Robe Hook	1	Alteo Robe Hook	Kohler	K-37055-CP	Polished Chrome	J			
Tissue Holder	1	Alteo Pivoting Toilet Tissue Holder	Kohler	K-37054-CP	Polished Chrome				
Towel Bar	1	Alteo 24" Towel Bar	Kohler	K-37051-CP	Polished Chrome				
Citchen Surround									
Knob	19	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel	8			
Citchen Island									
Knob	4	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel				



#### **Appendix F: Flooring Schedule**

Wood Floors							
Location	Make	Style	Finish	Size		Image	
Foyer, Living Room, Kitchen, Dining Room	BSL	Pacific Grade Maple	Natural	4-1/4" Width			
			Tile Flo	ors			·
	Make/Style	Finish/Color	Tile Size	Orientation	Tile Grout	Image	Notes
					-		
Owner Bath	TBD	TBD	TBD	TBD	TBD		
Owner Bath Shower Walls	TBD	TBD	TBD	TBD	TBD		
Bath #2	TBD	TBD	TBD	TBD	TBD		
					I	1	
Mudroom	TBD	TBD	TBD	TBD	TBD		
Powder	TBD	TBD	TBD	TBD	TBD		
Fireplace Surround & Hearth	Slate	TBD	TBD	TBD	TBD		6" - Top and Sides of fireplace front 12" Hearth width of mantle



					11	OMES
			Carp			
	Make	Style	Color	Details	Image	
Owner Bedroom, Walk In Closet	TBD	TBD	TBD			
Bedroom 2, Bedroom 3, Upstairs Hall	TBD	TBD	TBD			
			Vinyl Fl	oors		
	Make	Style	Color		Image	Notes
Laundry Room	TBD	TBD	TBD			



		An	pendix G: App	liance Sche	dule		OMES
		76	perion o. App	ilance sene			
Appliance	Quantity	Manufacturer	Model	Color	Description	Image	Notes
itchen							
Refrigerator	1	GE	GNE27JSMSS	Stainless	GE Energy Star 27.0 Cu. Ft. French Door		
Gas Range	1	GE	JGB700SEJSS	Stainless	GE 30" Free- Standing Gas Range		
Dishwasher	1	GE	GDF510PSMSS	Stainless	GE Dishwasher with Front Controls		Gray Plastic Tub and Door Liner
Microwave	1	GE	JVM3160RFSS	Stainless	GE 1.6 Cu. Ft. Over- the-Range- Microwave Oven		
aundry Room							
Washer							Available as option
Gas Dryer							Available as option