

CHESTNUT HOME - CONSTRUCTION SPECIFICATIONS

Builder Sterling Homes 1037 Hinesburg Road South Burlington, VT 05403 Homeowner/Project
South Village #

Specification Date: 6/4/2020 Site Plan Date: Plan Date: 1/13/12

Farmstead II Plan: Two story New England style duplex home with un-finished Lower Level. Two floors of finished area with approximately 1,806 square feet of living space including first floor owners suite; 1,176 square feet of unfinished Lower Level, 440 square foot 2-car garage, 132 square foot front porch.

Location	Total Square Feet			
First Floor	1,176			
Second Floor	630			
Lower Level	1,176			
Total Conditioned Home Square Feet				
Garage	440			
Front Porch	132			
	101	Personal Choice Lists		
PCL #		Color Code	Date	2
		RED		-
		ORANGE		
		GOLD		
		GREEN		
		BLUE		
		PURPLE		
		PINK		
		RUST		
		HUNTER		
		SKY BLUE		
		LAVENDER		
		BROWN		
		NAVY		
		LIME		
		CRANBERRY		
		AQUA		
		PEACH		
		GRAPE		
		Specification and Appendix Approval		
		Appendix A: Window Schedule		
		Appendix B: Exterior and Interior Door Schedule		
		Appendix C: Lighting Schedule		
		Appendix D: Plumbing Schedule		
		Appendix E: Finish Hardware Schedule		
		Appendix F: Flooring Schedule		
		Appendix G: Appliance Schedule		
Client			Date	
Client			Data	
Client			Date	
Builder	Collin Frisbie		Date	
Duildel			Date	



CHESTNUT HOME - CONSTRUCTION SPECIFICATIONS							
Section	Information	Image					
Permits							
	Builder responsible to obtain all necessary permits including:						
	- Soil Erosion and Sediment Control						
	- Well - N/A						
	- Septic System - N/A						
	- Zoning						
Surveys							
	Home is to be staked by builder						
Site Clearing							
	Builder is responsible for all site clearing, as needed						
Utilities Connections	Ur Cr						
	Builder responsible for all site work and site balance to include						
Water	Connection to City of South Burlington water system						
Sewer	Connection to City of South Burlington sewer system						
Gas	Connection to Natural Gas lines at road.						
Power	Underground power						
Cable	Cable TV conduit to house						
	All excavation, fill and labor is included						
Energy Package							
	Home to be built to an VT Residential Building Energy Standards (RBES)						
Home to Include							
	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light						
	Vented to the outside						
	PurePro DP511 Programmable Thermostat; First Floor and Second Floor						
	Additional caulking and sealing of joists to reduce air infiltration into the home, including shoe						
	plate; windows; and where wires and pipes go to cold spaces						
	R-15 Rigid Thermax insulation on Interior of Lower Level - floor to top of concrete wall						
	Selected use of closed cell foam to improve overall air sealing of attic in home						
	Blower Door Test required for VT RBES						
Foundation							
Туре	Poured Concrete						
Wall Height	7'-10"						
Lookout Height	4' Frost Wall						
Strength	Min. 3000 PSI @2 days with steel reinforcement						
Footer	Continuous 8" x 16" reinforced						
Flat Work Concrete							
Lower Level	Poured Concrete						
Finish	Smooth						
"Keyway" Joints	Saw cut						
Thickness	4"						
Strength	House: Min. 3000 PSI @ 28 days Garage: Min. 4000 PSI @ 28 days						
Maistura Darriar	Tarred damp proofing membrane sprayed on exterior of foundation walls.						
Moisture Barrier	6 mil poly under concrete house slab.						
	Footing drains installed below footers around Lower Level and drained to daylight in back yard.						
Ground water controls	Drain tile buried in clean stone; covered with mirafi fabric; clean sand fill against foundation.						
	Site graded to shed surface water away from house.						
Peak Mall	Boulder rock walls as needed for the grading of the yard.						
Rock Wall	Boulders from the site are machine-placed to create walls.						
Driveway/Entrance							
Drive	12" thick gravel two car driveway on top of mirafi fabric.						
Drive	Driveway to be finish paved with 2" of compacted asphalt.						
	42" Sidewaik from front porch to neighborhood sidewaik will be Brussels Block Concrete						
Walkway	Pavers.						
L	Calar is Limostono						



Frame						
Exterior Walls	2x6 SPF 24" o.c.					
Interior Walls	2x4 SPF 24" o.c.					
Plate Height	9'-1" on first floor; 8'-1" on second floor and 7'-10" in lower level					
Plate	2x6 treated southern yellow pine with foam sill seal					
Floor Framing	11-7/8" Truss Joist TJI 230 Series I-joists @ 24" o.c.					
Sub Flooring	3/4" 4x8 T&G OSB glued and nailed					
2 or 3 ply Truss Joist Microlam IVI, nailed and glued, as specified by engineering load design.						
Girders	supported by 3-1/2" concrete filled lally columns in Lower Level					
Sheathing	7/16" 4x8 OSB	-				
Roof	Pre-engineered roof trusses 24" o.c. 5/8" T&G OSB rated sheeting	-				
	8/12 and 10/12 at Main House	-				
Roof Pitch	8/12 at Garage					
	4.5/12 at Front Porch					
House Wrap	Professional house wrap with flashing around all windows and doors	-				
Roofing	The solution of the solution o					
	Ice and water shield on eaves and valleys. Vented on ridge to achieve proper ventilation.					
Underlayment	Owens Corning ProArmor Synthetic Roof Underlayment	- Contraction of the second				
Shingles	Owens Corning TruDefinition Shingles Limited Lifetime Warranty					
Color	Color to be selected by owner					
Siding/Exterior Elements						
	Noandex Woodsman Select					
Siding Gable Ends	Vinyl Shakes, at front elevation gable only, Color to be selected by owner	-				
Clapboard	Double 4", Color to be selected by owner	-				
Board and Baton	None	-				
		-				
Eaves Soffit	Two piece aluminum wrapped - White	-				
	Perforated soffit for proper venting	-				
Corners	6" White Vinyl Corners with Foam Backer	-				
Trim Details	Frieze board and Garage Door Trim to be Miratech	-				
Drip Edge	Galvanized	-				
Shutters	Available as option					
Gutters & Downspouts	Wilhite Conversions Crettere					
Gutters & Downspouts Windows	White Seamless Gutters					
Windows	See Appendix A: Window Schedule					
Drend		1				
Brand Color	JELD-WEN	-				
	White	-				
Construction	Vinyl, Low-E, Insulated Double-Pane	-				
Exterior Casing	Flat	-				
U-Factor	0.30	-				
Grills	Between Glass 2 over 2	-				
Screens	Fiberglass Mesh					
Exterior Doors	Coo Annondiy D. Exterior and Interior Dear Cabadula					
Dere ed.	See Appendix B: Exterior and Interior Door Schedule					
Brand	Therma-Tru	-				
Color	See Exterior Paint Section	-				
Construction	Insulated Fiberglass	-				
Exterior Casing	5/4x4 Flat	-				
Storm Doors	None					
Overhead Garage Doors						
Model	8300 Series Insulated Steel Door					
Size	16'x 7'					
Design	Contemporary Flat panel					
Color	Manufacturer White					
Opener	8" lift master 1/2 horsepower electric opener					
Remotes	2 remotes included					
Frame Key Pad	Keyless entry punch pad					

in.



Decks & Porches		
Covered Entry Porch		
Porch Framing	6' x 22' framed with PT 2x8 joists	
Decking	5/4x6 #1 PVC Azek Harvest Collection	
Posts	CPVC wrapped and PT 6x6 Posts and 2x8 roof beams - White	
Roof	Roof to be truss framed, roof shingles to match house	
Ceiling	White vinvl bead board	
Stairs	Stairs from porch to walkway to be PT box steps with 5/4x6 #1 Azek PVC Decking Treads	
Rail	Composite rails and balusters	
Hardware	CPVC to be screwed and plugged, no paint	
Finish	Porch posts, beams, rim board and stair risers - white CPVC Trim	-
Color	Porch decking and stair tread to be Azek Harvest Collection PVC - Color Selected by owner	-
Side Deck/Patio	Available as option	-
Exterior Paint		1
Exterior Doors - Excluding Front Door	Painted Satin Finish, White	
Exterior Trim - Including Frieze Board		1
and Door Surrounds	Painted Satin Finish, White	
Front Door	2 coats Exterior Paint, Color to be Selected by Owner	-
Sidelight	Painted Satin Finish, White	-
Front Porch Rail	Composite Rail, White	-
Front Porch Posts	CPVC wrapped, White	-
		-
Front Porch Roof Beams	CPVC Trim, White	-
Front Porch Rim board	CPVC Trim, White	-
Front Porch Stair Risers	CPVC Trim, White	_
Front Porch Decking	Azek Harvest Collection PVC Decking	
Electrical & Low Voltage		1
	Underground electrical service, 150 AMP Panel	
Plugs and Switches		_
Switch Style	Toggle	D D
Plate Style	Toggle screw on plates	
Switch Color	White	
Dimmers	Available as an Option	T
Exterior Plugs	Per Electrical Plan	_
Lighting		
Lighting Fixtures	See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule)	
Recessed Lights	None	
Under Cabinet Lighting	Available as an Option	
Miscellaneous		
Door Chime	Nutone BK125LWH: One 2-note, white door chime	
Smoke/CO2	1 CO/Smoke per floor (3 Total), 1 Smoke per bedroom (3 Total)	
Bath Vents	Panasonic WhisperLite [™] Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light	
Cat 5 (data/phone)	Yes, per electrical plan]
TV Jacks	Yes, per electrical plan	
Security/Surveillance	None	7
Central Vacuum	Rough in only, 1 outlet per floor	7
Audio	None	1
Light Fixtures		
-	See Appendix C: Light Fixture Schedule	



Plumbing

ork LX Series, TM9V 0,000 BTU 5.00% one 1: First Floor, Zone 2: Second Floor ork LX Series, 3-Ton YCGD, 17 SEER R-410a coil urePro DP511 Programmable Thermostat; First Floor and Second Floor anasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light ented to the outside ented to the outside		
0,000 BTU 5.00% 5.00% 5.00 ETL First Floor, Zone 2: Second Floor 5.00 First Floor, Zone 2: Second Floor 5.00 First Floor and Floo		
5.00% 5.00% Dene 1: First Floor, Zone 2: Second Floor Derk LX Series, 3-Ton YCGD, 17 SEER R-410a coil JurePro DP511 Programmable Thermostat; First Floor and Second Floor anasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light ented to the outside ented to the outside		
one 1: First Floor, Zone 2: Second Floor ork LX Series, 3-Ton YCGD, 17 SEER R-410a coil urePro DP511 Programmable Thermostat; First Floor and Second Floor anasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light ented to the outside ented to the outside		(Contraction)
ork LX Series, 3-Ton YCGD, 17 SEER R-410a coil urePro DP511 Programmable Thermostat; First Floor and Second Floor anasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light ented to the outside ented to the outside		130
urePro DP511 Programmable Thermostat; First Floor and Second Floor anasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light ented to the outside ented to the outside		
anasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light ented to the outside ented to the outside		
ented to the outside ented to the outside		
ented to the outside	-	
		I the
-	1	Mr.
-		
25		
25		
25		
25		
25		
/Α		
npire DVCD36FP30N direct vent gas fireplace	1	
ustom Built in Place Mantle (See picture/detail)	I STATISTICS	
' Slate Tile on Top and 2 Sides of Fireplace Face.		
plor to be Selected by Owner.	A CONTRACT OF	
2" Slate Tile Hearth to be full width of Mantle above, Flush with flooring.	A DECEMBER OF THE OWNER.	
plor to be Selected by Owner.		<u></u>
· · · · · · · · · · · · · · · · · · ·	1	
	1	
See Appendix D: Plumbing Schedule		
Frost-Free Hose Bibs, located at back of the main house and on the side of the front porch		
nnai R75-Lsi on demand water heater		
asher Box Valve with single handle shutoff and drain; appliances pricing optional		
nis is a passive system, no fan.		
	-	
Cabinets & Countertops	1	
id Continent Signature Series		CARGINE .
		Children .
atural		
id Continent Signature Series		
		(ASA)
atural		
2" Vanity with 2 bowls	1 7	
lid Continent Signature Series	1	a starting of the second se
pricord Style in Maple	1	
nicora style in Maple		And and a second s
atural	-	
atural		
atural D" Vanity with single bowl		
atural		
	s /A / / / / / / / / / / / / / / / / / /	s



Countertops		
Kitchen		
Style	Classic Quartz Series	
Color	To Be Selected by Owner	
Edge Detail	Pencil Edge	
Cut-Outs	Under Mount Sink	
Backsplash	4" Quartz	
B/S Location	Perimeter Back Only	
Kitchen Island		
Style	Classic Quartz Series	
Color	To Be Selected by Owner	
Edge Detail	Pencil Edge	
Cut-Outs	None	Kitchen Tops (not color or Style)
Owner's Bath		
Style	Cultured Marble with 2 integrated flush rectangle bowls	The loss
Color	Cotton White	410
Edge Detail	Square Edge	ALC
Cut-Outs	None	
Back Splash	4" integral Cultured Marble	
B/S Location	Back Only	
Bath #2		
Style	Cultured Marble with 1 integrated flush rectangle bowls	
Color	Cotton White	
Edge Detail	Square Edge	
Cut-Outs	None	
Back Splash	4" integral Cultured Marble	
B/S Location	Back Only	
,	Wall & Trim Interior Detail Work	
Insulation		
Exterior Walls	R-21 6" Fiberglass Batts with Poly Vapor Barrier	
Interior Walls	R-13 3-1/2" Fiberglass Batts for bath walls (Soundproofing)	
Rigid Insulation	Box sill in first and second floor joists insulated with rigid insulation	
Attic	R-60 Cellulose with backer boards at eves for ventilation	
Garage	Not insulated	
Foundation	3-1/2" R-21 Thermax glued to concrete wall	
Drywall		
Living area walls	1/2" Sheet Rock, taped with 3 coats of joint compound at walls and ceilings	
Ceilings	Smooth Finish, minor shadow variations are possible in ceilings	
Garage	Unfinished	
Trim Details		
Casing	3-1/2" Eased Edge with 5/4x4 head casing	
Base	5-1/2" Colonial Base Board	
Wainscot	36" High Wainscot at Mudroom	
Crown	Available as option	
Built - Ins		÷
	Bench and Coat Pegs at Mudroom	
	Open Shelves at Dining Room	1111
Mirrors		
Owners Bath	Plate Glass mirror with ground edge, no bevel	
	Plate Glass mirror with ground edge, no bevel Plate Glass mirror with ground edge, no bevel By Owner	



Interior Stairs/Railing		
Main to Second Floor	Brown Maple Hardwood Stairs Box Stair Construction	
	Treads sealed to match hardwood flooring and risers painted to match interior trim.	
	First Floor to Landing to be open rail with turned balusters and turned round newel posts	
	Risers, baluster posts painted to match interior trim	3 18 1
	Rails and newel stained to match wood floors (including rail on wall)	
Main to Lower Level	Carpet Grade Stairs	and the second second
	Rail on wall stained	
Handrail Brackets	Satin Nickel	
Closet Shelving		
	All closets systems will be vented wire and the system is indicated on the plan.	
	See Closet Plan for Details.	
Interior Paint		
	1 coat primer	
Painted Interior Walls	2 coats Low VOC Flat Latex Paint, Color to be selected by owner.	
Accent Wall	Color and Location to be selected by owner	
Ceilings	To match walls	
Interior Trim	Painted, 1 coat primer, 2 coats Semi-Gloss Latex Paint, Color to be selected by owner.	
Interior Doors	Painted, 2 coats of Semi-Gloss Latex Paint, Color to be selected by owner.	
Fireplace Mantle	Painted, 2 Coats of Semi-Gloss Latex Paint, Color to be selected by owner.	
Open Shelving and Pantry Shelves	Painted, 2 coats of Semi-Gloss Latex Paint, Trim Color	
	Treads, Rail and Newel Sealed and Matching Wood Floor	
Main to Second Floor Stairs	Risers and Baluster Posts Painted to Match Interior Trim	
Main to Lower Level Stairs	Stained railing to Match Wood on First Floor	
Interior Doors		
	See Door Appendix B: Exterior and Interior Door Schedule	
Finish Hardware		
	See Appendix E: Finish Hardware Schedule	
Flooring		
	See Appendix F: Flooring Schedule	
Appliances		
	See Appendix G: Appliance Schedule	
Landscaping		
_	All disturbed portions of yard to be seeded.	
Lawn	Lawn area will generally include front yard, side yard and rear yard.	
	Lawn area to be covered with approximately 4" of native topsoil.	
8 Foundation Shrubs	To be Selected by Owner, See Landscape Plan	
8 Perennial Flowers	To be Selected by Owner, See Landscape Plan	
2 Small Yard Trees	To be Selected by Owner, See Landscape Plan	
Cleaning		
	House cleaned prior to closing, including washing of windows	
Warranty		
	SCI Warranty as per contract	
	Continuing a policy of constant research and improvement, Sterling Land Company reserves	
	the right to make substitutions and specification changes.	
	the right to make substitutions and specification changes.	<u> </u>



Appendix A: Window Schedule

JELD-WEN All Vinyl Windows, Double insulated, Low E, GBG Grills 2 over 2 6 9/16 primed interior jambs, 2 1/2 colonial case interior Flat exterior case with built in J and nailing flange EZ-Tilt cleaning Screens included Energy Star Qualified Maximum U Factor 0.30

Letter	Size	Quantity	Description	Location	Image	Notes
 			1			
A	34x65	3	Double Hung	Living Room		
В	34x53	7	Double Hung	Owners Bedroom, Bedroom 2 & 3, Bath 2		
В2	68x53	1	Double Hung	Owners Bedroom		
c	34x41	1	Double Hung	Owners Bath		
D	34x36	1	Double Hung	Powder		



Appendix B: Exterior and Interior Door Schedule

EXTERIOR DOORS

Therma-Tru Smooth Star Fiberglass Exterior Doors with full weather stripping and adjustable sills

Grills between glass

6 9/16 primed jambs

5/4 x 4 flat exterior case, Double bore set-up

EZ Set Satin Nickel knob and deadbolt hardware, All doors keyed alike

	Quantity	Description	Opens	Size	Туре	Hardware	Image	Notes
oyer Entry								
	1	S220 2 Panel w/ 12" Single Sidelight	LH	3'-0"	2 Panel	Double Bore		
Garage Entry					,,		,	
	1	S220 2 Panel Solid	LH	3'-0"	2 Panel	Double Bore		
Dining Room Entr	у							
	1	Jeld-Wen Vinyl Sliding Patio Door	RH	3'-0"	Slider	Glass		
Exterior Door Har	dware							
Knobs	4	EZ - Set Keyed Entry w/deadbolt				Satin Nickel		All Keyed Alike
			IN	TERIOR DOORS				
Colonial Casing bo Dexter Stratus Sat	ore, Smooth molded hau oth sides in Nickel Hardware 2) Dummy knobs per pa		lit jambs					
Interior Doors								
	3	Masonite Smooth	See Plans - will display more clearly with plans	2'-4"	2 Panel Hollow Core	Double Bore		Foyer Closet, Master Linen &Bedroom 2 Close
	4	Masonite Smooth	See Plans - will display more clearly with plans	2'-6"	2 Panel Hollow Core	Double Bore		Owners WIC, Bath 2, Bedroom 2 & 3
	5	Masonite Smooth	See Plans - will display more clearly with plans	2'-10"	2 Panel Hollow Core	Double Bore		Powder, Owners Bedroom, Owners Bath, Mudroom Closet, Lower Leve



	1	Masonite Smooth	See Plans - will display more clearly with plans	3'-0"	2 Panel Hollow Core	Double Bore		Laundry
	1	Masonite Smooth	See Plans - will display more clearly with plans	5'-0"	2 Panel Hollow Core	Pair		Bedroom 3 Closet
Interior Door Hardw	are							
Knobs	16	EZ - Set				Satin Nickel		
Base Bumps	16					Satin Nickel	1	
Hinge Bumps	16					Satin Nickel		



Appendix C: Light Fixture Schedule									
	Quantity	Description	SKU	Item	Color	Image	Notes		
Garage Exterior	quantity	Description		ineni		inage			
	1	One Light Wall Lantern	369510	Kichler 9618OZ	Old Bronze				
Porch Exterior									
	1	One Light New Street Wall Lantern	369512	Kichler 9611OZ	Old Bronze				
Front Porch		·		·					
	3	Click Lights - LED Flush Mount	3636303	Maxim 57641WTWT	White				
Foyer									
	1	Two Light Semi Flush Mount	086620	Generation Lighting 773730EN3-962	Brushed Nickel				
Mudroom									
	1	Click Lights - LED Flush Mount	3636303	Maxim 57641WTWT	White				
Kitchen Island									
	2	One Pendant Light	090083	Generation Lighting 6137301EN3-962	Brushed Nickel				
Kitchen									
	5	Click Lights - LED Flush Mount	363603	Maxim 57641WTWT	White				



Dining Room						HOWES
	1	Three Light Flush Mount	725440	Maxim 2681FTSN	Satin Nickel	
Living Room	1			,		
	1	Three Light Flush Mount	725440	Maxim 2681FTSN	Satin Nickel	
Powder						
	1	Two Light Vanity Wall	090109	Generation Lighting 4437302EN3-962	Brushed Nickel	
Stairwells		·				
	2	One Light Wall Sconce	517528	90179	Satin Nickel	1 - Main to Second Floor and 1 - in Main to Lower Level
Upstairs Hall	·					
	3	Two Light Flush Mount	216910	Maxim 2680MRSN	Satin Nickel	
Owners Bedroom H	lallway					
	1	Click Lights - LED Flush Mount	363603	Maxim 57641WTWT	White	
Owners Bedroom	1					
	1	Three Light Flush Mount	725440	Maxim 2681FTSN	Satin Nickel	
Owners Vanity						
	2	Two Light Vanity Wall	090109	Generation Lighting 4437302EN3-962	Brushed Nickel	
Owners Closet				1		
	1	Two Light Flush Mount	216910	Maxim 2680MRSN	Satin Nickel	



Bedroom #2							
	1	Maxim	216910	Maxim 2680MRSN	Satin Nickel		
Bedroom #3							
	1	Maxim	216910	Maxim 2680MRSN	Satin Nickel		
Bath #2							
	1	Three Light Vanity Wall	090101	Generation Lighting 4437303EN3-962	Brushed Nickel	the they the	
Laundry Room							
	1	Two Light Flush Mount	216910	Maxim 2680MRSN	Satin Nickel		



Appendix D: Plumbing Schedule Qty. Description Manufacturer Product No. Finish Image Notes Kitchen 32" L x 18" W, 8" McAllister Double Bowl Deep. Dearborn Sink 1 Sterling 11406-NA Stainless Steel **Undermount Sink** Stainless Basket Strainer Faucet 1 Simplice with Spray Kohler K-596-VS Vibrant Stainless Garbage Disposal Badger 5, 1/2 HP N/A N/A 1 Insinkerator Owner's Bath Refinia Center set Faucet 2 Kohler K-5316-4-CP Polished Chrome Lavatory Faucet Ensemble Curve 60" Straight Curtain Rod Tub/Shower 1 Sterling 71220120 White Shower Installed. Tub/Shower Fixture 1 **Refinia Shower Trim** Kohler K-TS5320-4G-CP **Polished Chrome** Windham Elongated 29" L x 16" W x 30" Toilet 1 Sterling 403082-RA-0 White Toilet Bowl н



Bath #2							
Faucet	1	Refinia Center set Lavatory Faucet	Kohler	K-5316-4-CP	Polished Chrome		
Tub/Shower	1	Ensemble Curve 60" Tub/Shower	Sterling	71220120	White		Straight Curtain Rod Installed.
Shower Trim	1	Refinia Tub/Shower Trim	Kohler	K-TS5318-4G-CP	Polished Chrome	D C	
Toilet	1	Windham Elongated Toilet Bowl	Sterling	403082-0	White	- Me	29" L x 16" W x 30" H
Powder Bath		11		1			
Faucet	1	Refinia Center set Lavatory Faucet	Kohler	K-5316-4-CP	Polished Chrome		
Toilet	1	Windham Elongated Toilet Bowl	Sterling	403082-0	White	- Me	29" L x 16" W x 30" H
Pedestal Sink	1	Wellworth Pedestal	Kohler	K-2293-4-0	White	Ŷ	



Appendix E: Finish Hardware Schedule Description Finish Qty. Manufacturer Product No. Image Notes **Owner's Bath** Allison Value 1-1/4" 8 Knob Amerock 53005-G10 Satin Nickel Diameter Knob Robe Hook 1 Alteo Robe Hook Kohler K-37055-CP **Polished Chrome** Alteo Pivoting Toilet **Tissue Holder** 1 Kohler K-37054-CP Polished Chrome **Tissue Holder** Towel Bar 1 Alteo 24" Towel Bar Kohler K-37051-CP **Polished Chrome** (0 Powder Bath Towel Ring 1 Alteo Towel Ring Kohler K-37057-CP **Polished Chrome** Alteo Pivoting Toilet K-37054-CP Polished Chrome **Tissue Holder** 1 Kohler Tissue Holder Bath #2 Allison Value 1-1/4" 8 53005-G10 Satin Nickel Knob Amerock **Diameter Knob** 1 Robe Hook Alteo Robe Hook Kohler K-37055-CP **Polished Chrome** Alteo Pivoting Toilet 1 **Tissue Holder** Kohler K-37054-CP **Polished Chrome Tissue Holder** Alteo 24" Towel Bar 1 Kohler K-37051-CP **Polished Chrome** Towel Bar (0-**Kitchen Surround** Allison Value 1-1/4" Knob 19 Amerock 53005-G10 Satin Nickel **Diameter Knob Kitchen Island** Allison Value 1-1/4" Knob 4 Amerock 53005-G10 Satin Nickel Diameter Knob



Appendix F: Flooring Schedule

			Wood F	oors				
Location	Make	Style	Finish	Size		Image		
Foyer								
Foyer								
Powder								
Kitchen	BSL	Chave shere Creade Marsle	Natural	4 4 / 4 !! > 4 /: alth				
Dining Room	BSL	Character Grade Maple	Natural	4-1/4" Width				
Living Room								
Hall to Owners								
Bedroom								
	Make/Style	Finish/Color	Tile Size	Orientation	Tile Grout	Image	Notes	
Owners Bath		· · · · · · · · · · · · · · · · · · ·					1	
		TBD	421 421	TRD	TBD			
	Udefasa/Rajasthan	IBD	13" x 13"	TBD	IRD			
Bath #2								
	Udefasa/Rajasthan	TBD	13" x 13"	TBD	TBD			
Fireplace Surround & Hearth								
							6" - Top and Sides	
							of fireplace front	
	Slate	TBD	TBD	TBD	TBD		12" Hearth width of	
							mantle	



	Carpet						
	Make	Style	Color	Details		Image	
Owners Bedroom		0.7.0		201010	1		
	Shaw	Turn the Page	TBD				
Owners WIC							
	Shaw	Turn the Page	TBD				
Bedroom 2							
	Shaw	Turn the Page	TBD				
Bedroom 3							
	Shaw	Turn the Page	TBD				
Upstairs Hall				1	•	-	
	Shaw	Turn the Page	TBD				
	Make	Style	Vinyl Fle Color	oors	1	Image	Notes
Laundry Room	Make	зіуіе	COIDI	<u> </u>		Image	noies
	Mannington	Jumpstart	TBD				



Appendix G: Appliance Schedule Appliance Quantity Manufacturer Model Color Description Image Notes Kitchen GE Energy Star 27.0 Refrigerator 1 GE GNE27JSMSS Stainless Cu. Ft. French Door GE 30" Free-Gas Range 1 GE JGB700SEJSS Stainless Standing Gas Range Gray Plastic Tub GE Dishwasher with 1 GE GDF510PSMSS Dishwasher Stainless Front Controls and Door Liner GE 1.6 Cu. Ft. Over-Microwave 1 GE JVM3160RFSS Stainless the-Range-Microwave Oven Laundry Room Washer Available as option Available as option Gas Dryer