

NORTH PLAN - CONSTRUCTION SPECIFICATIONS

BuilderHomeowner/ProjectSpecification Date: 7/20/2020Sterling HomesSite Plan Date:1037 Hinesburg RoadIHS - North PlanPlan Date: 6/30/2020South Burlington, VT 05403South Service Plan Date:

North Plan: One story home with unfinished lower level. One floor of finished area with approximately 1,490 square feet of living space; 1,490 square feet of unfinished Lower Level, 440 square foot 2-car garage, 50 square foot front porch, 144 square foot deck and 144 square foot Side deck.

Location	Total Square Feet			
First Floor	1,490			
Lower Level	0			
Total Finished Square Feet	1,490			
Garage	440			
Front Porch	50			
Side Deck	144			
		Personal Choice Lists		
PCL #		Color Code		Date
Selections		RED		9/9/20
		ORANGE		
		GOLD		
		GREEN		
		BLUE		
		PURPLE		
		PINK		
		RUST		
		HUNTER		
		SKY BLUE		
		LAVENDER		
		BROWN		
		NAVY		
		LIME		
		CRANBERRY		
		AQUA		
		PEACH		
		GRAPE		
		Specification and Appendix Approval		
		Appendix A: Window Schedule		
		Appendix B: Exterior and Interior Door Schedule		
		Appendix C: Lighting Schedule		
		Appendix D: Plumbing Schedule		
		Appendix E: Finish Hardware Schedule		
		Appendix F: Flooring Schedule		
		Appendix G: Appliance Schedule		
lient			Date	
nent			Date	
lient			Date	
uilder	Collin Frisbie		Date	



		NORTH PLAN - CONSTRUCTION SPECIFICATIONS	
	Section	Information	Image
Permits			1
		Builder responsible to obtain all necessary permits including:	
		- Soil Erosion and Sediment Control	
		- Well - N/A	
		- Septic System - N/A	
		- Zoning	
Surveys			1
		Home is to be staked by builder	
Site Clearing			
		Builder is responsible for all site clearing, as needed	
Utilities Connect	tions		1
		Builder responsible for all site work and site balance to include	_
	Water	Connection to Town Of Shelburne water system	
	Sewer	Connection to Town of Shelburne sewer system	
	Gas	Connection to Natural Gas lines at road.	
	Power	Underground power	
	Cable	Cable TV conduit to house	
		All excavation, fill and labor is included	
Energy Package	e		
		Home to be built to an VT Residential Building Energy Standards (RBES) Stretch Code	
		Options to be presented for VIEC 2.0 and the National Green Building Standard	
H	ome to Include		-
		Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light	-
		Vented to the outside	
		PurePro DP511 Programmable Thermostat; First Floor	-
		Additional caulking and sealing of joists to reduce air infiltration into the home, including shoe plate;	-
		windows; and where wires and pipes go to cold spaces	-
		Rigid Thermax insulation on Interior of Lower Level - floor to top of concrete wall	_
		Selected use of closed cell foam to improve overall air sealing of attic in home	_
Foundation		Blower Door Test required for VT RBES	
Foundation	Tuno	Dourod Concrete	
	Туре	Poured Concrete	_
	Wall Height	9'-0"	_
L	ookout Height	4' Frost Wall	_
	Strength	Min. 3000 PSI @2 days with steel reinforcement	_
	Footer	Continuous 8" x 16" reinforced	
Flat Work Conc			
	Lower Level	Poured Concrete	_
	Finish	Smooth	_
"	Keyway" Joints	Saw cut	
	Thickness	4"	
	Strength	House: Min. 3000 PSI @ 28 days Garage: Min. 4000 PSI @ 28 days	
Ν.	Anistura Darriar	Tarred damp proofing membrane sprayed on exterior of foundation walls.	
IV	Aoisture Barrier	6 mil poly under concrete house slab.	
		Footing drains installed below footers around Lower Level and drained to daylight in back yard.	
Grou	und water controls	Drain tile buried in clean stone; covered with mirafi fabric; clean sand fill against foundation.	
		Site graded to shed surface water away from house.	
		Boulder rock walls as needed for the grading of the yard.	
	oulder Rock Wall	Boulders from the site are machine-placed to create walls.	
Во		bounders norm the site are machine placed to deate wails.	1
	ance		
Bo Driveway/Entra		12" thick gravel two car driveway on top of mirafi fabric	
	ance Drive	12" thick gravel two car driveway on top of mirafi fabric.	
		12" thick gravel two car driveway on top of mirafi fabric. Driveway to be finish paved with 2" of compacted asphalt. Front Entry Patio at driveway will be Brussels Block Concrete Pavers.	_



Frame		
Exterior Walls	2x6 SPF 24" o.c.	
Interior Walls	2x4 SPF 24" o.c.	
Plate Height	9'-1" on first floor; 9'-0" in lower level	
Plate	2x6 treated southern yellow pine with foam sill seal	
Floor Framing	2x12 SPF 19.2" o.c.	
Sub Flooring	3/4" 4x8 T&G OSB glued and nailed	
Ciellan	2 or 3 ply Truss Joist Microlam LVL, nailed and glued, as specified by engineering load design, supported by	
Girders	3-1/2" concrete filled lally columns in Lower Level	
Sheathing	7/16" 4x8 OSB	
Roof	Pre-engineered roof trusses 24" o.c. 5/8" T&G OSB rated sheeting	
	6/12 and 8/12 at Main House	
Roof Pitch	6/12 at Garage	
	8/12 at Front Porch	
House Wrap	Professional house wrap with flashing around all windows and doors	
Roofing		
	Ice and water shield on eaves and valleys. Vented on ridge to achieve proper ventilation.	
Underlayment	Owens Corning ProArmor Synthetic Roof Underlayment	
Shingles	Owens Corning TruDefinition Shingles Limited Lifetime Warranty	the second s
Color	Опух	
Siding/Exterior Elements		
Siding	Norandex Woodsman Select	
Gable Ends	Vinyl Shakes at Front Elevation & Entry Porch Gable Ends Only, Color to be Granite	
Clapboard	Double 4", Color to be Granite	
Board and Baton	None	
Eaves	Two piece aluminum wrapped - White	
	10" Frieze Board under eaves at front of house and garage	
Soffit	Perforated soffit for proper venting	
Corners	6" White Vinyl Corners with Foam Backer	Granite
Trim Details	Frieze board and Garage Door Trim to be Miratech	
Drip Edge	Galvanized	
Shutters	Available as option	
Gutters & Downspouts		
Gutters & Downspouts Windows	White Seamless Gutters	
windows	See Appendix A: Window Schedule	
Brand	JELD-WEN	
Color	White	
Construction	Vingl, Low-E, Insulated Double-Pane	
Exterior Casing	Brickmould	
U-Factor	0.30	
Grills	Grills between glass 6 over 0	
Screens	Fiberglass Mesh	
Exterior Doors		
	See Appendix B: Exterior and Interior Door Schedule	
Brand	Therma-Tru	
Color	See Exterior Paint Section	
Construction	Insulated Fiberglass	
Exterior Casing	5/4x4 Flat	
Storm Doors	None	
Overhead Garage Doors		
Model	8300 Series Insulated Steel Door	
Size	16'x7' Garage doors	
Design	Contemporary Flat Panel with Clear I Windows	/
Color	Manufacturer White	
Opener	8" lift master 1/2 horsepower electric opener	
Remotes	2 remotes included	



Frame Key Pad	Keyless entry punch pad	Windows not shown
Decks & Porches		
Covered Entry Patio		
Size	5'x10'	
Porch Framing	PT 2x8 joists and 5/4x6 #1 PT decking	
Posts	Miratech wrapped and painted PT 6x6 square posts and 2x8 roof beams	
Roof	Roof to be truss framed, roof shingles to match house	
Ceiling	White vinyl bead board	
	Porch Decking, Stairs, Risers and Rimboard to be Stained with Total Wood Preservative, Color to be selected	
Finish	by owner. Porch posts and Beams to be white	
Side Deck		
Porch Framing	12' x 12' deck framed with PT 2x10 joists	
Decking	5/4x6 #1 PT Decking	TRANSPORT FOR A PARTY OF A PARTY
	Deck to be supported by PT 6x6 posts on concrete sonotubes	Construction interferences of
Rail	Pressure Treated rails and balusters	
Finish	None - decking, rim board and rail to be left unfinished	
Exterior Paint		
Exterior Doors - Excluding Front Door	Painted Satin Finish, White	
Exterior Trim - Including Frieze Board		
and Door Surrounds	Painted Satin Finish, White	
Front Door	2 coats Exterior Paint, Color to be selected by owner	
Front Patio Posts	White	
	White	
Front patio Roof Beams		
Front Porch Decking Rear Deck Porch Rim board	PT Stained in Total Wood Preservative, Color to be Dark Oak Unfinished	
Rear Deck Stair Risers	Unfinished	
Rear Deck Decking Electrical & Low Voltage	Unfinished	
	Linderground electrical convice, 150 AMD Panel	
	Underground electrical service, 150 AMP Panel	
Divers and Cuvitahaa		
Plugs and Switches	Tasala	
Switch Style	Toggle	a.
Switch Style Plate Style	Toggle screw on plates	a IT
Switch Style Plate Style Switch Color	Toggle screw on plates White	4 [7]
Switch Style Plate Style Switch Color Dimmers	Toggle screw on plates White See Electrical Plan	а [1] а
Switch Style Plate Style Switch Color Dimmers Exterior Plugs	Toggle screw on plates White	a [7] a
Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting	Toggle screw on plates White See Electrical Plan Per Electrical Plan	a [T] a
Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures	Toggle screw on plates White See Electrical Plan Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule)	a []] a
Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures Recessed Lights	Toggle screw on plates White See Electrical Plan Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule) None	a [T] a
Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures Recessed Lights Under Cabinet Lighting	Toggle screw on plates White See Electrical Plan Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule)	a []] a
Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures Recessed Lights	Toggle screw on plates White See Electrical Plan Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule) None Available as an Option	a []] a
Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures Recessed Lights Under Cabinet Lighting Miscellaneous Door Chime	Toggle screw on plates White See Electrical Plan Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule) None Available as an Option Nutone BK125LWH: One 2-note, white door chime	a [7] a
Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures Recessed Lights Under Cabinet Lighting Miscellaneous	Toggle screw on plates White See Electrical Plan Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule) None Available as an Option	a [7] a
Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures Recessed Lights Under Cabinet Lighting Miscellaneous Door Chime Smoke/CO2	Toggle screw on plates White See Electrical Plan Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule) None Available as an Option Nutone BK125LWH: One 2-note, white door chime	a [7] a
Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures Recessed Lights Under Cabinet Lighting Miscellaneous Door Chime	Toggle screw on plates White See Electrical Plan Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule) None Available as an Option Nutone BK125LWH: One 2-note, white door chime 1 CO/Smoke per floor (2 Total), 1 Smoke per bedroom (2 Total)	a []] a
Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures Recessed Lights Under Cabinet Lighting Miscellaneous Door Chime Smoke/CO2	Toggle screw on plates White See Electrical Plan Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule) None Available as an Option Nutone BK125LWH: One 2-note, white door chime 1 CO/Smoke per floor (2 Total), 1 Smoke per bedroom (2 Total) Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light at Owners	a [] a
Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures Recessed Lights Under Cabinet Lighting Door Chime Smoke/CO2 Bath Vents	Toggle screw on plates White See Electrical Plan Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule) None Available as an Option Image: Schedule View of the state of th	a [] a
Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures Recessed Lights Under Cabinet Lighting Miscellaneous Door Chime Smoke/CO2 Bath Vents Laundry	Toggle screw on plates White See Electrical Plan Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule) None Available as an Option I CO/Smoke per floor (2 Total), 1 Smoke per bedroom (2 Total) Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light at Owners and Bath 2 Baths Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution 110 CFM with programmable controls None	4 [] 4
Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures Recessed Lights Under Cabinet Lighting Miscellaneous Door Chime Smoke/CO2 Bath Vents Laundry Cat 5 (data/phone)	Toggle screw on plates White See Electrical Plan Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule) None Available as an Option I CO/Smoke per floor (2 Total), 1 Smoke per bedroom (2 Total) Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light at Owners and Bath 2 Baths Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution 110 CFM with programmable controls None Yes, per electrical plan	4 [] ()
Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures Recessed Lights Under Cabinet Lighting Miscellaneous Door Chime Smoke/CO2 Bath Vents Laundry Cat 5 (data/phone) TV Jacks	Toggle screw on plates White See Electrical Plan Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule) None Available as an Option I CO/Smoke per floor (2 Total), 1 Smoke per bedroom (2 Total) Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light at Owners and Bath 2 Baths Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution 110 CFM with programmable controls None Yes, per electrical plan	4
Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures Recessed Lights Under Cabinet Lighting Miscellaneous Door Chime Smoke/CO2 Bath Vents Laundry Cat 5 (data/phone) TV Jacks Security/Surveillance	Toggle screw on plates White See Electrical Plan Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule) None Available as an Option I CO/Smoke per floor (2 Total), 1 Smoke per bedroom (2 Total) Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light at Owners and Bath 2 Baths Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution 110 CFM with programmable controls None Yes, per electrical plan Yes, per electrical plan None	4
Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures Recessed Lights Under Cabinet Lighting Miscellaneous Door Chime Smoke/CO2 Bath Vents Laundry Cat 5 (data/phone) TV Jacks Security/Surveillance Central Vacuum	Toggle screw on plates White See Electrical Plan Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule) None Available as an Option I CO/Smoke per floor (2 Total), 1 Smoke per bedroom (2 Total) Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light at Owners and Bath 2 Baths Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution 110 CFM with programmable controls None Yes, per electrical plan Yes, per electrical plan None None None	4
Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures Recessed Lights Under Cabinet Lighting Miscellaneous Door Chime Smoke/CO2 Bath Vents Laundry Cat 5 (data/phone) TV Jacks Security/Surveillance	Toggle screw on plates White See Electrical Plan Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule) None Available as an Option I CO/Smoke per floor (2 Total), 1 Smoke per bedroom (2 Total) Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light at Owners and Bath 2 Baths Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution 110 CFM with programmable controls None Yes, per electrical plan Yes, per electrical plan None	4



	Plumbing	
Heating and Venting	· · · · · · · · · · · · · · · · · · ·	
Furnace	York LX Series, TM9V	
Furnace Size	40,000 BTU	
Efficiency Rating	96.00%	-
Zones	Zone 1: First Floor & Lower Level	-
Air Conditioner	Available as option	-
Thermostat	PurePro DP511 Programmable Thermostat; First Floor	
	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light	
Bath Venting	Vented to the outside	
Dryer Venting	Vented to the outside	
Gas		
Main Kitchen Range	Yes	
Main Fireplace	No	-
First Floor Dryer	Yes	-
Furnace	Yes	-
Hot Water System	No	-
Grill Line at Deck	No, Available as option	-
Fireplace and Mantle		
Fireplace in Living Room	Available as option	
Plumbing Fixtures	······································	
	See Appendix D: Plumbing Schedule	
Viscellaneous Plumbing		
Outdoor Faucets	2 Frost-Free Hose Bibs, located at back of the main house and on the side of the covered entry patio	
Hot Water Heater	State 50 Gallon Hybrid electric water heater	-
Laundry	Washer Box Valve with single handle shutoff and drain; appliances pricing optional	-
	PVC Drainage plumbing.	-
Drainage	PEX continuous piping for all domestic water.	
Diamage.	All plumbing installed according to National Plumbing Code by licensed plumber.	
	Radon Piping runs from under Lower Level concrete slab through roof.	-
Radon	This is a passive system, no fan.	
	Cabinets & Countertops	
Cabinets		
Kitchen Perimeter Base		
Brand	Mid Continent Signature Series in Maple	and the second se
Style	Concord	1.000
Color	Fireside	1 in sector ty
Kitchen Perimeter Uppers		
Brand	Mid Continent Signature Series in Maple	
Style	Concord	
Color	White	
Kitchen Island		
Brand	Mid Continent Signature Series in Maple	T BERT THE R
Style	Concord	
Color	Fireside	lo and
Owner's Bath		
Size	72" Vanity with 2 bowls	
Brand	Mid Continent Signature Series in Maple	
Style	Parker	
Color	Drift	STA STAND
Height	34 1/2"	– Drift
Bath #2		
	42" Vanity with single have	
Size	42" Vanity with single bowl	The second se
Brand	Mid Continent Signature Series in Maple	
Style	Parker	
Color	Natural	
Height	34 1/2"	



Countertops		
Kitchen Surround		
Style	Classic Quartz	
Color	Aspen	
Edge Detail	Heavy Pencil	
Cut-Outs	Undermount Sink	in the second of the
Backsplash	Yes	The second second second
B/S Location	Back Only	
Kitchen Island		a the set that is
Style	Classic Quartz	alter CAR
Color	Aspen	19 15 19 15 19 19 19 19 19 19 19 19 19 19 19 19 19
Edge Detail	Heavy Pencil	
Owner's Bath		
Style	Cultured Marble with 2 integrated flush rectangle bowls	- The local states of the second states of the seco
Color	Cotton White	
Edge Detail	Square Edge	
Cut-Outs	None	12
Back Splash	4" integral Cultured Marble	
B/S Location	Back Only	
Bath #2		
Style	Cultured Marble with 1 integrated flush rectangle bowls	
Color	Cotton White	
Edge Detail	Square Edge	
Cut-Outs	None	
Back Splash	4" integral Cultured Marble	
B/S Location	Back Only	-
,	Wall & Trim Interior Detail Work	1
Insulation		
Exterior Walls	R-21 6" Fiberglass Batts with Poly Vapor Barrier	
Interior Walls	R-13 3-1/2" Fiberglass Batts for bath walls and Lower Level Bonus Room/Mudroom Wall (Soundproofing)	
Rigid Insulation	Box sill in first and second floor joists insulated with rigid insulation	
Attic	R-60 Cellulose with backer boards at eves for ventilation	
Garage	Not insulated	
Foundation	3-1/2" R-21 Thermax glued to concrete wall	
Drywall		·
Living area walls	1/2" Sheet Rock, taped with 3 coats of joint compound at walls and ceilings	
Ceilings	Smooth Finish, minor shadow variations are possible in ceilings	
Garage	5/8" Sheet Rock, taped with 1 coat of joint compound at walls and ceilings	
Trim Details		
Casing	2-1/2" Eased Edge with 5/4x4 head casing	
Base	3-1/2" Colonial Base Board	
Wainscot	Under Coat Hooks at Mudroom	
Crown	Available as option	
Built - Ins		
	Coat Pegs at Mudroom Closet	
	Bench and Cubbies at Mudroom	<u> </u>
Mirrors		1
Owner's Bath	Plate Glass mirror with ground edge, no bevel	_
Bath #2	Plate Glass mirror with ground edge, no bevel	<u> </u>
Glass Shower Doors		
	Available as option	



Interior Stairs/Railing		
First Floor to Lower Level	Carpet Grade Stairs with half walls and stained hardwood caps	
	Stained railing on wall	
	Stained to match hardwood flooring on First floor	
Closet Shelving		I
	All closets systems will be vented wire and the system is indicated on the plan.	
	See Closet Plan for Details.	
Owners WIC	2 Shelf and Rod with open slide	
Owners Bedroom Linen	4 Linen Shelves	
Hallway Linen	4 Linen Shelves	1000
Bedroom #2	1 Shelf and Rod with open slide	
Mudroom Closet	1 Shelf and Rod with open slide	
Laundry	1 Tight Mesh Shelf	
Interior Paint		
	1 coat primer	
Painted Interior Walls	2 coats Low VOC Flat Latex Paint, Color to be selected by owner.	
Accent Wall	Available as option	
Ceilings	To match walls	
Interior Trim and Doors	Painted, 1 coat primer, 2 coats Semi-Gloss Latex Paint, Color to b selected by owner	
Interior Doors		
	See Door Appendix B: Exterior and Interior Door Schedule	
Finish Hardware		
	See Appendix E: Finish Hardware Schedule	
Flooring		
	See Appendix F: Flooring Schedule	
Appliances		
Landacaning	See Appendix G: Appliance Schedule	
Landscaping	All disturbed partience of yard to be coorded	
Laura	All disturbed portions of yard to be seeded.	
Lawn	Lawn area will generally include front yard, side yard and rear yard to the tree line	
	Lawn area to be covered with approximately 4" of native topsoil.	
8 deciduous Shrubs	2 container	See Landscape Plan
2 evergreen Shrubs	2 container	See Landscape Plan
12 perennials	1 container	See Landscape Plan
Cleaning	The second se	
Warranti	House cleaned prior to closing, including washing of windows	
Warranty	CCI Warranty as per contract	
	SCI Warranty as per contract	
	Continuing a policy of constant research and improvement, Sterling Land Company reserves	
	the right to make substitutions and specification changes.	



Notes

Appendix A: Window Schedule

Description

Location

Image

JELD-WEN All Vinyl Windows, Double insulated, Low E, Grills Between Glass 6 over 0 6 9/16 primed interior jambs, 2 1/2 colonial case interior Brickmould exterior case with built in J and nailing flange EZ-Tilt cleaning Screens included Energy Star Qualified Maximum U Factor 0.30 Letter Size Quantity

Lener	UIZC	Quantity	Description	Localion	iniage	110103
А	34x65	2	Double Hung	Bedroom #2		
A2	68x65	1	Double Hung	Dining Room		
В	34x53	2	Double Hung	Owners Bedroom & Bedroom #2		
SB2	80x60	1	Double Hung	Owners Bedroom		Egress
с	34.42	3	Double Hung	Lower Level		
EG	55x48	2	Slider	Lower Level		Egress, Grill pattern to match 6/0
к	38x49	1	Double Hung	Kitchen		
м	20x16	1	Fixed	Owners Bath		
т	36x16	1	Fixed	Bath #2		



Appendix B: Exterior and Interior Door Schedule

EXTERIOR DOORS

Therma-Tru Smooth Star Fiberglass Exterior Doors with full weather stripping and adjustable sills

Grills between glass

6 9/16 primed jambs

5/4 x 4 flat exterior case, Double bore set-up

EZ Set Satin Nickel knob and deadbolt hardware, All doors keyed alike

	Quantity	Description	Opens	Size	Туре	Hardware	Image	Notes	
Foyer Entry	oyer Entry								
	1	S220 2 Panel with S210 Sidelight Knob Side	LH	3'-0"	2 Panel	Double Bore			
Garage to Mudroom	n Entry								
	1	978HD 2 Panel Solid Steel Door w/ Spring Hinges	RH	3'-0"	2 Panel	Double Bore		20 Minute Fire Label	
Living Room to Deck	:								
	1	S118 Full Glass	LH	3'-0"	Full Glass	Double Bore			
Exterior Door Hardwo	are								
	1	EZ - Set					FC S		



	Quantity	Description	Opens	Size	Туре	Hardware	Image	Notes		
Interior Single Doors	nterior Single Doors									
	10	Masonite Smooth	See Plans - will display more clearly with plans	TBD	2 Panel Hollow Core	Double Bore				
Interior Door Hardwa	ire									
Knobs	10	EZ - Set				Satin Nickel				
Base Bumps	10					Satin Nickel				
Hinge Bumps	10					Satin Nickel				



		Арре	endix C: Light	Fixture Schedu	le		
	Quantity	Description	SKU	ltem	Color	Image	Notes
Garage Exterior				-			
	1	One Light Outdoor Wall Mount	369510	Kichler 9618OZ	Olde Bronze		
Deck Exterior		1		1	1	1	
	1	One Light Outdoor Wall Mount	369512	Kichler 9611OZ	Olde Bronze		
Front Porch				1	1	1000	1
	2	Click Lights - LED Flush Mount	3636303	Maxim 57641WTWT	White		
Mudroom							
	1	Click Lights - LED Flush Mount	3636303	Maxim 57641WTWT	White		
Mudroom Closet							
	1	Click Lights - LED Flush Mount	3636303	Maxim 57641WTWT	White		
Foyer		· · · · · · · · · · · · · · · · · · ·			·		
	1	Two Light Semi-Flush Mount	086620	Generation Lighting 7737302EN3-962	Brushed Nickel		
Foyer Hallway							
	3	Click Lights - LED Flush Mount	3636303	Maxim 57641WTWT	White		
Kitchen Island						·	
	2	ONE LIGHT MINI PENDANT	465101	Quoizel QF2047C	Polished Chrome	atte	
Kitchen				<u> </u>	I	l	1
	4	Click Lights - LED Flush Mount	363603	Maxim 57641WTWT	White		



Dining Area						
	1	SIX LIGHT CHANDELIER	3661745	Kichler 52240NI	Brushed Nickel	
Living Room						
	1	52" Ceiling Fan	435879	Minka Aire F556L-BN	Brushed Nickel	
Stairwell						
	1	One Light Wall Sconce	534244	Access 20415-ALB	Brushed Steel	
Hallway to Owners B	edroom	1				
	2	Click Lights - LED Flush Mount	363603	Maxim 57641WTWT	White	
Owners Bedroom			·			
	1	52" Ceiling Fan	435877	Minka Aire F556L-BWH	Bone White	
Owners Vanity	I	1		1		
	2	Two Light Bath Vanity	143474	Maxim 11322CLPC	Polished Chrome	i The
Owners Closet	1	1		11		
	2	Two Light Flush Mount	725441	Maxim 2680FTSN	Satin Nickel	
Bedroom #2	1	1		11		
	1	Two Light Flush Mount	725441	Maxim 2680FTSN	Satin Nickel	
Bath #2	1					
	1	Three Light Bath Vanity	143471	Maxim 11323CLPC	Polished Chrome	
Laundry Room		1		1		
	1	Two Light Flush Mount	725441	Maxim 2680FTSN	Satin Nickel	



Appendix D: Plumbing Schedule								
(itchen	Qty.	Description	Manufacturer	Product No.	Finish	Image	Notes	
Sink	1	32" Undermount 16 Gauge Stainless Steel Double Bowl Kitchen Sink	Krauss	KBU32	Stainless Steel		32" L x 18" W, 8.5" (2) Strainers and Grates	
Faucet	1	Simplice with Spray	Kohler	K-596-VS	Vibrant Stainless	E		
Owner's Bath					1			
Faucet	2	Linden Traditional Two Handle Centerset Bathroom Faucet	Delta	2593-MPU-DST	Polished Chrome	J.		
Shower	1	Ensemble™ Series 7223 60" x 34" x 75-3/4" Shower Stall	Sterling	72230100-0	White		Straight Curtain Rod Installed.	
Shower Trim	1	Linden Monitor® 14 Series Traditional Shower Trim	Delta	T14293 + R10000- UNBX	Polished Chrome	<u>م</u>		
Toilet	1	Windham Comfort Height Elongated Toilet Bowl	Sterling	403082-RA-0	White		29" L x 16" W x 30" H	



Bath #2							
Faucet	1	Linden Traditional Two Handle Centerset Bathroom Faucet	Delta	2593-MPU-DST	Polished Chrome	J.	
Tub/Shower	1	Ensemble Curve 60" Tub/Shower	Sterling	71220110-0	White		Straight Curtain Rod Installed.
Shower Trim	1	Linden Monitor® 14 Series Traditional Tub & Shower Trim	Delta	T14493 + R10000- UNBX	Polished Chrome	*> @- _1	
Toilet	1	Windham Comfort Height Elongated Toilet Bowl	Sterling	403082-0	White		29" L x 16" W x 30" H



Appendix E: Finish Hardware Schedule								
	Qty.	Description	Manufacturer	Product No.	Finish	Image	Notes	
Kitchen							1	
Pull	TBD	LILY PULL 5 1/16 INCH	Тор Кпор	ТК823ТВ	Tuscan Bronze	<u> </u>	On Lowers and Islan ONLY	
Pull	TBD	LILY PULL 5 1/16 INCH	Тор Кпоb	TK823BSN	Brushed Satin Nickel	1	On Uppers ONLY	
Owner's Bath	1			1		1	1	
Кпор	TBD	RINGED KNOB 1 1/8 INCH	Top Knob	M377	Polished Chrome			
Pull	TBD	Allison Value 1-1/4" Diameter Knob	Top Knob	53005-G10	Polished Chrome			
Robe Hook	1	Linden Double Robe Hook	Delta	79435	Polished Chrome	ς,		
Tissue Holder	1	Linden Tissue Holder	Delta	79450	Polished Chrome	0-0		
Towel Bar	1	Linden 24" Towel Bar	Delta	79424	Polished Chrome	6e		
Bath #2	1			1		1	1	
Кпор	TBD	RINGED KNOB 1 1/8 INCH	Top Knob	M377	Polished Chrome			
Pull	TBD	Allison Value 1-1/4" Diameter Knob	Top Knob	53005-G10	Polished Chrome			
Robe Hook	1	Linden Double Robe Hook	Delta	79435	Polished Chrome	ς,		
Tissue Holder	1	Linden Tissue Holder	Delta	79450	Polished Chrome	0-0		
Towel Bar	1	Linden 24" Towel Bar	Delta	79424	Polished Chrome	8.		



Appendix F: Flooring Schedule

			woo	DD			
Location	Make	Style	Color	Size		Image	Notes
Foyer Hallway Kitchen Living Room Dining Room	Hallmark	Novella	Twain Oak	N/A			
	1		TILI	1	1	1	1
	Make/Style	Finish/Color	Tile Size	Orientation	Tile Grout	Image	Notes
Mudroom							
	Anatolia Kayah	Rust	12" x 24"	50% Stagger Long Edge to the Door	Raven		
Owners Bath			<u> </u>	1	1	1	1
	Anatolia / Mayfair	Calcutta	12" x 24"	50% Stagger Long Edge to the Door	TBD		
Bath #2				1	1	1	<u> </u>
	Anatolia Form Hexagon	Tide	8"	7" side to the door	TBD		
	· · · · · ·	-	CAR	PET	·	·	
	Make	Style	Size	Color	Details	Image	
					·		
Owners Bedroom & WIC Bedroom #2 Stairs to LL	Anderson	Tuftex	N/A	Mar Vista			
	·	-	VIN	ΥL			
	Make	Style	Size	Color	Details	Image	
Laundry	· · · · · · · · · · · · · · · · · · ·						
	Stonecast	Monumental	12 x 24	Marmo Bianco	Long edge to the door		



		A	ppendix G: App	liance Sched	ule		
Appliance	Quantity	Manufacturer	Model	Color	Description	Image	Notes
chen						-	
Refrigerator	1	GE	GNE27SMSS	Stainless	Energy Star 27.0 cu.ft French-Door	\bot	
Gas Range	1	GE	JGB700SEJSS	Stainless	30" Free-Standing Gas Convection		
Dishwasher	1	GE	GDF510PSMSS	Stainless	Front Controls		
Microwave	1	GE	JVM3160RFSS	Stainless	1.6 cu.ft over-the- range		
undry Room				1		1	
Washer							Available as opt
Gas Dryer							Available as opt