

ACORN HOME - CONSTRUCTION SPECIFICATIONS

BuilderHomeowner/ProjectSpecification Date: 7/2/2020Sterling HomesSite Plan Date:1037 Hinesburg RoadSouth Village #Plan Date: 1/11/2013South Burlington, VT 05403

Acorn Plan: Two story New England style home with un-finished Lower Level. Two floors of finished area with approximately 1,182 square feet of living space including first floor owners suite; 1,182 square feet of unfinished Lower Level, 434 square foot 2-car garage, 132 square foot front porch.

Location Total Square Feet

First Floor 1,182
Second Floor 633

Total Finished Square Feet 1,815
Garage 434
Front Porch 132

Personal Choice Lists PCL# **Color Code** Date RED ORANGE **GOLD GREEN** BLUE **PURPLE** PINK RUST HUNTER **SKY BLUE LAVENDER BROWN** NAVY LIME CRANBERRY **AQUA PEACH GRAPE**

Specification and Appendix Approval

Appendix A: Window Schedule

Appendix B: Exterior and Interior Door Schedule

Appendix C: Lighting Schedule

Appendix D: Plumbing Schedule

Appendix E: Finish Hardware Schedule

Appendix F: Flooring Schedule

Appendix G: Appliance Schedule

Client		Date
Client		Date
Builder	Collin Frisbie	Date



ACORN HOME - CONSTRUCTION SPECIFICATIONS						
Section	Information	Image				
ermits						
	Builder responsible to obtain all necessary permits including:					
	- Soil Erosion and Sediment Control					
	- Well - N/A					
	- Septic System - N/A					
	- Zoning					
irveys	Here San Keepel alle he Man					
to Classing	Home is to be staked by builder					
te Clearing	Builder is responsible for all site clearing, as needed					
tilities Connections	builder is responsible for all site cleaning, as needed					
inities connections	Builder responsible for all site work and site balance to include					
Water	Connection to City of South Burlington water system					
Sewer	Connection to City of South Burlington sewer system					
Gas	Connection to Natural Gas lines at road.					
Power	Underground power					
Cable	Cable TV conduit to house					
355.5	All excavation, fill and labor is included					
ergy Package	,					
	Home to be built to an VT Residential Building Energy Standards (RBES)					
Home to Include						
	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light					
	Vented to the outside					
	PurePro DP511 Programmable Thermostat; First Floor and Second Floor					
	Additional caulking and sealing of joists to reduce air infiltration into the home, including shoe plate;					
	windows; and where wires and pipes go to cold spaces					
	R-15 Rigid Thermax insulation on Interior of Lower Level - floor to top of concrete wall					
	Selected use of closed cell foam to improve overall air sealing of attic in home					
	Blower Door Test required for VT RBES					
undation						
Туре	Poured Concrete					
Wall Height	7'-10"					
Lookout Height	4' Frost Wall					
Strength	Min. 3000 PSI @2 days with steel reinforcement					
Footer	Continuous 8" x 16" reinforced					
t Work Concrete						
Lower Level	Poured Concrete					
Finish	Smooth					
"Keyway" Joints	Saw cut					
Thickness	4"					
Strength	House: Min. 3000 PSI @ 28 days Garage: Min. 4000 PSI @ 28 days					
Moisture Barrier	Tarred damp proofing membrane sprayed on exterior of foundation walls.					
	6 mil poly under concrete house slab.					
Consideration and the constants	Footing drains installed below footers around Lower Level and drained to daylight in back yard.					
Ground water controls	Drain tile buried in clean stone; covered with mirafi fabric; clean sand fill against foundation.					
	Site graded to shed surface water away from house.					
Rock Wall	Boulder rock walls as needed for the grading of the yard. Boulders from the site are machine, placed to greate walls.					
iveway/Entrance	Boulders from the site are machine-placed to create walls.					
veway/Linu ance	12" thick gravel two car driveway on top of mirafi fabric.					
Drive	Driveway to be finish paved with 2" of compacted asphalt.	0.7				
	42" Sidewalk from front porch to neighborhood sidewalk will be Brussels Block Concrete Pavers.					
Walkway	72 Sidewalk from front porch to neighborhood sidewalk will be blussels block contrete ravels.					



Frame		
Frame Frame	2.5 CDF 24!!	
Exterior Walls	2x6 SPF 24" o.c.	
Interior Walls	2x4 SPF 24" o.c.	
Plate Height	9'-1" on first floor; 8'-1" on second floor and 7'-10" in lower level	
Plate	2x6 treated southern yellow pine with foam sill seal	
Floor Framing	11-7/8" Truss Joist TJI 230 Series I-joists @ 24" o.c.	
Sub Flooring	3/4" 4x8 T&G OSB glued and nailed	
Girders	2 or 3 ply Truss Joist Microlam LVL, nailed and glued, as specified by engineering load design, supported by	
	3-1/2" concrete filled lally columns in Lower Level	
Sheathing	7/16" 4x8 OSB	
Roof	Pre-engineered roof trusses 24" o.c. 5/8" T&G OSB rated sheeting	
	8/12 and 10/12 at Main House	
Roof Pitch	8/12 at Garage	
	4.5/12 at Front Porch	
House Wrap	Professional house wrap with flashing around all windows and doors	
Roofing		
	Ice and water shield on eaves and valleys. Vented on ridge to achieve proper ventilation.	Participal Company
Underlayment	Owens Corning ProArmor Synthetic Roof Underlayment	
Shingles	Owens Corning TruDefinition Shingles Limited Lifetime Warranty	No. of the second secon
Color	Color to be selected by owner	10 T W
Siding/Exterior Elements		
Siding	Noandex Woodsman Select	
Gable Ends	Vinyl Shakes, at front elevation gable only, Color to be selected by owner	
Clapboard	Double 4", Color to be selected by owner	
Board and Baton	None	
Eaves	Two piece aluminum wrapped - White	
Soffit	Perforated soffit for proper venting	
Corners	6" White Vinyl Comers with Foam Backer	
Trim Details	Frieze board and Garage Door Trim to be Miratech	
Drip Edge	Galvanized	
Shutters	Available as option	
Gutters & Downspouts	Available as option	
Gutters & Downspouts	White Seamless Gutters	
Windows	Time seames dates	
	See Appendix A: Window Schedule	
Brand	JELD-WEN	
Color	White	
Construction	Vinyl, Low-E, Insulated Double-Pane	
Exterior Casing	Flat	
U-Factor	0.30	
Grills	Between Glass 2 over 2	
Screens	Fiberglass Mesh	
Exterior Doors	1. men Brass media	
Exertor Boors	See Appendix B: Exterior and Interior Door Schedule	
Brand	Therma-Tru	
Color	See Exterior Paint Section	
Construction	Insulated Fiberglass	
Exterior Casing	5/4x4 Flat	
Storm Doors	None	
Overhead Garage Doors	INCIC	
Model	8300 Series Insulated Steel Door	
Size	16' x 7'	
Design	Contemporary Flat panel	1
Color	Manufacturer White	
Opener	8" lift master 1/2 horsepower electric opener	
Remotes	2 remotes included	
Frame Key Pad	Keyless entry punch pad	



Covered Entry Porch		
Porch Framing	6' x 22' framed with PT 2x8 joists	
Decking	5/4x6 #1 PVC Azek Harvest Collection	
Posts	CPVC wrapped and PT 6x6 Posts and 2x8 roof beams - White	
Roof	Roof to be truss framed, roof shingles to match house	
Ceiling	White vinyl bead board	
Stairs	Stairs from porch to walkway to be PT box steps with 5/4x6 #1 Azek PVC Decking Treads	
Rail	Composite rails and balusters	
Hardware	CPVC to be screwed and plugged, no paint	
Finish	Porch posts, beams, rim board and stair risers - white CPVC Trim	
Color	Porch decking and stair tread to be Azek Harvest Collection PVC - Color Selected by owner	
Side Deck/Patio	Available as option	
cterior Paint		
Exterior Doors - Excluding Front Door	Painted Satin Finish, White	
Exterior Trim - Including Frieze Board	Painted Satin Finish, White	
and Door Surrounds		
Front Door	2 coats Exterior Paint, Color to be Selected by Owner	
Sidelight	Painted Satin Finish, White	
Front Porch Rail	Composite Rail, White	
Front Porch Posts	CPVC wrapped, White	
Front Porch Roof Beams	CPVC Trim, White	
Front Porch Rim board	CPVC Trim, White	
Front Porch Stair Risers	CPVC Trim, White	
Front Porch Decking	Azek Harvest Collection PVC Decking	
ectrical & Low Voltage		
	Underground electrical service, 150 AMP Panel	
Plugs and Switches		
Switch Style	Toggle	•
Plate Style	Toggle screw on plates	
Switch Color	White	
Dimmers	Available as an Option	Φ
Exterior Plugs	Per Electrical Plan	
Lighting		
Lighting Fixtures	See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule)	
Recessed Lights	None	
Under Cabinet Lighting	Available as an Option	
Miscellaneous	· ·	
Door Chime	Nutone BK125LWH: One 2-note, white door chime	
Smoke/CO2	1 CO/Smoke per floor (3 Total), 1 Smoke per bedroom (3 Total)	
Bath Vents	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light	
Cat 5 (data/phone)	Yes, per electrical plan	
TV Jacks	Yes, per electrical plan	
Security/Surveillance	None	
··		
Central Vacuum Audio	Rough in only, 1 outlet per floor None	



	Plumbing	
Heating and Venting	<u> </u>	
Furnace	York LX Series, TM9V	
Furnace Size	60,000 BTU	
Efficiency Rating	96.00%	
Zones	Zone 1: First Floor, Zone 2: Second Floor	- 5-35 T2 S
Air Conditioner	York LX Series, 3-Ton YCGD, 17 SEER R-410a coil	
Thermostat	PurePro DP511 Programmable Thermostat; First Floor and Second Floor	
memostat	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light	The second second
Bath Venting		
	Vented to the outside	
Dryer Venting	Vented to the outside	
Gas	W	
Main Kitchen Range	Yes	
Main Fireplace	Yes	
Second Floor Dryer	Yes	
Furnace	Yes	
Hot Water System	Yes	
Grill Line at Deck	N/A	
Fireplace and Mantle		
Fireplace in Living Room		
Model	Empire DVCD36FP30N direct vent gas fireplace	
Mantle	Custom Built in Place Mantle (See picture/detail)	
	6" Slate Tile on Top and 2 Sides of Fireplace Face.	
Tile Surround	Color to be Selected by Owner.	Germ John
	12" Slate Tile Hearth to be full width of Mantle above, Flush with flooring.	
Tile Hearth	Color to be Selected by Owner.	
Venting	Direct vent to outside through wall	
Plumbing Fixtures	Direct vent to outside through wan	
idilibilig Fixtures	See Appendix D: Plumbing Schedule	
Miscellaneous Plumbing	Occomponent of the control of the co	
Outdoor Faucets	2 Frost-Free Hose Bibs, located at back of the main house and on the side of the front porch	
Hot Water Heater	Rinnai R75-Lsi on demand water heater	
Laundry	Washer Box Valve with single handle shutoff and drain; appliances pricing optional	
Laundry	PVC Drainage plumbing.	
Bullion		
Drainage	PEX continuous piping for all domestic water.	
Drainage	PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber.	
Drainage Radon	PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber. Radon Piping runs from under Lower Level concrete slab through roof.	
Radon	PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber. Radon Piping runs from under Lower Level concrete slab through roof. This is a passive system, no fan.	
•	PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber. Radon Piping runs from under Lower Level concrete slab through roof. This is a passive system, no fan. Option available	
Radon Utility Sink	PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber. Radon Piping runs from under Lower Level concrete slab through roof. This is a passive system, no fan.	
Radon Utility Sink Cabinets	PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber. Radon Piping runs from under Lower Level concrete slab through roof. This is a passive system, no fan. Option available	
Radon Utility Sink Cabinets Kitchen	PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber. Radon Piping runs from under Lower Level concrete slab through roof. This is a passive system, no fan. Option available Cabinets & Countertops	
Radon Utility Sink Cabinets Kitchen Brand	PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber. Radon Piping runs from under Lower Level concrete slab through roof. This is a passive system, no fan. Option available Cabinets & Countertops Mid Continent Signature Series	
Radon Utility Sink Cabinets Kitchen Brand Style	PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber. Radon Piping runs from under Lower Level concrete slab through roof. This is a passive system, no fan. Option available Cabinets & Countertops Mid Continent Signature Series Concord Style in Maple	
Radon Utility Sink Cabinets Kitchen Brand Style Color	PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber. Radon Piping runs from under Lower Level concrete slab through roof. This is a passive system, no fan. Option available Cabinets & Countertops Mid Continent Signature Series	
Radon Utility Sink Cabinets Kitchen Brand Style Color Kitchen Island	PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber. Radon Piping runs from under Lower Level concrete slab through roof. This is a passive system, no fan. Option available Cabinets & Countertops Mid Continent Signature Series Concord Style in Maple Natural	
Radon Utility Sink Cabinets Kitchen Brand Style Color	PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber. Radon Piping runs from under Lower Level concrete slab through roof. This is a passive system, no fan. Option available Cabinets & Countertops Mid Continent Signature Series Concord Style in Maple	
Radon Utility Sink Cabinets Kitchen Brand Style Color Kitchen Island	PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber. Radon Piping runs from under Lower Level concrete slab through roof. This is a passive system, no fan. Option available Cabinets & Countertops Mid Continent Signature Series Concord Style in Maple Natural	
Radon Utility Sink Cabinets Kitchen Brand Style Color Kitchen Island Brand	PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber. Radon Piping runs from under Lower Level concrete slab through roof. This is a passive system, no fan. Option available Cabinets & Countertops Mid Continent Signature Series Concord Style in Maple Natural Mid Continent Signature Series	
Radon Utility Sink Cabinets Kitchen Brand Style Color Kitchen Island Brand Style	PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber. Radon Piping runs from under Lower Level concrete slab through roof. This is a passive system, no fan. Option available Cabinets & Countertops Mid Continent Signature Series Concord Style in Maple Natural Mid Continent Signature Series Concord Style in Maple	
Radon Utility Sink Cabinets Kitchen Brand Style Color Kitchen Island Brand Style Color Color Color Color Color Color Color Color Color Color	PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber. Radon Piping runs from under Lower Level concrete slab through roof. This is a passive system, no fan. Option available Cabinets & Countertops Mid Continent Signature Series Concord Style in Maple Natural Mid Continent Signature Series Concord Style in Maple	
Radon Utility Sink Cabinets Kitchen Brand Style Color Kitchen Island Brand Style Color Owner's Bath Size	PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber. Radon Piping runs from under Lower Level concrete slab through roof. This is a passive system, no fan. Option available Cabinets & Countertops Mid Continent Signature Series Concord Style in Maple Natural Mid Continent Signature Series Concord Style in Maple Natural	
Radon Utility Sink Cabinets Kitchen Brand Style Color Kitchen Island Brand Style Color Owner's Bath Size Brand	PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber. Radon Piping runs from under Lower Level concrete slab through roof. This is a passive system, no fan. Option available Cabinets & Countertops Mid Continent Signature Series Concord Style in Maple Natural Mid Continent Signature Series Concord Style in Maple Natural All plumbing Code by licensed plumber. Radon Piping runs from under Lower Level concrete slab through roof. Table Style in Maple Natural 72" Vanity with 2 bowls Mid Continent Signature Series	
Radon Utility Sink Cabinets Kitchen Brand Style Color Kitchen Island Brand Style Color Owner's Bath Size Brand Style	PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber. Radon Piping runs from under Lower Level concrete slab through roof. This is a passive system, no fan. Option available Cabinets & Countertops Mid Continent Signature Series Concord Style in Maple Natural Mid Continent Signature Series Concord Style in Maple Natural 72" Vanity with 2 bowls Mid Continent Signature Series Concord Style in Maple Natural	
Radon Utility Sink Cabinets Kitchen Brand Style Color Kitchen Island Brand Style Color Owner's Bath Size Brand Style Color	PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber. Radon Piping runs from under Lower Level concrete slab through roof. This is a passive system, no fan. Option available Cabinets & Countertops Mid Continent Signature Series Concord Style in Maple Natural Mid Continent Signature Series Concord Style in Maple Natural All plumbing Code by licensed plumber. Radon Piping runs from under Lower Level concrete slab through roof. Table Style in Maple Natural 72" Vanity with 2 bowls Mid Continent Signature Series	
Radon Utility Sink Cabinets Kitchen Brand Style Color Kitchen Island Brand Style Color Owner's Bath Size Brand Style Color Bath #2	PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber. Radon Piping runs from under Lower Level concrete slab through roof. This is a passive system, no fan. Option available Cabinets & Countertops Mid Continent Signature Series Concord Style in Maple Natural Mid Continent Signature Series Concord Style in Maple Natural 72" Vanity with 2 bowls Mid Continent Signature Series Concord Style in Maple Natural	
Radon Utility Sink Cabinets Kitchen Brand Style Color Kitchen Island Brand Style Color Owner's Bath Size Brand Style Color Brand Style Size Brand	PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber. Radon Piping runs from under Lower Level concrete slab through roof. This is a passive system, no fan. Option available Cabinets & Countertops Mid Continent Signature Series Concord Style in Maple Natural Mid Continent Signature Series Concord Style in Maple Natural 72" Vanity with 2 bowls Mid Continent Signature Series Concord Style in Maple Natural 72" Vanity with 2 bowls Mid Continent Signature Series Concord Style in Maple Natural	
Radon Utility Sink Cabinets Kitchen Brand Style Color Kitchen Island Brand Style Color Owner's Bath Size Brand Style Color Bath #2 Size Brand	PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber. Radon Piping runs from under Lower Level concrete slab through roof. This is a passive system, no fan. Option available Cabinets & Countertops Mid Continent Signature Series Concord Style in Maple Natural Mid Continent Signature Series Concord Style in Maple Natural 72" Vanity with 2 bowls Mid Continent Signature Series Concord Style in Maple Natural 60" Vanity with single bowl Mid Continent Signature Series	
Radon Utility Sink Cabinets Kitchen Brand Style Color Kitchen Island Brand Style Color Owner's Bath Size Brand Style Color Brand Style Size Brand	PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber. Radon Piping runs from under Lower Level concrete slab through roof. This is a passive system, no fan. Option available Cabinets & Countertops Mid Continent Signature Series Concord Style in Maple Natural Mid Continent Signature Series Concord Style in Maple Natural 72" Vanity with 2 bowls Mid Continent Signature Series Concord Style in Maple Natural 72" Vanity with 2 bowls Mid Continent Signature Series Concord Style in Maple Natural	



Countertops				
Kitchen			I	
	Classia Convita Conica		-	
Style	Classic Granite Series		-	
Color	To Be Selected by Owner		0	
Edge Detail	Pencil Edge			The state of the s
Cut-Outs	Under Mount Sink			
Backsplash	4" Quartz			
B/S Location	Perimeter Back Only			
Kitchen Island				
Style	Classic Granite Quartz			
Color	To Be Selected by Owner			
Edge Detail	Pencil Edge			
Cut-Outs	None		Kitchen Top	s (not color or Style)
Owner's Bath			B	
Style	Cultured Marble with 2 integrated flush rectangle bowls		316	
Color	Cotton White			Ma
Edge Detail	Square Edge		12.1	
Cut-Outs	None		H	4
Back Splash	4" integral Cultured Marble			
B/S Location	Back Only			
Bath #2				
Style	Cultured Marble with 1 integrated flush rectangle bowls			
Color	Cotton White			
Edge Detail	Square Edge		-	
Cut-Outs	None			
Back Splash	4" integral Cultured Marble			100
B/S Location	Back Only		-	
By 3 Eocation	Wall & Trim Interior Detail Work			
Insulation				
Exterior Walls	R-21 6" Fiberglass Batts with Poly Vapor Barrier			
Interior Walls	R-13 3-1/2" Fiberglass Batts for bath walls (Soundproofing)		-	
Rigid Insulation	Box sill in first and second floor joists insulated with rigid insulation		-	
Attic	R-60 Cellulose with backer boards at eves for ventilation		-	
Garage	Not insulated		-	
Foundation	3-1/2" R-21 Thermax glued to concrete wall		-	
Drywall	5 1/2 N 21 Hermax grace to consider war			
Living area walls	1/2" Sheet Rock, taped with 3 coats of joint compound at walls and ceilings			
Ceilings	Smooth Finish, minor shadow variations are possible in ceilings		-	
Garage	Unfinished		-	
Trim Details	Offinialica			
Casing	3-1/2" Eased Edge with 5/4x4 head casing			
Base	5-1/2" Colonial Base Board			H
Wainscot	36" High Wainscot at Mudroom			
Crown	Available as option			
Built - Ins	Available as option			
	Panels and Cost Page at Mudesom	Open Shelves at		
	Bench and Coat Pegs at Mudroom Dining Room	Open Stielves at		7/111
Mirrors				
Owners Bath	Plate Glass mirror with ground edge, no bevel		-	
Bath #2	Plate Glass mirror with ground edge, no bevel			
Powder Room	By Owner			



Interior Stairs/Railing		
Main to Second Floor	Brown Maple Hardwood Stairs Box Stair Construction	
	Treads sealed to match hardwood flooring and risers painted to match interior trim.	
	First Floor to Landing to be open rail with turned balusters and turned round newel posts	
	Risers, baluster posts painted to match interior trim	3
	Rails and newel stained to match wood floors (including rail on wall)	
Main to Lower Level	Carpet Grade Stairs	
	Rail on wall stained	
Handrail Brackets	Satin Nickel	
Closet Shelving		<u> </u>
	All closets systems will be vented wire and the system is indicated on the plan.	
	See Closet Plan for Details.	
Interior Paint		
Painted Interior Walls	1 coat primer	
Tainted menor walls	2 coats Low VOC Flat Latex Paint, Color to be selected by owner.	
Accent Wall	Color and Location to be selected by owner	
Ceilings	To match walls	
Interior Trim	Painted, 1 coat primer, 2 coats Semi-Gloss Latex Paint, Color to be selected by owner.	
Interior Doors	Painted, 2 coats of Semi-Gloss Latex Paint, Color to be selected by owner.	
Fireplace Mantle	Painted, 2 Coats of Semi-Gloss Latex Paint, Color to be selected by owner.	
Open Shelving and Pantry Shelves	Painted, 2 coats of Semi-Gloss Latex Paint, Trim Color	
Main to Second Floor Stairs	Treads, Rail and Newel Sealed and Matching Wood Floor	
Wall to Second Floor Stalls	Risers and Baluster Posts Painted to Match Interior Trim	
Main to Lower Level Stairs	Stained railing to Match Wood on First Floor	
Interior Doors		
Finish Hardware	See Door Appendix B: Exterior and Interior Door Schedule	
rinish naruware	See Appendix E: Finish Hardware Schedule	
Flooring	See Appendix E. Fillish Hardware Schedule	
. 1001 1119	See Appendix F: Flooring Schedule	
Appliances	The part of the same of the sa	
	See Appendix G: Appliance Schedule	
Landscaping		
	All disturbed portions of yard to be seeded.	
Lawn	Lawn area will generally include front yard, side yard and rear yard.	
	Lawn area to be covered with approximately 4" of native topsoil.	
8 Foundation Shrubs	To be Selected by Owner, See Landscape Plan	
8 Perennial Flowers	To be Selected by Owner, See Landscape Plan	
2 Small Yard Trees	To be Selected by Owner, See Landscape Plan	
Cleaning		
	House cleaned prior to closing, including washing of windows	
Warranty	Tam	
	SCI Warranty as per contract	
	Continuing a policy of constant research and improvement, Sterling Land Company reserves	
	the right to make substitutions and specification changes.	



Appendix A: Window Schedule

JELD-WEN All Vinyl Windows, Double insulated, Low E, GBG Grills 2 over 2 6 9/16 primed interior jambs, 2 1/2 colonial case interior

Flat exterior case with built in J and nailing flange

EZ-Tilt cleaning

Screens included

Energy Star Qualified

Maximum U Factor 0.30

Maximum U Factor 0.3	Letter	Ct	O	Description	Location	I ma a: -: -	Notes
	Letter	Size	Quantity	Description	Location	Image	Notes
	А	34x65	3	Double Hung	Living Room		
	AT	34x89	1	Double Hung	Stairwell		
	В	34x53	7	Double Hung	Owners Bedroom, Bedroom 2 & 3		
	B2	68x53	1	Double Hung	Owners Bedroom		
	С	34x41	2	Double Hung	Owners Bath, Bath 2		
	D	34x36	1	Double Hung	Powder		
	EG	55x48	1	Slider	Lower Level	EGRESS WINDOW	Egress
	G	36x24	2	Hopper	Lower Level		



Appendix B: Exterior and Interior Door Schedule EXTERIOR DOORS

Therma-Tru Smooth Star Fiberglass Exterior Doors with full weather stripping and adjustable sills

Grills between glass

6 9/16 primed jambs

 $5/4 \times 4$ flat exterior case, Double bore set-up

EZ Set Satin Nickel knob and deadbolt hardware, All doors keyed alike

	Quantity	Description	Opens	Size	Type	Hardware	Image	Notes
Foyer Entry								
	1	S220 2 Panel w/ 12" Single Sidelight	ιн	3'-0"	2 Panel	Double Bore		
Garage Entry	·						<u>'</u>	
	1	S220 2 Panel Solid	LH	3'-0"	2 Panel	Double Bore		
Dining Room Entry								
	1	S118 Full Glass	RH	3'-0"	Slider	Glass		
Exterior Door Hard	ware					'	<u>'</u>	
Knobs	4	EZ - Set Keyed Entry w/deadbolt				Satin Nickel		All Keyed Alike
			IN	TERIOR DOORS	I.	<u> </u>		1
Colonial Casing both S Dexter Stratus Satin N			S					
Illielloi Dools								I
	2	Masonite Smooth	See Plans - will display more clearly with plans	2'-0"	2 Panel Hollow Core	Double Bore		Foyer Closet, Upstair Hall Linen
	5	Masonite Smooth	See Plans - will display more clearly with plans	2'-6"	2 Panel Hollow Core	Double Bore		Owners WIC, Owner Linen, Bath 2, Bedroom 2 & 3
	4	Masonite Smooth	See Plans - will display more clearly with plans	2'-10"	2 Panel Hollow Core	Double Bore		Powder, Lower Leve Owners Bedroom, Owners Bath



	1	Masonite Smooth	See Plans - will display more clearly with plans	3'-0"	2 Panel Hollow Core	Double Bore	Laundry
	4	Masonite Smooth	See Plans - will display more clearly with plans	4'-0"	2 Panel Hollow Core	Pair	Mudroom Closet, Bedroom 2 & 3 Cloet
Interior Door Hardwa	ire						
Knobs	16	EZ - Set				Satin Nickel	
Base Bumps	16					Satin Nickel	
Hinge Bumps	16					Satin Nickel	



Appendix C: Light Fixture Schedule									
	Quantity	Description	SKU	Item	Color	Image	Notes		
Garage Exterior									
	1	One Light Wall Lantern	369510	Kichler 9618OZ	Old Bronze				
Porch Exterior									
	1	One Light New Street Wall Lantern	369512	Kichler 9611OZ	Old Bronze				
Front Porch									
	3	Click Lights - LED Flush Mount	3636303	Maxim 57641WTWT	White				
Foyer									
	1	Two Light Semi Flush Mount	086620	Generation Lighting 773730EN3-962	Brushed Nickel				
Mudroom									
	1	Click Lights - LED Flush Mount	3636303	Maxim 57641WTWT	White				
Kitchen Island									
	2	One Pendant Light	090083	Generation Lighting 6137301EN3-962	Brushed Nickel				
Kitchen									
	5	Click Lights - LED Flush Mount	363603	Maxim 57641WTWT	White				



Dining Room						
I Was David	1	Five Light Chandelier	090121	Generation Lighting 3137305EN3-962	Brushed Nickel	
Living Room						
	1	Three Light Flush Mount	725440	Maxim 2681FTSN	Satin Nickel	
Powder						
	1	Two Light Vanity Wall	090109	Generation Lighting 4437302EN3-962	Brushed Nickel	The state
Stairwells						
	2	One Light Wall Sconce	517528	90179	Satin Nickel	1 - Main to Second Floor and 1 - in Main to Lower Level
Upstairs Hall						
	3	Two Light Flush Mount	216910	Maxim 2680MRSN	Satin Nickel	
Owners Bedroom Ha	llway					
	1	Click Lights - LED Flush Mount	363603	Maxim 57641WTWT	White	
Owners Bedroom						
	1	Three Light Flush Mount	725440	Maxim 2681FTSN	Satin Nickel	*
Owners Vanity						
	2	Two Light Vanity Wall	090109	Generation Lighting 4437302EN3-962	Brushed Nickel	
Owners Closet						
	1	Two Light Flush Mount	216910	Maxim 2680MRSN	Satin Nickel	



Bedroom #2	edroom #2								
	1	Maxim	216910	Maxim 2680MRSN	Satin Nickel				
Bedroom #3									
	1	Maxim	216910	Maxim 2680MRSN	Satin Nickel				
Bath #2									
	1	Three Light Vanity Wall	090101	Generation Lighting 4437303EN3-962	Brushed Nickel	the that the			
Laundry Room	aundry Room								
	1	Two Light Flush Mount	216910	Maxim 2680MRSN	Satin Nickel				



Appendix D: Plumbing Schedule									
itchen	Qty.	Description	Manufacturer	Product No.	Finish	Image	Notes		
Sink	1	McAllister Double Bowl Undermount Sink	Sterling	11406-NA	Stainless Steel		32" L x 18" W, 8" Deep. Dearborn Stainless Basket Strainer		
Faucet	1	Simplice with Spray	Kohler	K-596-VS	Vibrant Stainless	13			
Garbage Disposal	1	Badger 5, 1/2 HP	Insinkerator	N/A	N/A				
)wner's Bath									
Faucet	2	Refinia Center set Lavatory Faucet	Kohler	K-5316-4-CP	Polished Chrome				
Shower	1	Ensemble Curve 34"x60" Shower Base	Sterling	72131100-0	White		Tile Shower Walls, s flooring tile section Straight Curtain Ro Installed.		
Tub/Shower Fixture	1	Refinia Shower Trim	Kohler	K-TS5320-4G-CP	Polished Chrome	9			
Toilet	1	Windham Elongated Toilet Bowl	Sterling	403082-RA-0	White		29" L x 16" W x 30'		



Bath #2							
Faucet	1	Refinia Center set Lavatory Faucet	Kohler	K-5316-4-CP	Polished Chrome		
Tub/Shower	1	Ensemble Curve 60" Tub/Shower	Sterling	71220120	White	= =	Straight Curtain Roo Installed.
Shower Trim	1	Refinia Tub/Shower Trim	Kohler	K-TS5318-4G-CP	Polished Chrome		
Toilet	1	Windham Elongated Toilet Bowl	Sterling	403082-0	White		29" L x 16" W x 30" H
owder Bath				<u> </u>			
Faucet	1	Refinia Center set Lavatory Faucet	Kohler	K-5316-4-CP	Polished Chrome		
Toilet	1	Windham Elongated Toilet Bowl	Sterling	403082-0	White		29" L x 16" W x 30" I
Pedestal Sink	1	Wellworth Pedestal	Kohler	K-2293-4-0	White		



Appendix E: Finish Hardware Schedule									
	Qty.	Description	Manufacturer	Product No.	Finish	Image	Notes		
)wner's Bath	•								
Knob	8	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel				
Robe Hook	1	Alteo Robe Hook	Kohler	K-37055-CP	Polished Chrome	J			
Tissue Holder	1	Alteo Pivoting Toilet Tissue Holder	Kohler	K-37054-CP	Polished Chrome				
Towel Bar	1	Alteo 24" Towel Bar	Kohler	K-37051-CP	Polished Chrome	6			
owder Bath									
Towel Ring	1	Alteo Towel Ring	Kohler	K-37057-CP	Polished Chrome				
Tissue Holder	1	Alteo Pivoting Toilet Tissue Holder	Kohler	K-37054-CP	Polished Chrome				
ath #2						<u>'</u>			
Knob	8	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel				
Robe Hook	1	Alteo Robe Hook	Kohler	K-37055-CP	Polished Chrome	J			
Tissue Holder	1	Alteo Pivoting Toilet Tissue Holder	Kohler	K-37054-CP	Polished Chrome				
Towel Bar	1	Alteo 24" Towel Bar	Kohler	K-37051-CP	Polished Chrome	(0			
itchen Surround									
Knob	19	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel				
tchen Island									
Knob	4	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel				



Appendix F: Flooring Schedule

		•	•				
			Wood Fl	oors			
Location	Make	Style	Finish	Size		Image	
Foyer							
Foyer Powder Kitchen Dining Room Living Room Hall	BSL	Character Grade Maple	Natural	4-1/4" Width			
to Owners Bedroom						The same of the sa	
	Make/Style	Finish/Color	Tile Size	Orientation	Tile Grout	Image	Notes
Owners Bath							
	Udefasa/Rajasthan	TBD	13" x 13"	TBD	TBD		
Owners Bath Shower	Walls						
	Udefasa/Rajasthan	TBD	13" x 13"	TBD	TBD		
Bath #2						<u>'</u>	'
	Udefasa/Rajasthan	TBD	13"×13"	TBD	TBD		
Fireplace Surround &	Hearth						
	Slate	TBD	TBD	TBD	TBD		6" - Top and Sides of fireplace front 12" Hearth width of mantle



			Carp	et			
	Make	Style	Color	Details		Image	
Owners Bedroom							
	Shaw	Tum the Page	TBD				
Owners WIC							
	Shaw	Turn the Page	TBD				
Bedroom 2	<u> </u>				·		
	Shaw	Turn the Page	TBD				
Bedroom 3							
	Shaw	Turn the Page	TBD				
Upstairs Hall							
	Shaw	Turn the Page	TBD				
			Vinyl Flo	oors			
Laundry Room	Make	Style	Color			Image	Notes
Educativ Room	Mannington	Jumpstart	TBD				



		Α	ppendix G: App	liance Sched	lule		
Appliance	Quantity	Manufacturer	Model	Color	Description	Image	Notes
itchen	<u> </u>						
Refrigerator	1	GE	GNE27JSMSS	Stainless	GE Energy Star 27.0 Cu. Ft. French Door		
Gas Range	1	GE	JGB700SEJSS	Stainless	GE 30" Free-Standing Gas Range		
Dishwasher	1	GE	GDF510PSMSS	Stainless	GE Dishwasher with Front Controls	0	Gray Plastic Tub ar Door Liner
Microwave	1	GE	JVM3160RFSS	Stainless	GE 1.6 Cu. Ft. Over- the-Range- Microwave Oven		
aundry Room							
Washer							Available as optio
Gas Dryer							Available as optic