

#### **CHESTNUT HOME - CONSTRUCTION SPECIFICATIONS**

**Builder** Specification Date: 3/4/2021

Sterling Homes 1037 Hinesburg Road South Burlington, VT 05403

South Village #112L 244 Midland Ave South Burlington, VT 05403 Site Plan Date: Plan Date: 3/4/2021

Chestnut Plan: Two story New England style duplex home with un-finished Lower Level. Two floors of finished area with approximately 1,806 square feet of living space including first floor owners suite; 1,176 square feet of unfinished Lower Level, 440 square foot 2-car garage, 132 square foot front porch.

Location Total Square Feet

First Floor 1,176
Second Floor 630

Total Finished Square Feet 1,806
Garage 440
Front Porch 132

**Personal Choice Lists** PCL# **Color Code** Date RED **ORANGE GOLD GREEN BLUE PURPLE PINK RUST HUNTER SKY BLUE LAVENDER BROWN NAVY LIME CRANBERRY AQUA PEACH GRAPE** 

#### **Specification and Appendix Approval**

Appendix A: Window Schedule
Appendix B: Exterior and Interior Door Schedule
Appendix C: Lighting Schedule
Appendix D: Plumbing Schedule
Appendix E: Finish Hardware Schedule
Appendix F: Flooring Schedule
Appendix G: Appliance Schedule

Client		Date
Client		Date
Builder	Collin Frisbie	Date



	CUESTALLE LIGATE CONSTRUCTION SPECIFICATIONS	
	CHESTNUT HOME - CONSTRUCTION SPECIFICATIONS	
Section	Information	Image
ermits		
	Builder responsible to obtain all necessary permits including:	
	- Soil Erosion and Sediment Control	
	- Well - N/A	
	- Septic System - N/A	
	- Zoning	
urveys	Home is to be staked by builder	
ite Clearing	nome is to be staked by builder	
ite clearing	Builder is responsible for all site clearing, as needed	
Itilities Connections	Danaer is responsible for all site dearning, as needed	
	Builder responsible for all site work and site balance to include	
Water	Connection to City of South Burlington water system	
Sewer	Connection to City of South Burlington sewer system	
Gas	Connection to Natural Gas lines at road.	
Power	Underground power	
Cable	Cable TV conduit to house	
Cabie	All excavation, fill and labor is included	
Energy Package	, in excuration, the and labor is included	
	Home to be built to an VT Residential Building Energy Standards (RBES)	
Home to Include	g and	
	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light	
	Vented to the outside	
	PurePro DP511 Programmable Thermostat; First Floor and Second Floor	
	Additional caulking and sealing of joists to reduce air infiltration into the home, including shoe	
	plate; windows; and where wires and pipes go to cold spaces	
	R-15 Rigid Thermax insulation on Interior of Lower Level - floor to top of concrete wall	
	Selected use of closed cell foam to improve overall air sealing of attic in home	
	Blower Door Test required for VT RBES	
oundation		
Туре	Poured Concrete	
Wall Height	7'-10"	
Lookout Height	4' Frost Wall	
Strength	Min. 3000 PSI @2 days with steel reinforcement	
Footer	Continuous 8" x 16" reinforced	
lat Work Concrete		
Lower Level	Poured Concrete	
Finish	Smooth	
"Keyway" Joints	Saw cut	
Thickness	4"	
Strength	House: Min. 3000 PSI @ 28 days Garage: Min. 4000 PSI @ 28 days	
Moisture Barrier	Tarred damp proofing membrane sprayed on exterior of foundation walls.	
ivioisture Barrier	6 mil poly under concrete house slab.	
	Footing drains installed below footers around Lower Level and drained to daylight in back yard.	
Ground water controls	Drain tile buried in clean stone; covered with mirafi fabric; clean sand fill against foundation.	
	Site graded to shed surface water away from house.	
	l l	
	Poulder rock walls as peeded for the grading of the word	
Rock Wall	Boulder rock walls as needed for the grading of the yard.  Boulders from the site are machine-placed to create walls	
	Boulder rock walls as needed for the grading of the yard. Boulders from the site are machine-placed to create walls.	
Driveway/Entrance	Boulders from the site are machine-placed to create walls.	
Rock Wall  Driveway/Entrance  Drive	Boulders from the site are machine-placed to create walls.  12" thick gravel two car driveway on top of mirafi fabric.	
Driveway/Entrance	Boulders from the site are machine-placed to create walls.	



Exterior Walls 2x6 SPF 24" o.c.  Interior Walls 2x4 SPF 24" o.c.  Plate Height 9'-1" on first floor; 8'-1" on second floor and 7'-10" in lower level  Plate 2x6 treated southern yellow pine with foam sill seal  Floor Framing 11-7/8" Truss Joist TJI 230 Series I-joists @ 24" o.c.  Sub Flooring 3/4" 4x8 T&G OSB glued and nailed  Girders 2 or 3 ply Truss Joist Microlam LVL, nailed and glued, as specified by engineering load design,	
Interior Walls  2x4 SPF 24" o.c.  Plate Height  9'-1" on first floor; 8'-1" on second floor and 7'-10" in lower level  Plate  2x6 treated southern yellow pine with foam sill seal  Floor Framing  11-7/8" Truss Joist TJI 230 Series I-joists @ 24" o.c.  Sub Flooring  3/4" 4x8 T&G OSB glued and nailed  2 or 3 ply Truss Joist Microlam LVL, nailed and glued, as specified by engineering load design,	
Interior Walls  2x4 SPF 24" o.c.  Plate Height  9'-1" on first floor; 8'-1" on second floor and 7'-10" in lower level  Plate  2x6 treated southern yellow pine with foam sill seal  Floor Framing  11-7/8" Truss Joist TJI 230 Series I-joists @ 24" o.c.  Sub Flooring  3/4" 4x8 T&G OSB glued and nailed  2 or 3 ply Truss Joist Microlam LVL, nailed and glued, as specified by engineering load design,	
Plate 2x6 treated southern yellow pine with foam sill seal  Floor Framing 11-7/8" Truss Joist TJI 230 Series I-joists @ 24" o.c.  Sub Flooring 3/4" 4x8 T&G OSB glued and nailed  2 or 3 ply Truss Joist Microlam LVL, nailed and glued, as specified by engineering load design,	
Floor Framing 11-7/8" Truss Joist TJI 230 Series I-joists @ 24" o.c.  Sub Flooring 3/4" 4x8 T&G OSB glued and nailed  2 or 3 ply Truss Joist Microlam LVL, nailed and glued, as specified by engineering load design,	
Floor Framing 11-7/8" Truss Joist TJI 230 Series I-joists @ 24" o.c.  Sub Flooring 3/4" 4x8 T&G OSB glued and nailed  2 or 3 ply Truss Joist Microlam LVL, nailed and glued, as specified by engineering load design,	
Sub Flooring 3/4" 4x8 T&G OSB glued and nailed  2 or 3 ply Truss Joist Microlam LVL, nailed and glued, as specified by engineering load design,	
2 or 3 ply Truss Joist Microlam LVL, nailed and glued, as specified by engineering load design,	
GIRACIC	
supported by 3-1/2" concrete filled lally columns in Lower Level	
Sheathing 7/16" 4x8 OSB	
Roof Pre-engineered roof trusses 24" o.c. 5/8" T&G OSB rated sheeting	
8/12 and 10/12 at Main House	
Roof Pitch 8/12 at Garage	
4.5/12 at Garage	
House Wrap Professional house wrap with flashing around all windows and doors	
Roofing	
Ice and water shield on eaves and valleys. Vented on ridge to achieve proper ventilation.  Underlayment  Owens Corning ProArmer Synthetic Roof Underlayment	
Underlayment Owens Corning ProArmor Synthetic Roof Underlayment  Shingles Owens Corning Tru Definition Shingles Limited Lifetime Warranty	
Shingles Owens Corning TruDefinition Shingles Limited Lifetime Warranty  Color to be colored by average	
Color Color to be selected by owner	
Siding/Exterior Elements	
Siding Noandex Woodsman Select	
Gable Ends Vinyl Shakes, at front elevation gable only, Color to be selected by owner	
Clapboard Double 4", Color to be selected by owner	
Board and Baton None	
Eaves Two piece aluminum wrapped - White	
Soffit Perforated soffit for proper venting	
Corners 6" White Vinyl Corners with Foam Backer	
Trim Details Frieze board and Garage Door Trim to be Miratech	
Drip Edge Galvanized	
Shutters Available as option	
Gutters & Downspouts	
Gutters & Downspouts White Seamless Gutters	
Windows	
See Appendix A: Window Schedule	
Brand JELD-WEN	
Color White	
Construction Vinyl, Low-E, Insulated Double-Pane	
Exterior Casing Flat	
U-Factor 0.30	
Grills Between Glass 2 over 2	
Screens Fiberglass Mesh	
Exterior Doors	
See Appendix B: Exterior and Interior Door Schedule	
Brand Therma-Tru	
Color See Exterior Paint Section	
Construction Insulated Fiberglass	
Exterior Casing 5/4x4 Flat	
Storm Doors None	
Overhead Garage Doors	
Model 8300 Series Insulated Steel Door	
Design Contemporary Flat panel	/
Color Manufacturer White	
Opener 8" lift master 1/2 horsepower electric opener	
Remotes 2 remotes included	
Frame Key Pad Keyless entry punch pad	A STATE OF THE PARTY OF THE PAR



Decks & Porches		
Covered Entry Porch		
Porch Framing	6' x 22' framed with PT 2x8 joists	
Decking	5/4x6 #1 PVC Azek Harvest Collection	
Posts	CPVC wrapped and PT 6x6 Posts and 2x8 roof beams - White	
Roof	Roof to be truss framed, roof shingles to match house	
Ceiling	White vinyl bead board	
Stairs	Stairs from porch to walkway to be PT box steps with 5/4x6 #1 Azek PVC Decking Treads	
Rail	Composite rails and balusters	
Hardware	CPVC to be screwed and plugged, no paint	
Finish	Porch posts, beams, rim board and stair risers - white CPVC Trim	7
Color	Porch decking and stair tread to be Azek Harvest Collection PVC - Color Selected by owner	
Side Deck/Patio	Available as option	
Exterior Paint		
Exterior Doors - Excluding Front Door	Painted Satin Finish, White	
Exterior Trim - Including Frieze Board		
and Door Surrounds	Painted Satin Finish, White	
Front Door	2 coats Exterior Paint, Color to be Selected by Owner	
Sidelight	Painted Satin Finish, White	
Front Porch Rail	Composite Rail, White	_
Front Porch Posts	CPVC wrapped, White	
Front Porch Roof Beams	CPVC Trim, White	
Front Porch Rim board	CPVC Trim, White	
Front Porch Stair Risers	CPVC Trim, White	
Front Porch Decking	Azek Harvest Collection PVC Decking	
Electrical & Low Voltage	Azek Harvest concetton i ve beeking	
Licetical & Low Voltage	Underground electrical service, 150 AMP Panel	
Plugs and Switches	onderground electrical service, 150 Aivii Tunei	
Switch Style	Toggle	4
Plate Style	Toggle screw on plates	
Switch Color	White	
Dimmers	Available as an Option	0.1
Exterior Plugs	Per Electrical Plan	Φ
Lighting	rei Liectricai riaii	
Lighting Fixtures	See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule)	_
Recessed Lights	None	-
Under Cabinet Lighting	Available as an Option	-
Miscellaneous	Available as all Option	-
Door Chime	Nutone BK125LWH: One 2-note, white door chime	_
Smoke/CO2	1 CO/Smoke per floor (3 Total), 1 Smoke per bedroom (3 Total)	-
Bath Vents	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light	
Cat 5 (data/phone)	Yes, per electrical plan	-
TV Jacks	Yes, per electrical plan	-
Security/Surveillance	None	-
Central Vacuum	Rough in only, 1 outlet per floor	-
Audio	None	-
Light Fixtures	INVITE	
LIGHT FIXTUIES	See Appendix C: Light Fixture Schedule	
	See Appendix C. Light Fixture Schedule	



	Plumbing	HOWES			
Heating and Venting	riumbing				
Furnace	York LX Series, TM9V				
Furnace Size	60,000 BTU	-			
Efficiency Rating	96.00%	-			
Zones	Zone 1: First Floor, Zone 2: Second Floor	* C.3C 12			
Air Conditioner	York LX Series, 3-Ton YCGD, 17 SEER R-410a coil	5.50 IC)			
Thermostat	PurePro DP511 Programmable Thermostat; First Floor and Second Floor				
Bath Venting	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light Vented to the outside				
Dryer Venting	Vented to the outside				
Gas					
Main Kitchen Range	Yes				
Main Fireplace	Yes				
Second Floor Dryer	Yes				
Furnace	Yes	7			
Hot Water System	Yes	1			
Grill Line at Deck	N/A	7			
Fireplace and Mantle		•			
Fireplace in Living Room					
Model	Empire DVCD36FP30N direct vent gas fireplace	1			
Mantle	Custom Built in Place Mantle (See picture/detail)				
	6" Slate Tile on Top and 2 Sides of Fireplace Face.				
Tile Surround	Color to be Selected by Owner.	To General Property			
	12" Slate Tile Hearth to be full width of Mantle above, Flush with flooring.				
Tile Hearth	Color to be Selected by Owner.				
Venting	Direct vent to outside through wall	1			
Plumbing Fixtures					
<b>3</b>	See Appendix D: Plumbing Schedule				
Miscellaneous Plumbing	9				
Outdoor Faucets	2 Frost-Free Hose Bibs, located at back of the main house and on the side of the front porch	THI.			
Hot Water Heater	Rinnai R75-Lsi on demand water heater				
Laundry	Washer Box Valve with single handle shutoff and drain; appliances pricing optional				
	PVC Drainage plumbing.				
Plumbing	PEX continuous piping for all domestic water.				
	All plumbing installed according to National Plumbing Code by licensed plumber.	9:			
Radon	Radon Piping runs from under Lower Level concrete slab through roof.				
Kadon	This is a passive system, no fan.				
Utility Sink	Option available				
	Cabinets & Countertops				
Cabinets					
Kitchen					
Brand	Mid Continent Signature Series				
Style	Concord Style in Maple				
Color	Natural				
Kitchen Island					
Brand	Mid Continent Signature Series				
Brand Style					
Style Color	Mid Continent Signature Series				
Style	Mid Continent Signature Series  Concord Style in Maple  Natural				
Style Color	Mid Continent Signature Series Concord Style in Maple				
Style Color <b>Owner's Bath</b>	Mid Continent Signature Series  Concord Style in Maple  Natural				
Style Color <b>Owner's Bath</b> Size	Mid Continent Signature Series Concord Style in Maple Natural 72" Vanity with 2 bowls				
Style Color <b>Owner's Bath</b> Size Brand	Mid Continent Signature Series Concord Style in Maple Natural  72" Vanity with 2 bowls Mid Continent Signature Series				
Style Color Owner's Bath Size Brand Style	Mid Continent Signature Series  Concord Style in Maple  Natural  72" Vanity with 2 bowls  Mid Continent Signature Series  Concord Style in Maple				
Style Color Owner's Bath Size Brand Style Color	Mid Continent Signature Series  Concord Style in Maple  Natural  72" Vanity with 2 bowls  Mid Continent Signature Series  Concord Style in Maple				
Style Color Owner's Bath Size Brand Style Color Bath #2	Mid Continent Signature Series Concord Style in Maple Natural  72" Vanity with 2 bowls Mid Continent Signature Series Concord Style in Maple Natural				
Style Color Owner's Bath Size Brand Style Color Bath #2 Size	Mid Continent Signature Series  Concord Style in Maple  Natural  72" Vanity with 2 bowls  Mid Continent Signature Series  Concord Style in Maple  Natural  60" Vanity with single bowl				



		HOWES
Countertops		
Kitchen		
Style	Classic Quartz Series	
Color	To Be Selected by Owner	
Edge Detail	Pencil Edge	100 1111
Cut-Outs	Under Mount Sink	
Backsplash	4" Quartz	
B/S Location	Perimeter Back Only	
Kitchen Island		
Style	Classic Quartz Series	
Color	To Be Selected by Owner	
Edge Detail	Pencil Edge	
Cut-Outs	None	Kitchen Tops (not color or Style)
Owner's Bath		
Style	Cultured Marble with 2 integrated flush rectangle bowls	1
Color	Cotton White	
Edge Detail	Square Edge	MC
Cut-Outs	None	
Back Splash	4" integral Cultured Marble	
B/S Location	Back Only	
Bath #2	Back Offig	
	Cultured Markle with 1 integrated flush restands hours	
Style	Cultured Marble with 1 integrated flush rectangle bowls	
Color	Cotton White	
Edge Detail	Square Edge	
Cut-Outs	None	
Back Splash	4" integral Cultured Marble	
B/S Location	Back Only	
	Wall & Trim Interior Detail Work	
Insulation		
Exterior Walls	R-21 6" Fiberglass Batts with Poly Vapor Barrier	
Interior Walls	R-13 3-1/2" Fiberglass Batts for bath walls (Soundproofing)	
Rigid Insulation	Box sill in first and second floor joists insulated with rigid insulation	
Attic	R-60 Cellulose with backer boards at eves for ventilation	
Garage	Not insulated	
Foundation	3-1/2" R-21 Thermax glued to concrete wall	
Drywall		
Living area walls	1/2" Sheet Rock, taped with 3 coats of joint compound at walls and ceilings	
Ceilings	Smooth Finish, minor shadow variations are possible in ceilings	
Garage	Unfinished	
Trim Details		
Casing	3-1/2" Eased Edge with 5/4x4 head casing	
Base	5-1/2" Colonial Base Board	H.B.
Wainscot	36" High Wainscot at Mudroom	
Crown	Available as option	
Built - Ins		
	Bench and Coat Pegs at Mudroom	The state of the s
	Open Shelves at Dining Room	1 1 1 1 1 1
Mirrors		
Owners Bath	Plate Glass mirror with ground edge, no bevel	
Bath #2	Plate Glass mirror with ground edge, no bevel	
Powder Room	By Owner	



Interior Stairs/Railing		
Main to Second Floor	Brown Maple Hardwood Stairs Box Stair Construction	
Wall to Second 11001	Treads sealed to match hardwood flooring and risers painted to match interior trim.	
	First Floor to Landing to be open rail with turned balusters and turned round newel posts	
	Risers, baluster posts painted to match interior trim	18
	Rails and newel stained to match wood floors (including rail on wall)	
Main to Lower Level	Carpet Grade Stairs	1
	Rail on wall stained	
Handrail Brackets	Satin Nickel	
Closet Shelving		
	All closets systems will be vented wire and the system is indicated on the plan.	
	See Closet Plan for Details.	
Interior Paint		
Daintad Intorior Walls	1 coat primer	
Painted Interior Walls	2 coats Low VOC Flat Latex Paint, Color to be selected by owner.	
Accent Wall	Color and Location to be selected by owner	
Ceilings	To match walls	
Interior Trim	Painted, 1 coat primer, 2 coats Semi-Gloss Latex Paint, Color to be selected by owner.	
Interior Doors	Painted, 2 coats of Semi-Gloss Latex Paint, Color to be selected by owner.	
Fireplace Mantle	Painted, 2 Coats of Semi-Gloss Latex Paint, Color to be selected by owner.	
Open Shelving and Pantry Shelves	Painted, 2 coats of Semi-Gloss Latex Paint, Trim Color	
Main to Consul Floor Stairs	Treads, Rail and Newel Sealed and Matching Wood Floor	
Main to Second Floor Stairs	Risers and Baluster Posts Painted to Match Interior Trim	
Main to Lower Level Stairs	Stained railing to Match Wood on First Floor	
Interior Doors		
	See Door Appendix B: Exterior and Interior Door Schedule	
Finish Hardware		
	See Appendix E: Finish Hardware Schedule	
Flooring		
	See Appendix F: Flooring Schedule	
Appliances		
	See Appendix G: Appliance Schedule	
Landscaping		
	All disturbed portions of yard to be seeded.	
Lawn	Lawn area will generally include front yard, side yard and rear yard.	
	Lawn area to be covered with approximately 4" of native topsoil.	
8 Foundation Shrubs	To be Selected by Owner, See Landscape Plan	
8 Perennial Flowers	To be Selected by Owner, See Landscape Plan	
2 Small Yard Trees	To be Selected by Owner, See Landscape Plan	
Cleaning		
	House cleaned prior to closing, including washing of windows	
Warranty		
	SCI Warranty as per contract	
	Continuing a policy of constant research and improvement, Sterling Land Company reserves	
	the right to make substitutions and specification changes.	
	·	

Maximum U Factor 0.30



#### **Appendix A: Window Schedule**

JELD-WEN All Vinyl Windows, Double insulated, Low E, GBG Grills 2 over 2 6 9/16 primed interior jambs, 2 1/2 colonial case interior Flat exterior case with built in J and nailing flange EZ-Tilt cleaning Screens included Energy Star Qualified

Letter	Size	Quantity	Description	Location	Image	Notes
А	34x65	3	Double Hung	Living Room		
В	34x53	3	Double Hung	Owners Bedroom, Bedroom 3		
С	34x41	2	Double Hung	Owners Bath, Bath #2		
D	34x36	1	Double Hung	Powder		
E	34x53	3	Casement	Bedroom 2, Bedroom 3		
H2	68x53	1	Slider	Owners Bedroom		



#### **Appendix B: Exterior and Interior Door Schedule EXTERIOR DOORS**

Therma-Tru Smooth Star Fiberglass Exterior Doors with full weather stripping and adjustable sills Grills between glass

6 9/16 primed jambs

5/4 x 4 flat exterior case, Double bore set-up

EZ Set Satin Nickel knob and deadbolt hardware, All doors keyed alike

	Quantity	Description	Opens	Size	Туре	Hardware	lmage	Notes			
Foyer Entry											
	1	S220 6 Panel w/ 12" Single Sidelight	LH	3'-0"	6 Panel	Double Bore					
Garage Entry	arage Entry										
	1	S220 6 Panel Solid	LH	3'-0"	6 Panel	Double Bore					
Dining Room Entry	/										
	1	Jeld-Wen Vinyl Sliding Patio Door	RH	6'-0"	Slider	Glass					
Exterior Door Hard	dware										
Knobs	4	EZ - Set Keyed Entry w/deadbolt				Satin Nickel		All Keyed Alike			
			IN'	TERIOR DOORS							
Colonial Casing bo Dexter Stratus Sati Ball catches and (2	re, Smooth molded ha th sides n Nickel Hardware ) Dummy knobs per pa		plit jambs								
Interior Doors	1	T		I	1	I	1	1			
	3	Masonite Smooth	See Plans - will display more clearly with plans	2'-4"	2 Panel Hollow Core	Double Bore		Foyer Closet, Master Linen &Bedroom 2 Close			
	4	Masonite Smooth	See Plans - will display more clearly with plans	2'-6"	2 Panel Hollow Core	Double Bore		Owners WIC, Bath 2, Bedroom 2 & 3			
	5	Masonite Smooth	See Plans - will display more clearly with plans	2'-10"	2 Panel Hollow Core	Double Bore		Powder, Owners Bedroom, Owners Bath, Mudroom Closet, Lower Leve			



	1	Masonite Smooth	See Plans - will display more clearly with plans	3'-0"	2 Panel Hollow Core	Double Bore	Laundry
	1	Masonite Smooth	See Plans - will display more clearly with plans	5'-0"	2 Panel Hollow Core	Pair	Bedroom 3 Closet
<b>Interior Door Hardw</b>	/are						
Knobs	16	EZ - Set				Satin Nickel	
Base Bumps	16					Satin Nickel	
Hinge Bumps	16					Satin Nickel	



	Appendix C: Light Fixture Schedule							
		Apper	iaix C: Light	rixiure 3ched	luie			
	Quantity	Description	SKU	Item	Color	Image	Notes	
Garage Exterior	,			-				
	1	One Light Wall Lantern	369510	Kichler 9618OZ	Old Bronze			
Porch Exterior								
	1	One Light New Street Wall Lantern	369512	Kichler 9611OZ	Old Bronze			
Front Porch								
	3	Click Lights - LED Flush Mount	3636303	Maxim 57641WTWT	White			
Foyer								
	1	Two Light Semi Flush Mount	086620	Generation Lighting 773730EN3-962	Brushed Nickel			
Mudroom								
	1	Click Lights - LED Flush Mount	3636303	Maxim 57641WTWT	White			
Kitchen Island								
	2	One Pendant Light	090083	Generation Lighting 6137301EN3-962	Brushed Nickel			
Kitchen								
	5	Click Lights - LED Flush Mount	363603	Maxim 57641WTWT	White			



Dining Room						HOMES
	1	Three Light Flush Mount	725440	Maxim 2681FTSN	Satin Nickel	
Living Room				1		
	1	Three Light Flush Mount	725440	Maxim 2681FTSN	Satin Nickel	
Powder						
	1	Two Light Vanity Wall	090109	Generation Lighting 4437302EN3-962	Brushed Nickel	
Stairwells						
	2	One Light Wall Sconce	517528	90179	Satin Nickel	1 - Main to Second Floor and 1 - in Main to Lower Level
Upstairs Hall						
	3	Two Light Flush Mount	216910	Maxim 2680MRSN	Satin Nickel	
Owners Bedroom H	allway					
	1	Click Lights - LED Flush Mount	363603	Maxim 57641WTWT	White	
Owners Bedroom						
	1	Three Light Flush Mount	725440	Maxim 2681FTSN	Satin Nickel	*
Owners Vanity						
	2	Two Light Vanity Wall	090109	Generation Lighting 4437302EN3-962	Brushed Nickel	
Owners Closet						
	1	Two Light Flush Mount	216910	Maxim 2680MRSN	Satin Nickel	



D. 1						HOWES
Bedroom #2						
	1	Maxim	216910	Maxim 2680MRSN	Satin Nickel	
Bedroom #3						
	1	Maxim	216910	Maxim 2680MRSN	Satin Nickel	
Bath #2						
	1	Three Light Vanity Wall	090101	Generation Lighting 4437303EN3-962	Brushed Nickel	to ital ita
Laundry Room						
	1	Two Light Flush Mount	216910	Maxim 2680MRSN	Satin Nickel	



	Appendix D: Plumbing Schedule								
	Qty.	Description	Manufacturer	Product No.	Finish	Image	Notes		
Kitchen									
Sink	1	McAllister Double Bowl Undermount Sink	Sterling	11406-NA	Stainless Steel		32" L x 18" W, 8" Deep. Dearborn Stainless Basket Strainer		
Faucet	1	Simplice with Spray	Kohler	K-596-VS	Vibrant Stainless	3			
Garbage Disposal	1	Badger 5, 1/2 HP	Insinkerator	N/A	N/A				
Owner's Bath									
Faucet	2	Refinia Center set Lavatory Faucet	Kohler	K-5316-4-CP	Polished Chrome				
Tub/Shower	1	Ensemble Curve 60" Shower	Sterling	71220120	White		Straight Curtain Rod Installed.		
Tub/Shower Fixture	1	Refinia Shower Trim	Kohler	K-TS5320-4G-CP	Polished Chrome				
Toilet	1	Windham Elongated Toilet Bowl	Sterling	403082-RA-0	White		29" L x 16" W x 30" H		



Bath #2						- 11	O WES
Faucet	1	Refinia Center set Lavatory Faucet	Kohler	K-5316-4-CP	Polished Chrome		
Tub/Shower	1	Ensemble Curve 60" Tub/Shower	Sterling	71220120	White		Straight Curtain Rod Installed.
Shower Trim	1	Refinia Tub/Shower Trim	Kohler	K-TS5318-4G-CP	Polished Chrome		
Toilet	1	Windham Elongated Toilet Bowl	Sterling	403082-0	White		29" L x 16" W x 30" H
Powder Bath							
Faucet	1	Refinia Center set Lavatory Faucet	Kohler	K-5316-4-CP	Polished Chrome		
Toilet	1	Windham Elongated Toilet Bowl	Sterling	403082-0	White		29" L x 16" W x 30" H
Pedestal Sink	1	Wellworth Pedestal	Kohler	K-2293-4-0	White	1	



Appendix E: Finish Hardware Schedule								
	Qty.	Description	Manufacturer	Product No.	Finish	Image	Notes	
Owner's Bath				I .				
Knob	8	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel			
Robe Hook	1	Alteo Robe Hook	Kohler	K-37055-CP	Polished Chrome			
Tissue Holder	1	Alteo Pivoting Toilet Tissue Holder	Kohler	K-37054-CP	Polished Chrome			
Towel Bar	1	Alteo 24" Towel Bar	Kohler	K-37051-CP	Polished Chrome			
Powder Bath								
Towel Ring	1	Alteo Towel Ring	Kohler	K-37057-CP	Polished Chrome			
Tissue Holder	1	Alteo Pivoting Toilet Tissue Holder	Kohler	K-37054-CP	Polished Chrome			
Bath #2								
Knob	8	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel			
Robe Hook	1	Alteo Robe Hook	Kohler	K-37055-CP	Polished Chrome	J		
Tissue Holder	1	Alteo Pivoting Toilet Tissue Holder	Kohler	K-37054-CP	Polished Chrome			
Towel Bar	1	Alteo 24" Towel Bar	Kohler	K-37051-CP	Polished Chrome			
Kitchen Surround								
Knob	19	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel	8		
Kitchen Island								
Knob	4	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel			



#### **Appendix F: Flooring Schedule**

			\\\	1			
			Wood F		1		
Location	Make	Style	Finish	Size		Image	
Foyer		1		I	I		1
Foyer Powder Kitchen Dining Room Living Room Hall to Owners Bedroom	BSL	Character Grade Maple	Natural	4-1/4" Width			
	Make/Style	Finish/Color	Tile Size	Orientation	Tile Grout	Image	Notes
Owners Bath						· -	
	Udefasa/Rajasthan	TBD	13" x 13"	TBD	TBD		
Bath #2							
	Udefasa/Rajasthan	TBD	13" x 13"	TBD	TBD		
Fireplace Surround	& Hearth						
	Slate	TBD	TBD	TBD	TBD		6" - Top and Sides of fireplace front 12" Hearth width of mantle



	Carpet HOMES							
	Make	Style	Color	Details		Image		
Owners Bedroom								
	Shaw	Turn the Page	TBD					
Owners WIC								
	Shaw	Turn the Page	TBD					
Bedroom 2							<u>'</u>	
	Shaw	Turn the Page	TBD					
Bedroom 3							·	
	Shaw	Turn the Page	TBD					
Upstairs Hall								
	Shaw	Turn the Page	TBD					
			Vinyl Fl	oors				
	Make	Style	Color			Image	Notes	
Laundry Room	Mannington	Jumpstart	TBD					



		An	pendix G: App	liance Sche	dule		OMES
		76	perion o. App	ilance sene			
Appliance	Quantity	Manufacturer	Model	Color	Description	Image	Notes
itchen							
Refrigerator	1	GE	GNE27JSMSS	Stainless	GE Energy Star 27.0 Cu. Ft. French Door		
Gas Range	1	GE	JGB700SEJSS	Stainless	GE 30" Free- Standing Gas Range		
Dishwasher	1	GE	GDF510PSMSS	Stainless	GE Dishwasher with Front Controls		Gray Plastic Tub and Door Liner
Microwave	1	GE	JVM3160RFSS	Stainless	GE 1.6 Cu. Ft. Over- the-Range- Microwave Oven		
aundry Room							
Washer							Available as option
Gas Dryer							Available as option