

# Clearview Wentworth GR - Milton, VT



## WENTWORTH GR HOME - CONSTRUCTION SPECIFICATIONS

**Builder**  
Clearview Properties, LLC  
1037 Hinesburg Road, Suite A  
South Burlington, VT 05403

**Homeowner/Project**  
  
Clearview #

**Specification Date: 6/18/2021**  
**Site Plan Date: 3/5/21**  
**Plan Date: 6/17/2021**

Wentworth Plan: One story home with unfinished lower level. Approximately 1,490 square feet of living space; 1,490 square feet of unfinished Lower Level, 462 square foot 2-car garage, and a 54 square foot front porch.

Location	Total Square Feet
First Floor	1,490
<b>Total Finished Square Feet</b>	<b>1,490</b>
Lower Level	1,490
Garage	462
Front Porch	54

### Personal Choice Lists

PCL #	Color Code	Date
	GRAPE	
	ORANGE	
	GOLD	
	GREEN	
	BLUE	
	PURPLE	
	PINK	
	RUST	
	HUNTER	
	SKY BLUE	
	LAVENDER	
	BROWN	
	NAVY	
	LIME	
	CRANBERRY	
	AQUA	
	PEACH	
	RED	

### Specification and Appendix Approval

- Appendix A: Window Schedule
- Appendix B: Exterior and Interior Door Schedule
- Appendix C: Lighting Schedule
- Appendix D: Plumbing Schedule
- Appendix E: Finish Hardware Schedule
- Appendix F: Flooring Schedule
- Appendix G: Appliance Schedule

---

Client \_\_\_\_\_ Date \_\_\_\_\_

---

Client \_\_\_\_\_ Date \_\_\_\_\_


---

Builder Collin Frisbie \_\_\_\_\_ Date \_\_\_\_\_

# Clearview Wentworth GR - Milton, VT




## WENTWORTH GR HOME - CONSTRUCTION SPECIFICATIONS

Section	Information	Image
<b>Permits</b>		
	Builder responsible to obtain all necessary permits including: - Soil Erosion and Sediment Control - Zoning	
<b>Surveys</b>		
	Home is to be staked by builder	
<b>Site Clearing</b>		
	Builder is responsible for all site clearing, as needed	
<b>Utilities Connections</b>		
	Builder responsible for all site work and site balance to include	
Water	Connection to City of Milton water system	
Sewer	Connection to City of Milton sewer system	
Gas	Connection to Natural Gas lines at road.	
Power	Underground power	
Cable	Cable TV conduit to house	
	All excavation, fill and labor is included	
<b>Energy Package</b>		
	Home to be built to VT Residential Building Energy Standards (RBES)	
	Compliant with Act 250 Stretch Code	
<b>Home to Include</b>		
	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light. Vented to the outside	
	Additional caulking and air sealing of joists to reduce air infiltration into the home, including shoe plate; windows; and where wires and pipes go to cold spaces	
	R-15 Rigid Thermax insulation on Interior of Lower Level - floor to top of concrete wall	
	Selected use of closed cell foam to improve overall air sealing of attic in home	
	Blower Door Test as home completed required for VT RBES	
Solar Prep	Home solar ready with conduit running from LL up to Attic Space	
<b>Foundation</b>		
Type	Poured Concrete	
Wall Height	9'	
Lookout Height	4' Frost Wall	
Strength	Min. 3000 PSI @2 days with steel reinforcement	
Footer	Continuous 8" x 16" reinforced	
<b>Flat Work Concrete</b>		
Lower Level	Poured Concrete	
Finish	Smooth	
"Keyway" Joints	Saw cut	
Thickness	4"	
Strength	House: Min. 3000 PSI @ 28 days Garage: Min. 4000 PSI @ 28 days	
Moisture Barrier	Tarred damp proofing membrane sprayed on exterior of foundation walls. 6 mil poly under concrete house slab.	
Ground water controls	Footing drains installed below footers around Lower Level and drained to daylight in back yard. Drain tile buried in clean stone; covered with mirafi fabric; clean sand fill against foundation. Site graded to shed surface water away from house.	
Rock Wall	Boulder rock walls as needed for the grading of the yard. Boulders from the site are machine-placed to create walls.	
<b>Driveway/Entrance</b>		
Drive	12" thick gravel two car driveway on top of mirafi fabric. Driveway to be finish paved with 2" of compacted asphalt.	
Walkway	42" Sidewalk from front porch to driveway	

# Clearview Wentworth GR - Milton, VT



Frame	
Exterior Walls	2x6 SPF 24" o.c.
Interior Walls	2x4 SPF 24" o.c.
Plate Height	9'-1" on first floor; 8'-1" on second floor and 9' in lower level
Plate	2x6 treated southern yellow pine with foam sill seal
Floor Framing	2x10 SPF 19.2" o.c.
Sub Flooring	3/4" 4x8 T&G OSB glued and nailed
Girders	2 or 3 ply 2x12, nailed and glued, as specified by engineering load design, supported by 3-1/2" concrete filled lally columns in Lower Level
Sheathing	7/16" 4x8 OSB
Roof	Pre-engineered roof trusses 24" o.c. 5/8" T&G OSB rated sheathing
Roof Pitch	Pitches: 8/12 at Main House; 8/12 at Front Porch; 5/12 at front of Garage; 6/12 at Garage taper; 6/12 at rear of Garage
House Wrap	Professional house wrap with flashing around all windows and doors
Roofing	
	Ice and water shield on eaves and valleys. Vented on ridge to achieve proper ventilation.
Underlayment	Owens Corning ProArmor Synthetic Roof Underlayment
Shingles	Owens Corning TruDefinition Shingles Limited Lifetime Warranty
Color	Black
Siding/Exterior Elements	
Siding	Norandex Woodsman Select
Gable Ends	Vinyl Shakes, Color to selected by owner
Clapboard	Double 4", Color to be selected by owner
Board and Baton	None
Eaves	Two piece aluminum wrapped - White
Soffit	Perforated soffit for proper venting
Corners	6" White Vinyl Corners with Foam Backer
Trim Details	Frieze board and Garage Door Trim to be PVC
Drip Edge	Galvanized
Shutters	Available as Option
Gutters & Downspouts	
Gutters & Downspouts	White Seamless Gutters
Windows	
<b>See Appendix A: Window Schedule</b>	
Brand	Harvey Slimline
Color	White
Construction	Vinyl, Low-E, Insulated Double-Pane
Exterior Casing	J Channel Only (Brickmould)
U-Factor	0.30
Grills	Grills Between Glass 6 over 0
Screens	Fiberglass Mesh
Exterior Doors	
<b>See Appendix B: Exterior and Interior Door Schedule</b>	
Brand	Therma-Tru
Color	See Exterior Paint Section
Construction	Insulated Fiberglass
Exterior Casing	5/4x4 Flat
Storm Doors	None
Overhead Garage Doors	
Model	8300 Series Insulated Steel Door
Size	16' x 7'
Design	Colonial Raised Panel Door
Color	Manufacturer White
Opener	8" lift master 1/2 horsepower electric opener
Remotes	2 remotes included
Frame Key Pad	Keyless entry punch pad



# Clearview Wentworth GR - Milton, VT





Decks & Porches	
<b>Covered Entry Porch</b>	
Porch Framing	6' x 9' framed with PT 2x8 joists
Decking	5/4x6 PT decking
Posts	PVC wrapped and PT 6x6 Posts, 2x8 roof beams - White. Posts wrapped top and bottom.
Roof	Roof to be truss framed, roof shingles to match house
Ceiling	White vinyl bead board
Stairs	Stairs from porch to walkway to be PT box steps with 5/4x6 PT treads.
Rail	Pressure treated rail and balusters
Finish	Porch posts, beams, PT rim board and stair risers
Color	Porch decking and stair tread stained with Total Wood Preservative - Selected by Owner
Deck	14' x 12' Deck Available as Option
<b>Exterior Paint</b>	
Exterior Doors - Excluding Front Door	Painted Satin Finish, White
Exterior Trim - Including Frieze Board and Door Surrounds	Painted Satin Finish, White
Front Door	2 coats Exterior Paint, Color to be Selected by Owner
Sidelight	Painted Satin Finish, White
Front Porch Rail	Pressure Treated - painted white
Front Porch Posts	Painted White
Front Porch Roof Beams	Painted White
Front Porch Rim board	Stained. Color to be Selected by Owner.
Front Porch Stair Risers	Stained. Color to be Selected by Owner.
Front Porch Decking	Stained. Color to be Selected by Owner.
<b>Electrical &amp; Low Voltage</b>	
	Underground electrical service, 40 circuit 150 AMP Panel with Surge Protection. Open double slot for future solar.
<b>Plugs and Switches</b>	
Switch Style	Toggle
Plate Style	Toggle screw on plates
Switch Color	White
Dimmers	Available as Option
Exterior Plugs	Per Electrical Plan
<b>Lighting</b>	
Lighting Fixtures	See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule)
Recessed Lights	13 Click Lights: Kitchen 4, Front Porch 2, Main Hallway 3, Mudroom 2, Hall to Owner's Bedroom 2
Under Cabinet Lighting	Available as Option
<b>Miscellaneous</b>	
Outlets	GFI protection for all interior and exterior 240-volt outlets. 120 volt outlets in future finished areas of basement. Minimum of 2 Island Outlets. Per Electrical Plan.
Door Chime	Nutone BK125LWH: One 2-note, white door chime
Smoke/CO2	1 CO/Smoke per floor (1 Total), 1 Smoke per bedroom (2 Total) - Kidde 120V Intelligent 10 Year Lithium Battery Smoke Alarm Model P4010ACS
Bath Vents	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM
Paddle Fan Boxes	Paddle fan rated boxes in all Bedrooms, Dining room, and Living room
Cat 5 (data/phone)	Yes, per electrical plan
TV Jacks	Yes, per electrical plan
Security/Surveillance	None
Central Vacuum	None
Audio	None
Solar Prep	Conduit running from LL up to Attic Space
Garbage Disposal	Available as Option
<b>Light Fixtures</b>	
<b>See Appendix C: Light Fixture Schedule</b>	











# Clearview Wentworth GR - Milton, VT



Plumbing		
<b>Heating and Venting</b>		
Furnace	York LX Series, TM9V	 
Furnace Size	40,000 BTU	
Efficiency Rating	96%	
Zones	Zone 1: First Floor	
Second Zone	Available as Option	
Air Conditioner	Available as Option	
Thermostat	Ecobee Thermostat; First Floor	
Bath Venting	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light. Vented to the outside	
Dryer Venting	Microwave/Hood Vent vented to the outside	
<b>Gas</b>		
Main Kitchen Range	Yes	
Main Fireplace	Available as Option	
Floor Dryer	No	
Furnace	Yes	
Hot Water System	Yes	
Grill Line at Deck	Available as Option	
<b>Fireplace and Mantle</b>		
<b>Fireplace in Living Room</b>	Available as Option	
Model		
Mantle		
Tile Surround		
Tile Hearth		
Venting		
<b>Plumbing Fixtures</b>		
<b>See Appendix D: Plumbing Schedule</b>		
<b>Miscellaneous Plumbing</b>		
Outdoor Faucets	2 Frost-Free Hose Bibs, located at back of the main house and on the side of the front porch	
Hot Water Heater	State 50 Gallon Hybrid Electric water heater	
Laundry	Washer Box Valve with single handle shutoff and drain; appliances pricing optional	
Plumbing	PVC Drainage plumbing. PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber.	
Radon	Radon Piping runs from under Lower Level concrete slab through roof. This is a passive system, no fan.	
Utility Sink	Available as Option	

# Clearview Wentworth GR - Milton, VT





Cabinets & Countertops		
<b>Cabinets</b>		
<b>Kitchen</b>		
Brand	Mid Continent Pivot Series	
Style	Simple F/O Style in Maple	
Color	Natural	
<b>Kitchen Island</b>		
Brand	Mid Continent Pivot Series	
Style	Simple F/O Style in Maple	
Color	Natural	
<b>Owner's Bath</b>		
Size	72" Vanity with 2 bowls	
Brand	Mid Continent Pivot Series	
Style	Simple F/O Style in Maple	
Color	Natural	
<b>Bath #2</b>		
Size	42" Vanity with single bowl	
Brand	Mid Continent Pivot Series	
Style	Simple F/O Style in Maple	
Color	Natural	
<b>Countertops</b>		
<b>Kitchen</b>		
Style	Classic Series Quartz	
Color	To Be Selected by Owner	
Edge Detail	Pencil Edge	
Cut-Outs	Under Mount Sink	
Backsplash	4" Laminate	
B/S Location	Perimeter Back Only	
<b>Kitchen Island</b>		
Style	Classic Series Quartz	
Color	To Be Selected by Owner	
Edge Detail	Pencil Edge	
Cut-Outs	None	
<b>Owner's Bath</b>		
Style	Cultured Marble with 2 integrated flush rectangle bowls	
Color	Cotton White	
Edge Detail	Square Edge	
Cut-Outs	None	
Back Splash	4" integral Cultured Marble	
B/S Location	Back Only	
<b>Bath #2</b>		
Style	Cultured Marble with 1 integrated flush rectangle bowls	
Color	Cotton White	
Edge Detail	Square Edge	
Cut-Outs	None	
Back Splash	4" integral Cultured Marble	
B/S Location	Back Only	
<b>Wall &amp; Trim Interior Detail Work</b>		
<b>Insulation</b>		
Exterior Walls	R-21 6" Fiberglass Batts with Poly Vapor Barrier	
Interior Walls	R-13 3-1/2" Fiberglass Batts for bath walls (Soundproofing)	
Rigid Insulation	Box sill in first and second floor joists insulated with rigid insulation	
Attic	R-60 Cellulose with backer boards at eaves for ventilation	
Garage	Not insulated	
Foundation	2-1/2" R-15 Thermax glued to concrete wall	
<b>Drywall</b>		
Living area walls	1/2" Sheet Rock, taped with 3 coats of joint compound at walls and ceilings	
Ceilings	Smooth Finish, minor shadow variations are possible in ceilings	
Garage	Unfinished	
<b>Trim Details</b>		
Casing	2-1/2" Colonial Casing	
Base	3-1/2" Colonial Base Board	
Wainscot	+/-60" High Wainscot at Mudroom under Black Metal Coat Hooks	
Crown	Available as Option	

Kitchen Tops (not color or Style)






# Clearview Wentworth GR - Milton, VT



<b>Built - Ins</b>		
	Bench, Coat Hooks, Cubbies in Mudroom	 
<b>Mirrors</b>		
Owners Bath	Plate Glass mirror with ground edge, no bevel	
Bath #2	Plate Glass mirror with ground edge, no bevel	
<b>Interior Stairs/Railing</b>		
<b>Main to Lower Level</b>	Carpet Grade Stairs	
	Rail on wall stained	
	Half wall, cap stained to match wood floor	
<b>Handrail Brackets</b>	Satin Nickel	
<b>Closet Shelving</b>		
	All closets systems will be vented wire and the system is indicated on the plan. See Closet Plan for Details.	
<b>Interior Paint</b>		
Painted Interior Walls	1 coat primer 2 coats Low VOC Flat Latex Paint, Color to be selected by owner.	
Accent Wall	None	
Ceilings	To match walls	
Interior Trim	Painted, 1 coat primer, 2 coats Semi-Gloss Latex Paint, Color to be Selected by Owner, OK to Color Match	
Wainscot	Painted, 1 coat primer, 2 coats Semi-Gloss Latex Paint, Color to be Selected by Owner, OK to Color Match	
Interior Doors	Painted, 2 coats of Semi-Gloss Latex Paint, Color to be Selected by Owner, OK to Color Match	
Fireplace Mantle (optional)		
Main to Lower Level Stairs	Stained railing to Match Wood on First Floor	
<b>Interior Doors</b>		
<b>See Door Appendix B: Exterior and Interior Door Schedule</b>		
<b>Finish Hardware</b>		
<b>See Appendix E: Finish Hardware Schedule</b>		
<b>Flooring</b>		
<b>See Appendix F: Flooring Schedule</b>		
<b>Appliances</b>		
<b>See Appendix G: Appliance Schedule</b>		
<b>Landscaping</b>		
Lawn	All disturbed portions of yard to be seeded. Lawn area will generally include front yard, side yard and rear yard. Lawn area to be covered with approximately 4" of native topsoil.	
8 Foundation Shrubs	To be Selected by Owner, See Landscape Plan	
8 Perennial Flowers	To be Selected by Owner, See Landscape Plan	
<b>Cleaning</b>		
	House cleaned prior to closing, including washing of windows	
<b>Warranty</b>		
	Clearview Properties, LLC Warranty as per contract	
	<b>Continuing a policy of constant research and improvement, Clearview Properties, LLC reserves the right to make substitutions and specification changes.</b>	

### Appendix A: Window Schedule

Harvey Slimline All Vinyl Windows, Double insulated, Low E, GBG Grills 6 over 0  
 6 9/16 primed interior jambs, 2 1/2 colonial case interior  
 J Channel Only (Brickmould)  
 EZ-Tilt cleaning  
 Screens included  
 Energy Star Qualified  
 Maximum U Factor 0.30






Letter	Size	Quantity	Description	Location	Image	Notes
A	34x65	10	Double Hung	Living Room, Dining Room, Bedroom 2, Lower Level		
B	34x53	7	Double Hung	Owners Bedroom, Bedroom 2, Lower Level		
C	34x42	2	Double Hung	Owners Bath, Lower Level		
K	42x49	1	Double Hung	Kitchen		
T	36x16	1	Fixed	Bath #2		



**Appendix B: Exterior and Interior Door Schedule**





**EXTERIOR DOORS**

Therma-Tru Smooth Star Fiberglass Exterior Doors with full weather stripping and adjustable sills  
 Grills between glass  
 6 9/16 primed jambs  
 5/4 x 4 flat exterior case, Double bore set-up  
 EZ Set Satin Nickel knob and deadbolt hardware, All doors keyed alike










	Quantity	Description	Opens	Size	Type	Hardware	Image	Notes
<b>Foyer Entry</b>								
	1	S220 2 Panel with S210SL Sidelite	RH	3'0 - 6'8"	2 Panel	Double Bore		
<b>Garage Entry</b>								
	1	S220 2 Panel	LH	3'0 - 6'8"	2 Panel	Double Bore		
<b>Dining Room Entry from Optional Deck</b>								
	1	Harvey Vinyl Sliding Patio Door	RH	6'0 - 6'8"	Slider	Glass		
<b>Lower Level Entry</b>								
	1	S206 2 Panel/Half Glass	LH	3'0 - 6'8"	2 Panel Half Glass	Double Bore		
<b>Exterior Door Hardware</b>								
Knobs	3	EZ - Set Keyed Entry w/deadbolt				Satin Nickel		All Keyed Alike








**INTERIOR DOORS**





2 Panel, Hollow core, Smooth molded hardboard, 4 9/16 PFJ split jambs  
 Colonial Casing both sides  
 Dexter Stratus Satin Nickel Hardware  
 Ball catches and (2) Dummy knobs per pair included

<b>Interior Doors</b>								
	10	Masonite Smooth	See Plans - will display more clearly with plans	TBD	2 Panel Hollow Core	Double Bore		
<b>Interior Door Hardware</b>								
Knobs	10	EZ - Set				Satin Nickel		
Base Bumps	10					Satin Nickel		
Hinge Bumps	10					Satin Nickel		











### Appendix C: Light Fixture Schedule

	Quantity	Description	SKU	Item	Color	Image	Notes
<b>Garage Exterior</b>							
	1	One Light Outdoor Wall Lantern	534299	Maxim 1024PE	Pewter		
<b>Optional Deck Exterior</b>							
	1	One Light Outdoor Wall Lantern	967425	Maxim 1025PE	Pewter		
<b>Lower Level Entry Exterior</b>							
	1	One Light Outdoor Wall Lantern	967425	Maxim 1025PE	Pewter		
<b>Front Porch</b>							
	2	Click Lights - LED Flush Mount	3636303	Maxim 57641WTWT	White		
<b>Foyer</b>							
	1	Three Light Semi Flush Mount	738584	Kichler 43669NI	Brushed Nickel		
<b>Mudroom</b>							
	2	Click Lights - LED Flush Mount	3636303	Maxim 57641WTWT	White		
<b>Main Hallway</b>							
	3	Click Lights - LED Flush Mount	3636303	Maxim 57641WTWT	White		
<b>Kitchen Island</b>							
	2	One Light Mini Pendant	738588	Kichler 43668NI	Brushed Nickel		
<b>Kitchen</b>							
	4	Click Lights - LED Flush Mount	363603	Maxim 57641WTWT	White		

Dining Room							
	1	Five Light Chandelier	738590	Kichler 43665NI	Brushed Nickel		
Living Room							
	1	Three Light Flush Mount	725440	Maxim 2681FTSN	Satin Nickel		
Stairwells							
	1	One Light Wall Sconce	738960	Kichler 45568NI	Brushed Nickel		Main to Lower Level
Owners Bedroom Hallway							
	2	Click Lights - LED Flush Mount	363603	Maxim 57641WTWT	White		
Owners Bedroom							
	1	Three Light Flush Mount	725440	Maxim 2681FTSN	Satin Nickel		
Owners Vanity							
	2	Two Light Bath	738932	Kichler 45569NI	Brushed Nickel		
Owners Closet							
	1	Two Light Flush Mount	725441	Maxim 2680FTSN	Satin Nickel		

Bedroom #2							
	1	Two Light Flush Mount	725441	Maxim 2680FTSN	Satin Nickel		
Bath #2							
	1	Three Light Bath	738938	Kichler 45570NI	Brushed Nickel		
Laundry Room							
	1	Two Light Flush Mount	725441	Maxim 2680FTSN	Satin Nickel		
Other							
Garage, Future Bonus Room, Lower Level	13	PC Lights					Supplied by Electrician

**Appendix D: Plumbing Schedule**

	Qty.	Description	Manufacturer	Product No.	Finish	Image	Notes
<b>Kitchen</b>							
Sink	1	32" Undermount 16 Gauge Stainless Steel Double Bowl Kitchen Sink	Krauss	KBU32	Stainless Steel		32" L x 18" W, 8.5"D, (2) Strainers and Grates
Faucet	1	Arbor Single-Handle Pull-Down Sprayer	Moen	7594C	Chrome		
<b>Owner's Bath</b>							
Faucet	2	Eva Two-Handle Sink Faucet	Moen	6410	Chrome		
Shower	1	2 Seat 60" Shower by MAAX	Aker	141029	White		Straight Curtain Rod Installed.
Shower Fixture	1	Eva Collection Eco-Performance Trim Kit	Moen	T2138EP	Chrome		Moen 2520 Shower Valve
Toilet	1	Entrada Elongated Toilet Bowl	Toto	CST244EF#01	White		Universal Height 16 1/8"
<b>Bath #2</b>							
Faucet	1	Eva Two-Handle Sink Faucet	Moen	6410	Chrome		
Tub/Shower	1	GB 60" Tub/Shower	Aker Products	141004	White		Straight Curtain Rod Installed.
Tub/Shower Trim	1	Eva Conversion Eco-Performance Tub/Shower Trim	Moen	T2139EP	Chrome		Moen 2520 Shower Valve
Toilet	1	Entrada Elongated Toilet Bowl	Toto	CST244EF#01	White		Universal Height 16 1/8"

### Appendix E: Finish Hardware Schedule

	Qty.	Description	Manufacturer	Product No.	Finish	Image	Notes
<b>Owner's Bath</b>							
Knob	7	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel		
Robe Hook	1	Eva Single Robe Hook	Moen	YB2803CH	Chrome		
Tissue Holder	1	Eva Collection Pivoting Toilet Paper Holder	Moen	YB2808CH	Chrome		
Towel Bar	1	Eva 24 in. Towel Bar	Moen	YB2824CH	Chrome		
<b>Bath #2</b>							
Knob	7	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel		
Robe Hook	1	Eva Single Robe Hook	Moen	YB2803CH	Chrome		
Tissue Holder	1	Eva Collection Pivoting Toilet Paper Holder	Moen	YB2808CH	Chrome		
Towel Bar	1	Eva 24 in. Towel Bar	Moen	YB2824CH	Chrome		
<b>Kitchen Surround</b>							
Knob	18	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel		
<b>Kitchen Island</b>							
Knob	4	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel		

## Appendix F: Flooring Schedule





Wood Floors							
Location	Make	Style	Finish	Size		Image	
Foyer, Hallway, Kitchen, Dining Room, Living Room	BSL	Pacific Grade Maple	Natural	4-1/4" Width			
Tile Floors							
Location	Make/Style	Finish/Color	Tile Size	Orientation	Tile Grout	Image	Notes
Owner's Bath	Anatolia Davenport	TBD	12 x 24	TBD	TBD		
Mudroom	Grespania Village	TBD	12 x 24	TBD	TBD		
Vinyl Floors							
	Make	Style	Color			Image	Notes
Bath #2	Tarkett	Fresh Start	TBD	TBD	TBD		
Laundry	Tarkett	Fresh Start	TBD	TBD	TBD		



Carpet							
	Make	Style	Color	Details		Image	
Owners Bedroom	Dreamweaver	Pinpoint	TBD				
Owners WIC	Dreamweaver	Pinpoint	TBD				
Den/Bedroom 2	Dreamweaver	Pinpoint	TBD				



### Appendix G: Appliance Schedule

Appliance	Quantity	Manufacturer	Model	Color	Description	Image	Notes
<b>Kitchen</b>							
Refrigerator	1	GE	GNE27JYMFS	Stainless	GE Energy Star 27.0 Cu. Ft. French Door		Fingerprint Resistant Door
Gas Range	1	GE	JGS760SPSS	Stainless	GE 30" Side-In Convection Gas Range		
Dishwasher	1	GE	GDT530PSPSS	Stainless	GE Dishwasher with Front Controls		
Microwave	1	GE	JVM3160RFSS	Stainless	GE 1.6 Cu. Ft. Over-the-Range-Microwave Oven		
<b>Laundry Room</b>							
Washer							Available as option
Electric Dryer							Available as option