

Clearview Wentworth GR - Milton, VT



WENTWORTH GR HOME - CONSTRUCTION SPECIFICATIONS

Builder

Clearview Properties, LLC
1037 Hinesburg Road, Suite A
South Burlington, VT 05403

Homeowner/Project

Clearview #

Specification Date: 6/30/2021

Site Plan Date: 3/5/21

Plan Date: 6/17/2021

Wentworth Plan: One story home with unfinished lower level. Approximately 1,490 square feet of living space; 1,490 square feet of unfinished Lower Level, 462 square foot 2-car garage, and a 54 square foot front porch.

Location	Total Square Feet
First Floor	1,490
Total Finished Square Feet	1,490
Lower Level	1,490
Garage	462
Front Porch	54

Personal Choice Lists

PCL #

Color Code

Date

GRAPE
 ORANGE
 GOLD
 GREEN
 BLUE
 PURPLE
 PINK
 RUST
 HUNTER
 SKY BLUE
 LAVENDER
 BROWN
 NAVY
 LIME
 CRANBERRY
 AQUA
 PEACH
 RED

Specification and Appendix Approval

Appendix A: Window Schedule
 Appendix B: Exterior and Interior Door Schedule
 Appendix C: Lighting Schedule
 Appendix D: Plumbing Schedule
 Appendix E: Finish Hardware Schedule
 Appendix F: Flooring Schedule
 Appendix G: Appliance Schedule

Client

Date

Client

Date

Builder


Collin Frisbie

Date

Clearview Wentworth GR - Milton, VT




WENTWORTH GR HOME - CONSTRUCTION SPECIFICATIONS

Section	Information	Image
Permits		
	Builder responsible to obtain all necessary permits including: - Soil Erosion and Sediment Control - Zoning	
Surveys		
	Home is to be staked by builder	
Site Clearing		
	Builder is responsible for all site clearing, as needed	
Utilities Connections		
	Builder responsible for all site work and site balance to include	
Water	Connection to City of Milton water system	
Sewer	Connection to City of Milton sewer system	
Gas	Connection to Natural Gas lines at road.	
Power	Underground power	
Cable	Cable TV conduit to house	
	All excavation, fill and labor is included	
Energy Package		
	Home to be built to VT Residential Building Energy Standards (RBES)	
	Compliant with Act 250 Stretch Code	
Home to Include		
	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light. Vented to the outside	
	Additional caulking and air sealing of joists to reduce air infiltration into the home, including shoe plate; windows; and where wires and pipes go to cold spaces	
	R-15 Rigid Thermax insulation on Interior of Lower Level - floor to top of concrete wall	
	Selected use of closed cell foam to improve overall air sealing of attic in home	
	Blower Door Test as home completed required for VT RBES	
Solar Prep	Home solar ready with conduit running from LL up to Attic Space	
Foundation		
Type	Poured Concrete	
Wall Height	9'	
Lookout Height	4' Frost Wall	
Strength	Min. 3000 PSI @2 days with steel reinforcement	
Footer	Continuous 8" x 16" reinforced	
Flat Work Concrete		
Lower Level	Poured Concrete	
Finish	Smooth	
"Keyway" Joints	Saw cut	
Thickness	4"	
Strength	House: Min. 3000 PSI @ 28 days Garage: Min. 4000 PSI @ 28 days	
Moisture Barrier	Tarred damp proofing membrane sprayed on exterior of foundation walls. 6 mil poly under concrete house slab.	
Ground water controls	Footing drains installed below footers around Lower Level and drained to daylight in back yard. Drain tile buried in clean stone; covered with mirafi fabric; clean sand fill against foundation. Site graded to shed surface water away from house.	
Rock Wall	Boulder rock walls as needed for the grading of the yard. Boulders from the site are machine-placed to create walls.	
Driveway/Entrance		
Drive	12" thick gravel two car driveway on top of mirafi fabric. Driveway to be finish paved with 2" of compacted asphalt.	
Walkway	42" Sidewalk from front porch to driveway	




Clearview Wentworth GR - Milton, VT



Frame		
Exterior Walls	2x6 SPF 24" o.c.	
Interior Walls	2x4 SPF 24" o.c.	
Plate Height	9'-1" on first floor; 8'-1" on second floor and 9' in lower level	
Plate	2x6 treated southern yellow pine with foam sill seal	
Floor Framing	2x10 SPF 19.2" o.c.	
Sub Flooring	3/4" 4x8 T&G OSB glued and nailed	
Girders	2 or 3 ply 2x12, nailed and glued, as specified by engineering load design, supported by 3-1/2" concrete filled lally columns in Lower Level	
Sheathing	7/16" 4x8 OSB	
Roof	Pre-engineered roof trusses 24" o.c. 5/8" T&G OSB rated sheeting	
Roof Pitch	Pitches: 8/12 at Main House; 8/12 at Front Porch; 5/12 at front of Garage; 6/12 at Garage taper; 6/12 at rear of Garage	
House Wrap	Professional house wrap with flashing around all windows and doors	
Roofing		
	Ice and water shield on eaves and valleys. Vented on ridge to achieve proper ventilation.	
Underlayment	Owens Corning ProArmor Synthetic Roof Underlayment	
Shingles	Owens Corning TruDefinition Shingles Limited Lifetime Warranty	
Color	Black	
Siding/Exterior Elements		
Siding	Norandex Woodsman Select	
Gable Ends	Vinyl Shakes, Color to selected by owner	
Clapboard	Double 4", Color to be selected by owner	
Board and Baton	None	
Eaves	Two piece aluminum wrapped - White	
Soffit	Perforated soffit for proper venting	
Corners	6" White Vinyl Corners with Foam Backer	
Trim Details	Frieze board and Garage Door Trim to be PVC	
Drip Edge	Galvanized	
Shutters	Available as Option	
Gutters & Downspouts		
Gutters & Downspouts	White Seamless Gutters	
Windows		
See Appendix A: Window Schedule		
Brand	Harvey Slimline	
Color	White	
Construction	Vinyl, Low-E, Insulated Double-Pane	
Exterior Casing	J Channel Only (Brickmould)	
U-Factor	0.30	
Grills	Grills Between Glass 6 over 0	
Screens	Fiberglass Mesh	
Exterior Doors		
See Appendix B: Exterior and Interior Door Schedule		
Brand	Therma-Tru	
Color	See Exterior Paint Section	
Construction	Insulated Fiberglass	
Exterior Casing	5/4x4 Flat	
Storm Doors	None	
Overhead Garage Doors		
Model	8300 Series Insulated Steel Door	
Size	16' x 7'	
Design	Colonial Raised Panel Door	
Color	Manufacturer White	
Opener	8" lift master 1/2 horsepower electric opener	
Remotes	2 remotes included	
Frame Key Pad	Keyless entry punch pad	



Clearview Wentworth GR - Milton, VT



Decks & Porches			
Covered Entry Porch			
Porch Framing	6' x 9' framed with PT 2x8 joists		
Decking	5/4x6 PT decking		
Posts	PVC wrapped and PT 6x6 Posts, 2x8 roof beams - White. Posts wrapped top and bottom.		
Roof	Roof to be truss framed, roof shingles to match house		
Ceiling	White vinyl bead board		
Stairs	Stairs from porch to walkway to be PT box steps with 5/4x6 PT treads.		
Rail	Pressure treated rail and balusters		
Finish	Porch posts, beams, PT rim board and stair risers		
Color	Porch decking and stair tread stained with Total Wood Preservative - Selected by Owner		
Deck	14' x 12' Deck Available as Option		
Exterior Paint			
Exterior Doors - Excluding Front Door	Painted Satin Finish, White		
Exterior Trim - Including Frieze Board and Door Surrounds	Painted Satin Finish, White		
Front Door	2 coats Exterior Paint, Color to be Selected by Owner		
Sidelight	Painted Satin Finish, White		
Front Porch Rail	Pressure Treated - painted white		
Front Porch Posts	Painted White		
Front Porch Roof Beams	Painted White		
Front Porch Rim board	Stained. Color to be Selected by Owner.		
Front Porch Stair Risers	Stained. Color to be Selected by Owner.		
Front Porch Decking	Stained. Color to be Selected by Owner.		
Electrical & Low Voltage			
	Underground electrical service, 40 circuit 150 AMP Panel with Surge Protection. Open double slot for future solar.		
Plugs and Switches			
Switch Style	Toggle		
Plate Style	Toggle screw on plates		
Switch Color	White		
Dimmers	Available as Option		
Exterior Plugs	Per Electrical Plan		
Lighting			
Lighting Fixtures	See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule)		
Recessed Lights	13 Click Lights: Kitchen 4, Front Porch 2, Main Hallway 3, Mudroom 2, Hall to Owner's Bedroom 2		
Under Cabinet Lighting	Available as Option		
Miscellaneous			
Outlets	GFI protection for all interior and exterior 240-volt outlets. 120 volt outlets in future finished areas of basement. Minimum of 2 Island Outlets. Per Electrical Plan.		
Door Chime	Nutone BK125LWH: One 2-note, white door chime		
Smoke/CO2	1 CO/Smoke per floor (1 Total), 1 Smoke per bedroom (2 Total) - Kidde 120V Intelligent 10 Year Lithium Battery Smoke Alarm Model P4010ACS		
Bath Vents	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM		
Paddle Fan Boxes	Paddle fan rated boxes in all Bedrooms, Dining room, and Living room		
Cat 5 (data/phone)	Yes, per electrical plan		
TV Jacks	Yes, per electrical plan		
Security/Surveillance	None		
Central Vacuum	None		
Audio	None		
Solar Prep	Conduit running from LL up to Attic Space		
Garbage Disposal	Available as Option		
Light Fixtures			
See Appendix C: Light Fixture Schedule			











Clearview Wentworth GR - Milton, VT



Plumbing		
Heating and Venting		
Furnace	York LX Series, TM9V	 
Furnace Size	40,000 BTU	
Efficiency Rating	96%	
Zones	Zone 1: First Floor	
Second Zone	Available as Option	
Air Conditioner	Available as Option	
Thermostat	Ecobee Thermostat; First Floor	
Bath Venting	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light. Vented to the outside	
Dryer Venting	Microwave/Hood Vent vented to the outside	
Gas		
Main Kitchen Range	Yes	
Main Fireplace	Available as Option	
Floor Dryer	No	
Furnace	Yes	
Hot Water System	Yes	
Grill Line at Deck	Available as Option	
Fireplace and Mantle		
Fireplace in Living Room	Available as Option	
Model		
Mantle		
Tile Surround		
Tile Hearth		
Venting		
Plumbing Fixtures		
See Appendix D: Plumbing Schedule		
Miscellaneous Plumbing		
Outdoor Faucets	2 Frost-Free Hose Bibs, located at back of the main house and on the side of the front porch	
Hot Water Heater	State 50 Gallon Hybrid Electric water heater	
Laundry	Washer Box Valve with single handle shutoff and drain; appliances pricing optional	
Plumbing	PVC Drainage plumbing. PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber.	
Radon	Radon Piping runs from under Lower Level concrete slab through roof. This is a passive system, no fan.	
Utility Sink	Available as Option	

Clearview Wentworth GR - Milton, VT



Cabinets & Countertops		
Cabinets		
Kitchen		
Brand	Mid Continent Pivot Series	
Style	Simple F/O Style in Maple	
Color	Natural	
Kitchen Island		
Brand	Mid Continent Pivot Series	
Style	Simple F/O Style in Maple	
Color	Natural	
Owner's Bath		
Size	72" Vanity with 2 bowls	
Brand	Mid Continent Pivot Series	
Style	Simple F/O Style in Maple	
Color	Natural	
Bath #2		
Size	42" Vanity with single bowl	
Brand	Mid Continent Pivot Series	
Style	Simple F/O Style in Maple	
Color	Natural	
Countertops		
Kitchen		
Style	Classic Series Quartz	
Color	To Be Selected by Owner	
Edge Detail	Pencil Edge	
Cut-Outs	Under Mount Sink	
Backsplash	4" Laminate	
B/S Location	Perimeter Back Only	
Kitchen Island		
Style	Classic Series Quartz	
Color	To Be Selected by Owner	
Edge Detail	Pencil Edge	
Cut-Outs	None	
Owner's Bath		
Style	Cultured Marble with 2 integrated flush rectangle bowls	
Color	Cotton White	
Edge Detail	Square Edge	
Cut-Outs	None	
Back Splash	4" integral Cultured Marble	
B/S Location	Back Only	
Bath #2		
Style	Cultured Marble with 1 integrated flush rectangle bowls	
Color	Cotton White	
Edge Detail	Square Edge	
Cut-Outs	None	
Back Splash	4" integral Cultured Marble	
B/S Location	Back Only	
Wall & Trim Interior Detail Work		
Insulation		
Exterior Walls	R-21 6" Fiberglass Batts with Poly Vapor Barrier	
Interior Walls	R-13 3-1/2" Fiberglass Batts for bath walls (Soundproofing)	
Rigid Insulation	Box sill in first and second floor joists insulated with rigid insulation	
Attic	R-60 Cellulose with backer boards at eaves for ventilation	
Garage	Not insulated	
Foundation	2-1/2" R-15 Thermax glued to concrete wall	
Drywall		
Living area walls	1/2" Sheet Rock, taped with 3 coats of joint compound at walls and ceilings	
Ceilings	Smooth Finish, minor shadow variations are possible in ceilings	
Garage	Unfinished	
Trim Details		
Casing	2-1/2" Colonial Casing	
Base	3-1/2" Colonial Base Board	
Wainscot	+/-60" High Wainscot at Mudroom under Black Metal Coat Hooks and behind Bench	
Crown	Available as Option	





Kitchen Tops (not color or Style)



Clearview Wentworth GR - Milton, VT



Built - Ins		
	Bench, Coat Hooks, Cubbies in Mudroom	 
Mirrors		
Owners Bath	Plate Glass mirror with ground edge, no bevel	
Bath #2	Plate Glass mirror with ground edge, no bevel	
Interior Stairs/Railing		
Main to Lower Level	Carpet Grade Stairs	
	Rail on wall stained	
	Half wall, cap stained to match wood floor	
Handrail Brackets	Satin Nickel	
Closet Shelving		
	All closets systems will be vented wire and the system is indicated on the plan. See Closet Plan for Details.	
Interior Paint		
Painted Interior Walls	1 coat primer 2 coats Low VOC Flat Latex Paint, Color to be selected by owner.	
Accent Wall	None	
Ceilings	To match walls	
Interior Trim	Painted, 1 coat primer, 2 coats Semi-Gloss Latex Paint, Color to be Selected by Owner, OK to Color Match	
Wainscot	Painted, 1 coat primer, 2 coats Semi-Gloss Latex Paint, Color to be Selected by Owner, OK to Color Match	
Interior Doors	Painted, 2 coats of Semi-Gloss Latex Paint, Color to be Selected by Owner, OK to Color Match	
Fireplace Mantle (optional)		
Main to Lower Level Stairs	Stained railing to Match Wood on First Floor	
Interior Doors		
See Door Appendix B: Exterior and Interior Door Schedule		
Finish Hardware		
See Appendix E: Finish Hardware Schedule		
Flooring		
See Appendix F: Flooring Schedule		
Appliances		
See Appendix G: Appliance Schedule		
Landscaping		
Lawn	All disturbed portions of yard to be seeded. Lawn area will generally include front yard, side yard and rear yard. Lawn area to be covered with approximately 4" of native topsoil.	
8 Foundation Shrubs	To be Selected by Owner, See Landscape Plan	
8 Perennial Flowers	To be Selected by Owner, See Landscape Plan	
Cleaning		
	House cleaned prior to closing, including washing of windows	
Warranty		
	Clearview Properties, LLC Warranty as per contract	
	Continuing a policy of constant research and improvement, Clearview Properties, LLC reserves the right to make substitutions and specification changes.	

Appendix A: Window Schedule

Harvey Slimline All Vinyl Windows, Double insulated, Low E, GBG Grills 6 over 0

6 9/16 primed interior jambs, 2 1/2 colonial case interior





J Channel Only (Brickmould)

EZ-Tilt cleaning

Screens included

Energy Star Qualified

Maximum U Factor 0.30

	Letter	Size	Quantity	Description	Location	Image	Notes
	A	34x65	10	Double Hung	Living Room, Dining Room, Bedroom 2, Lower Level		
	B	34x53	7	Double Hung	Owners Bedroom, Bedroom 2, Lower Level		
	C	34x42	2	Double Hung	Owners Bath, Lower Level		
	K	42x49	1	Double Hung	Kitchen		
	T	36x16	1	Fixed	Bath #2		

Appendix B: Exterior and Interior Door Schedule

EXTERIOR DOORS






Therma-Tru Smooth Star Fiberglass Exterior Doors with full weather stripping and adjustable sills

Grills between glass

6 9/16 primed jambs

5/4 x 4 flat exterior case, Double bore set-up

EZ Set Satin Nickel knob and deadbolt hardware, All doors keyed alike

	Quantity	Description	Opens	Size	Type	Hardware	Image	Notes
Foyer Entry								
	1	S220 2 Panel with S210SL Sidelite	RH	3'0 - 6'8"	2 Panel	Double Bore		
Garage Entry								
	1	S220 2 Panel	LH	3'0 - 6'8"	2 Panel	Double Bore		
Dining Room Entry from Optional Deck								
	1	Harvey Vinyl Sliding Patio Door	RH	6'0 - 6'8"	Slider	Glass		
Lower Level Entry								
	1	S206 2 Panel/Half Glass	LH	3'0 - 6'8"	2 Panel Half Glass	Double Bore		
Exterior Door Hardware								
Knobs	3	EZ - Set Keyed Entry w/deadbolt				Satin Nickel		All Keyed Alike





INTERIOR DOORS

2 Panel, Hollow core, Smooth molded hardboard, 4 9/16 PFJ split jambs










Colonial Casing both sides








Dexter Stratus Satin Nickel Hardware





Ball catches and (2) Dummy knobs per pair included

Interior Doors								
	10	Masonite Smooth	See Plans - will display more clearly with plans	TBD	2 Panel Hollow Core	Double Bore		
Interior Door Hardware								
Knobs	10	EZ - Set				Satin Nickel		
Base Bumps	10					Satin Nickel		
Hinge Bumps	10					Satin Nickel		











Appendix C: Light Fixture Schedule

	Quantity	Description	SKU	Item	Color	Image	Notes
Garage Exterior							
	1	One Light Outdoor Wall Lantern	534299	Maxim 1024PE	Pewter		
Optional Deck Exterior							
	1	One Light Outdoor Wall Lantern	967425	Maxim 1025PE	Pewter		
Lower Level Entry Exterior							
	1	One Light Outdoor Wall Lantern	967425	Maxim 1025PE	Pewter		
Front Porch							
	2	Click Lights - LED Flush Mount	3636303	Maxim 57641WTWT	White		
Foyer							
	1	Three Light Semi Flush Mount	738584	Kichler 43669NI	Brushed Nickel		
Mudroom							
	2	Click Lights - LED Flush Mount	3636303	Maxim 57641WTWT	White		
Main Hallway							
	3	Click Lights - LED Flush Mount	3636303	Maxim 57641WTWT	White		
Kitchen Island							
	2	One Light Mini Pendant	738588	Kichler 43668NI	Brushed Nickel		
Kitchen							
	4	Click Lights - LED Flush Mount	363603	Maxim 57641WTWT	White		

Dining Room							
	1	Five Light Chandelier	738590	Kichler 43665NI	Brushed Nickel		
Living Room							
	1	Three Light Flush Mount	725440	Maxim 2681FTSN	Satin Nickel		
Stairwells							
	1	One Light Wall Sconce	738960	Kichler 45568NI	Brushed Nickel		Main to Lower Level
Owners Bedroom Hallway							
	2	Click Lights - LED Flush Mount	363603	Maxim 57641WTWT	White		
Owners Bedroom							
	1	Three Light Flush Mount	725440	Maxim 2681FTSN	Satin Nickel		
Owners Vanity							
	2	Two Light Bath	738932	Kichler 45569NI	Brushed Nickel		
Owners Closet							
	2	Two Light Flush Mount	725441	Maxim 2680FTSN	Satin Nickel		

Bedroom #2							
	1	Two Light Flush Mount	725441	Maxim 2680FTSN	Satin Nickel		
Bath #2							
	1	Three Light Bath	738938	Kichler 45570NI	Brushed Nickel		
Laundry Room							
	1	Two Light Flush Mount	725441	Maxim 2680FTSN	Satin Nickel		
Other							
Garage, Future Bonus Room, Lower Level	13	PC Lights					Supplied by Electrician

Appendix D: Plumbing Schedule

	Qty.	Description	Manufacturer	Product No.	Finish	Image	Notes
Kitchen							
Sink	1	32" Undermount 16 Gauge Stainless Steel Double Bowl Kitchen Sink	Krauss	KBU32	Stainless Steel		32" L x 18" W, 8.5"D, (2) Strainers and Grates
Faucet	1	Arbor Single-Handle Pull-Down Sprayer	Moen	7594C	Chrome		
Owner's Bath							
Faucet	2	Eva Two-Handle Sink Faucet	Moen	6410	Chrome		
Shower	1	2 Seat 60" Shower by MAAX	Aker	141029	White		Straight Curtain Rod Installed.
Shower Fixture	1	Eva Collection Eco-Performance Trim Kit	Moen	T2138EP	Chrome		Moen 2520 Shower Valve
Toilet	1	Edgemere Right Height Elongated Toilet	American Standard	204AA.104	White		16 1/2" Rim Height
Bath #2							
Faucet	1	Eva Two-Handle Sink Faucet	Moen	6410	Chrome		
Tub/Shower	1	GB 60" Tub/Shower	Aker Products	141004	White		Straight Curtain Rod Installed.
Tub/Shower Trim	1	Eva Conversion Eco-Performance Tub/Shower Trim	Moen	T2139EP	Chrome		Moen 2520 Shower Valve
Toilet	1	Edgemere Right Height Elongated Toilet	American Standard	204AA.104	White		16 1/2" Rim Height

Appendix E: Finish Hardware Schedule

	Qty.	Description	Manufacturer	Product No.	Finish	Image	Notes
Owner's Bath							
Knob	7	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel		
Robe Hook	1	Eva Single Robe Hook	Moen	YB2803CH	Chrome		
Tissue Holder	1	Eva Collection Pivoting Toilet Paper Holder	Moen	YB2808CH	Chrome		
Towel Bar	1	Eva 24 in. Towel Bar	Moen	YB2824CH	Chrome		
Bath #2							
Knob	7	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel		
Robe Hook	1	Eva Single Robe Hook	Moen	YB2803CH	Chrome		
Tissue Holder	1	Eva Collection Pivoting Toilet Paper Holder	Moen	YB2808CH	Chrome		
Towel Bar	1	Eva 24 in. Towel Bar	Moen	YB2824CH	Chrome		
Kitchen Surround							
Knob	18	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel		
Kitchen Island							
Knob	4	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel		





Appendix F: Flooring Schedule

Wood Floors							
Location	Make	Style	Finish	Size		Image	
Foyer, Hallway, Kitchen, Dining Room, Living Room	BSL	Pacific Grade Maple	Natural	4-1/4" Width			
Tile Floors							
Location	Make/Style	Finish/Color	Tile Size	Orientation	Tile Grout	Image	Notes
Owner's Bath	Anatolia Davenport	TBD	12 x 24	TBD	TBD		
Mudroom	Grespania Village	TBD	12 x 24	TBD	TBD		
Vinyl Floors							
	Make	Style	Color			Image	Notes
Bath #2	Tarkett	Fresh Start	TBD	TBD	TBD		
Laundry	Tarkett	Fresh Start	TBD	TBD	TBD		



Carpet							
	Make	Style	Color	Details		Image	
Owners Bedroom	Dreamweaver	Pinpoint	TBD				
Owners WIC	Dreamweaver	Pinpoint	TBD				
Den/Bedroom 2	Dreamweaver	Pinpoint	TBD				

Appendix G: Appliance Schedule

Appliance	Quantity	Manufacturer	Model	Color	Description	Image	Notes
Kitchen							
Refrigerator	1	GE	GNE27JYMFS	Stainless	GE Energy Star 27.0 Cu. Ft. French Door		Fingerprint Resistant Door
Gas Range	1	GE	JGS760SPSS	Stainless	GE 30" Side-In Convection Gas Range		
Dishwasher	1	GE	GDT530PSPSS	Stainless	GE Dishwasher with Front Controls		
Microwave	1	GE	JVM3160RFSS	Stainless	GE 1.6 Cu. Ft. Over-the-Range-Microwave Oven		
Laundry Room							
Washer							Available as option
Electric Dryer							Available as option