Shelburne, VT



CONSTRUCTION SPECIFICATIONS

Builder Sterling Homes 1037 Hinesburg Road South Burlington, VT 05403

Builder

Homeowner/Project

Gardenside #14 - Potter Duplex

Specification Date: 12/22/22 Site Plan Date: 12/21/22 Plan Date: 12/20/22

Date

GS 14 Plan: Two story New England style home with un-finished Lower Level. Two floors of finished area with approximately 1,912 square feet of living space; 944 square feet of unfinished Lower Level, 480 square foot 2-car garage, 60 square foot front porch and 144 square foot rear deck.

 Location
 Total Square Feet

 First Floor
 944

 Second Floor
 968

 Total Finished Square Feet
 1,912

 Garage
 480

 Front Porch
 60

 Rear Deck
 144

Collin H. Frisbie

Personal Choice Lists PCL# **Color Code** Date **ORANGE GREEN** BLUE **PURPLE PINK** RUST **HUNTER SKY BLUE** LAVENDER **BROWN** NAVY LIME **CRANBERRY AQUA PEACH GRAPE**

Specification and Appendix Approval

Appendix A: Window Schedule
Appendix B: Exterior and Interior Door Schedule
Appendix C: Lighting Schedule
Appendix D: Plumbing Schedule
Appendix E: Finish Hardware Schedule
Appendix F: Flooring Schedule
Appendix G: Appliance Schedule

Client Date

Client Date



	CONSTRUCTION SPECIFICATIONS	
Section	Information	Image
ermits		
	Builder responsible to obtain all necessary permits including:	
	- Soil Erosion and Sediment Control	
	- Well - N/A	
	- Septic System - N/A	
	- Zoning	
urveys		
	Home is to be staked by builder	
te Clearing		
	Builder is responsible for all site clearing, as needed	
tilities Connections		
	Builder responsible for all site work and site balance to include	
Water	Connection to Town of Shelburne water system	
Sewer	Connection to Town of Shelburne sewer system	
Gas	Connection to Natural Gas lines at road.	
Power	Underground power	
Cable	Cable TV conduit to house	
	All excavation, fill and labor is included	
nergy Package	Harrada ha hailean an MT Davidantial Davidira Francis	
Homo to Include	Home to be built to an VT Residential Building Energy Standards (RBES)	
Home to Include		
	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light	
	Vented to the outside	
	PurePro DP511 Programmable Thermostat; First Floor and Second Floor	
	Additional caulking and sealing of joists to reduce air infiltration into the home, including shoe	
	plate; windows; and where wires and pipes go to cold spaces	
	R-15 Rigid Thermax insulation on Interior of Lower Level - floor to top of concrete wall	
	Selected use of closed cell foam to improve overall air sealing of attic in home	
	Blower Door Test required for VT RBES	
oundation		
Туре	Poured Concrete	
Wall Height	8'-1"	
Lookout Height	4' Frost Wall	
Strength	Min. 3000 PSI @2 days with steel reinforcement	
Footer	Continuous 8" x 24" reinforced	
at Work Concrete		
Lower Level	Poured Concrete	
Finish	Smooth	
"Keyway" Joints	Saw cut	
Thickness	4"	
Strength	House: Min. 3000 PSI @ 28 days Garage: Min. 4000 PSI @ 28 days	
	Tarred damp proofing membrane sprayed on exterior of foundation walls.	
Moisture Barrier	6 mil poly under concrete house slab.	
	Footing drains installed below footers around Lower Level and drained to daylight in back yard.	
Ground water controls	Drain tile buried in clean stone; covered with mirafi fabric; clean sand fill against foundation.	
Ground water controls	Site graded to shed surface water away from house.	
	Site Braden to shed surface water away Holli House.	
	Boulder rock walls as needed for the grading of the yard.	
Rock Wall	Boulders from the site are machine-placed to create walls.	
riveway/Entrance		
Deter	12" thick gravel two car driveway on top of mirafi fabric.	
Drive	Driveway to be finish paved with 2" of compacted asphalt.	
Walkway	42" Sidewalk from front porch to driveway will be Belgard Catalina Grana Concrete Pavers, Color	
vvaikway	to be Sable Blend.	10000



2x6 SPF 24" o.c.	
2x4 SPF 24" o.c.	
9'-1" on first floor; 8'-1" on second floor and 8'-1" in lower level	
2x6 treated southern yellow pine with foam sill seal	
11-7/8" Truss Joist TJI 230 Series I-joists @ 24" o.c.	
3/4" 4x8 T&G OSB glued and nailed	
,	
	_
	_
Troicessional flouse wrap with flashing around all willdows and doors	
Ice and water shield on eaves and valleys. Vented on ridge to achieve proper ventilation.	The same
Owens Corning ProArmor Synthetic Roof Underlayment	
· · · · · · · · · · · · · · · · · · ·	
Color to be selected by owner	
Norandey Woodsman Salect	
	_
	_
	_
	_
	_
	_
-	
Available as option	
White Seamless Gutters	_
· · · · · · · · · · · · · · · · · · ·	
·	
Vinyl, Low-E, Insulated Double-Pane	
Flat	
0.30	
Between Glass 6 over 0	
Fiberglass Mesh	
See Appendix B: Exterior and Interior Door Schedule	
Therma-Tru	
See Exterior Paint Section	
Insulated Fiberglass	
5/4x4 Flat	
None	
8300 Series Insulated Steel Door	
16' x 7'	
Sonoma Panel w/ Arched Stockton Windows	A 4455 1200 4455 1200
	II II
5tdstal 1/2 horsepower electric opener	
2 remotes included	
2 remotes included	
2 remotes included Aspen Keyless entry punch pad	
	2x4 SPF 24" o. c. 9-1" on first floor; 8'-1" on second floor and 8'-1" in lower level 2x6 treated southern yellow pine with foam sill seal 11-7/8" Truss loist Til 230 Series I-joists @ 24" o. c. 3/4" 4x8 T&G OSB glued and nailed 2 or 3 ply Truss Joist Microlam LVL, nailed and glued, as specified by engineering load design, supported by 3-1/2" concrete filled lally columns in Lower Level 7/16" 4x8 OSB Pre-engineered roof trusses 24" o. c. 5/8" T&G OSB rated sheeting 8/12 Main House 6/12 at Garage 6/12 at Garage 6/12 at Front Porch Tray celling Professional house wrap with flashing around all windows and doors lice and water shield on eaves and valleys. Vented on ridge to achieve proper ventilation. Owens Corning ProArmor Synthetic Roof Underlayment Owens Corning Trubefinition Shingles Limited Lifetime Warranty Color to be selected by owner Norandex Woodsman Select Virnj Shakes, Color to be selected by owner Double 4", Color to be selected by owner Double 4", Color to be selected by owner None Two piece aluminum wrapped - White Perforated soffit for proper venting 6" White Virnyl Corners with Foam Backer Frieze board and Garage Door Trim to be Miratech Galvanized Available as option White Seamless Gutters See Appendix A: Window Schedule Harvey Slimline White Virnyl, Low-E, Insulated Double-Pane Flat 0.30 Between Glass 6 over 0 Fiberglass Mesh See Appendix B: Exterior and Interior Door Schedule Therma-Tru See Exterior Paint Section Insulated Fiberglass 5/4x4 Flat None 8300 Series Insulated Steel Door 116" x"



Pecks & Porches		
Covered Entry Porch		
Porch Framing	6' x 10' framed with PT 2x8 joists	1
Decking	5/4x6 #1 PVC Azek Harvest Collection	-
Posts	CPVC wrapped and PT 6x6 Posts and 2x8 roof beams - White	
Roof	Roof to be truss framed, roof shingles to match house	
Ceiling	White vinyl bead board	
Cennig	White viriyi bead board	
Stairs	Stairs from porch to walkway to be PT box steps with 5/4x6 #1 Azek PVC Decking Treads	
Rail	None.	
Hardware	CPVC to be screwed and plugged, no paint	
Finish	Porch posts, beams, rim board and stair risers - white CPVC Trim	
Color	Porch decking and stair tread to be Azek Harvest Collection PVC - Color Selected by owner	
Deck		
Deck Framing	12' x 14' deck framed with PT 2x8 joists	
Decking	5/4x6 #1 PVC Azek Harvest Collection	
Беский	Stairs from deck to rear yard to be PT box steps with 5/4x6 #1 Azek PVC Decking Treads, White	
Stairs	CPVC Trim Stair Risers	
Rail	Composite rails and balusters	
Hardware	 	
	CPVC to be screwed and plugged, no paint	
Color	Porch decking to be Azek Harvest Collection PVC - Color Selected by owner	
xterior Paint		
Exterior Doors - Excluding Front Door	Painted Satin Finish, White	
Exterior Trim - Including Frieze Board and Door Surrounds	Painted Satin Finish, White	
Front Door	2 coats Exterior Paint, Color to be Selected by Owner	7
Sidelight	Painted Satin Finish, White	1
Front Porch Rail	N/A	1
Front Porch Posts	CPVC wrapped, White	1
Front Porch Roof Beams	CPVC Trim, White	-
Front Porch Rim board	CPVC Trim, White	-
Front Porch Stair Risers	CPVC Trim, White	-
Front Porch Decking	Azek Harvest Collection PVC Decking	-
FIGHT POICH DECKING		
Poor Porch Docking		
Rear Porch Decking	Azek Harvest Collection PVC Decking	
Rear Porch Decking lectrical & Low Voltage		
lectrical & Low Voltage	Underground electrical service, 150 AMP Panel	
lectrical & Low Voltage Plugs and Switches	Underground electrical service, 150 AMP Panel	
lectrical & Low Voltage Plugs and Switches Switch Style	Underground electrical service, 150 AMP Panel Toggle	4
Plugs and Switches Switch Style Plate Style	Underground electrical service, 150 AMP Panel Toggle Toggle screw on plates	4
Plugs and Switches Switch Style Plate Style Switch Color	Underground electrical service, 150 AMP Panel Toggle Toggle screw on plates White	4
Plugs and Switches Switch Style Plate Style Switch Color Dimmers	Underground electrical service, 150 AMP Panel Toggle Toggle screw on plates White Available as an Option	ф П
Plugs and Switches Switch Style Plate Style Switch Color	Underground electrical service, 150 AMP Panel Toggle Toggle screw on plates White	Φ [7]
Plugs and Switches Switch Style Plate Style Switch Color Dimmers	Underground electrical service, 150 AMP Panel Toggle Toggle screw on plates White Available as an Option	Ф П
Plugs and Switches Switch Style Plate Style Switch Color Dimmers Exterior Plugs	Underground electrical service, 150 AMP Panel Toggle Toggle screw on plates White Available as an Option	Ф П
Plugs and Switches Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting	Underground electrical service, 150 AMP Panel Toggle Toggle screw on plates White Available as an Option Per Electrical Plan	Ф П
Plugs and Switches Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures	Underground electrical service, 150 AMP Panel Toggle Toggle screw on plates White Available as an Option Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule)	Ф П
Plugs and Switches Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures Recessed Lights	Underground electrical service, 150 AMP Panel Toggle Toggle screw on plates White Available as an Option Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule) None	4 [] 4
Plugs and Switches Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures Recessed Lights Under Cabinet Lighting	Underground electrical service, 150 AMP Panel Toggle Toggle screw on plates White Available as an Option Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule) None	Φ
Plugs and Switches Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures Recessed Lights Under Cabinet Lighting Miscellaneous Door Chime	Underground electrical service, 150 AMP Panel Toggle Toggle screw on plates White Available as an Option Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule) None Available as an Option Nutone BK125LWH: One 2-note, white door chime	Φ
Plugs and Switches Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures Recessed Lights Under Cabinet Lighting Miscellaneous	Underground electrical service, 150 AMP Panel Toggle Toggle screw on plates White Available as an Option Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule) None Available as an Option	ф П
Plugs and Switches Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures Recessed Lights Under Cabinet Lighting Miscellaneous Door Chime Smoke/CO2 Bath Vents	Underground electrical service, 150 AMP Panel Toggle Toggle screw on plates White Available as an Option Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule) None Available as an Option Nutone BK125LWH: One 2-note, white door chime 1 CO/Smoke per floor (3 Total), 1 Smoke per bedroom (3 Total) Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light	
Plugs and Switches Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures Recessed Lights Under Cabinet Lighting Miscellaneous Door Chime Smoke/CO2 Bath Vents Cat 5 (data/phone)	Underground electrical service, 150 AMP Panel Toggle Toggle screw on plates White Available as an Option Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule) None Available as an Option Nutone BK125LWH: One 2-note, white door chime 1 CO/Smoke per floor (3 Total), 1 Smoke per bedroom (3 Total) Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light Yes, per electrical plan	Φ Π Φ
Plugs and Switches Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures Recessed Lights Under Cabinet Lighting Miscellaneous Door Chime Smoke/CO2 Bath Vents Cat 5 (data/phone) TV Jacks	Underground electrical service, 150 AMP Panel Toggle Toggle screw on plates White Available as an Option Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule) None Available as an Option Nutone BK125LWH: One 2-note, white door chime 1 CO/Smoke per floor (3 Total), 1 Smoke per bedroom (3 Total) Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light Yes, per electrical plan Yes, per electrical plan	Φ Π Φ
Plugs and Switches Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures Recessed Lights Under Cabinet Lighting Miscellaneous Door Chime Smoke/CO2 Bath Vents Cat 5 (data/phone) TV Jacks Security/Surveillance	Underground electrical service, 150 AMP Panel Toggle Toggle screw on plates White Available as an Option Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule) None Available as an Option Nutone BK125LWH: One 2-note, white door chime 1 CO/Smoke per floor (3 Total), 1 Smoke per bedroom (3 Total) Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light Yes, per electrical plan Yes, per electrical plan None	Φ Π
Plugs and Switches Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures Recessed Lights Under Cabinet Lighting Miscellaneous Door Chime Smoke/CO2 Bath Vents Cat 5 (data/phone) TV Jacks Security/Surveillance Central Vacuum	Underground electrical service, 150 AMP Panel Toggle Toggle screw on plates White Available as an Option Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule) None Available as an Option Nutone BK125LWH: One 2-note, white door chime 1 CO/Smoke per floor (3 Total), 1 Smoke per bedroom (3 Total) Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light Yes, per electrical plan Yes, per electrical plan None Rough in only, 1 outlet per floor	Φ Π
Plugs and Switches Switch Style Plate Style Switch Color Dimmers Exterior Plugs Lighting Lighting Fixtures Recessed Lights Under Cabinet Lighting Miscellaneous Door Chime Smoke/CO2 Bath Vents Cat 5 (data/phone) TV Jacks Security/Surveillance	Underground electrical service, 150 AMP Panel Toggle Toggle screw on plates White Available as an Option Per Electrical Plan See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule) None Available as an Option Nutone BK125LWH: One 2-note, white door chime 1 CO/Smoke per floor (3 Total), 1 Smoke per bedroom (3 Total) Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light Yes, per electrical plan Yes, per electrical plan None	Φ



	Plumbing	
Heating and Venting		
Furnace	Ducane Gas Furnace - 96G2UH070BV12	
Furnace Size	60,000 BTU	
Efficiency Rating	96.00%	
Zones	Zone 1: First Floor, Zone 2: Second Floor	- 5:35 Tz
Air Conditioner	Ducane 4AC16L36P, 16 SEER	
Thermostat	PurePro DP511 Programmable Thermostat; First Floor and Second Floor	The state of the s
Bath Venting	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light Vented to the outside	
Dryer Venting	Vented to the outside	
Gas		
Main Kitchen Range	Yes	
Main Fireplace	Yes	
Second Floor Dryer	Yes	
Furnace	Yes	
Hot Water System	Yes	
Grill Line at Deck	N/A	
Fireplace and Mantle		
Fireplace in Living Room		
Model	Empire DVCD36FP30N direct vent gas fireplace	
Mantle	Custom Built in Place Mantle (See picture/detail)	
Tile Comment	6" Slate Tile on Top and 2 Sides of Fireplace Face.	
Tile Surround	Color to be Selected by Owner.	
T1 11 11	12" Slate Tile Hearth to be full width of Mantle above, Flush with flooring.	overeit oversion
Tile Hearth	Color to be Selected by Owner.	
Venting	Direct vent to outside through wall	
Plumbing Fixtures		
	See Appendix D: Plumbing Schedule	
Miscellaneous Plumbing		
Outdoor Faucets	2 Frost-Free Hose Bibs, located at back of the main house and on the side of the front porch	TH.
Hot Water Heater	Rinnai R75-Lsi on demand water heater	
Laundry	Washer Box Valve with single handle shutoff and drain; appliances pricing optional	
	PVC Drainage plumbing.	
Drainage	PEX continuous piping for all domestic water.	
	All plumbing installed according to National Plumbing Code by licensed plumber.	
Radon	Radon Piping runs from under Lower Level concrete slab through roof.	- Control - Cont
Kauon	This is a passive system, no fan.	
Utility Sink	Option available	
	Cabinets & Countertops	
Cabinets		
Kitchen		
Brand	Wellborn Forestry	
Style	Shelby, Maple	
Color	To Be Selected by Owner	
Owner's Bath		-
Size	72" Vanity with 2 bowls	Times 1
Brand	Wellborn Forestry	
Style	Shelby, Maple	
Color	To Be Selected by Owner	
Bath #2		_
Size	62" Vanity with 1 bowl	
Brand	Wellborn Forestry	
Style	Shelby, Maple	
Color	To Be Selected by Owner	
Powder Room		
Size	24" Vanity with single bowl	
Brand	Wellborn Forestry	
Style Color	Shelby, Maple To Be Selected by Owner	I



Countertops		
Kitchen		
Style	Classic Quartz Series	
Color	To Be Selected by Owner	
Edge Detail	Pencil Edge	
Cut-Outs	Under Mount Sink	
Backsplash	4" Quartz	
B/S Location	Perimeter Back Only	Kitchen Tops (not color or Style)
Owner's Bath		
Style	Cultured Marble with 2 integrated flush rectangle bowls	70
Color	Cotton White	
Edge Detail	Square Edge	
Cut-Outs	None	
Back Splash	4" integral Cultured Marble	
B/S Location	Back Only	
Bath #2	,	
Style	Cultured Marble with 1 integrated flush rectangle bowl	
Color	Cotton White	
Edge Detail	Square Edge	
Cut-Outs	None	
Back Splash	4" integral Cultured Marble	
B/S Location	Back Only	
Powder Room		
Style	Cultured Marble with 1 integrated flush rectangle bowl	Y X
Color	Cotton White	
Edge Detail	Square Edge	
Cut-Outs	None	
Back Splash	4" integral Cultured Marble	
B/S Location	Back Only	
,	Wall & Trim Interior Detail Work	
Insulation		
Exterior Walls	R-21 6" Fiberglass Batts with Poly Vapor Barrier	
Interior Walls	R-13 3-1/2" Fiberglass Batts for bath walls (Soundproofing)	
Rigid Insulation	Box sill in first and second floor joists insulated with rigid insulation	
Attic	R-60 Cellulose with backer boards at eves for ventilation	
Garage	Not insulated	
Foundation	2-1/2" R-15 Thermax glued to concrete wall	
Drywall		
Living area walls	1/2" Sheet Rock, taped with 3 coats of joint compound at walls and ceilings	
Ceilings	Smooth Finish, minor shadow variations are possible in ceilings	
Garage	1/2" Sheet Rock, taped with 1 coat of joint compound at walls and ceilings	
Trim Details	, , , . , . ,	
Casing	3-1/2" Eased Edge with 5/4x4 head casing	
Base	5-1/2" Colonial Base Board	HE
Wainscot	36" High Wainscot at Mudroom	
Crown	Available as option	
Built - Ins	, compare	<u>'</u>
	Cubbies, Bench, & Wainscot with Black Metal Coat Hooks	
Mirrors		<u> </u>
Owners Bath	Plate Glass mirror with ground edge, no bevel	
Bath #2	Plate Glass mirror with ground edge, no bevel	
Powder Room	By Owner	
. Struct Room	-1	ı



Interior Stairs/Railing		
Main to Second Floor	Brown Maple Hardwood Stairs Box Stair Construction	
	Treads sealed to match hardwood flooring and risers painted to match interior trim.	
	Open rail with turned balusters and turned round newel posts	
	Risers, baluster posts painted to match interior trim	3
	Rails and newel stained to match wood floors (including rail on wall)	
Main to Lower Level	Carpet Grade Stairs	
	Half wall with stained hardwood cap and stained railing on wall	
Handrail Brackets	Satin Nickel	
Closet Shelving		:
	All closets systems will be vented wire and the system is indicated on the plan.	
	See Closet Plan for Details.	
Interior Paint		
Painted Interior Walls	1 coat primer	
Painted Interior Walls	2 coats Low VOC Flat Latex Paint, Color to be selected by owner.	
Accent Wall	Color and Location to be selected by owner	
Ceilings	To match walls	
Interior Trim	Painted, 1 coat primer, 2 coats Semi-Gloss Latex Paint, Color to be selected by owner.	
Interior Doors	Painted, 2 coats of Semi-Gloss Latex Paint, Color to be selected by owner.	
Fireplace Mantle	Painted, 2 Coats of Semi-Gloss Latex Paint, Color to be selected by owner.	
Open Shelving and Pantry Shelves	Painted, 2 coats of Semi-Gloss Latex Paint, Trim Color	
Mainta Casad Flags Stairs	Treads, Rail and Newel Sealed and Matching Wood Floor	
Main to Second Floor Stairs	Risers and Baluster Posts Painted to Match Interior Trim	
Main to Lower Level Stairs	Stained railing to Match Wood on First Floor	
Garage Interior	Primed only	
Interior Doors		
	See Door Appendix B: Exterior and Interior Door Schedule	
Finish Hardware		
	See Appendix E: Finish Hardware Schedule	
Flooring		
	See Appendix F: Flooring Schedule	
Appliances		
	See Appendix G: Appliance Schedule	
Landscaping		
	All disturbed portions of yard to be seeded.	
Lawn	Lawn area will generally include front yard, side yard and rear yard.	
	Lawn area to be covered with approximately 4" of native topsoil.	
10 Foundation Shrubs	To be Selected by Owner, See Landscape Plan (2 evergreen shrubs)	
12 Perennial Flowers	To be Selected by Owner, See Landscape Plan	
2 Small Yard Trees	To be Selected by Owner, See Landscape Plan	
Cleaning		
	House cleaned prior to closing, including washing of windows	
Warranty		
	Gardenside Properties Warranty as per contract	
	Continuing a policy of constant research and improvement, Gardenside Properties, LLC.	
	reserves the right to make substitutions and specification changes.	
	reserves the right to make substitutions and specification changes.	



Appendix A: Window Schedule

Harvey Slimlinel Windows, Double insulated, Low E, GBG Grills 6 over 0 6 9/16 primed interior jambs, 3 1/2 eased edge interior Flat exterior case with built in J and nailing flange EZ-Tilt cleaning Screens included Energy Star Qualified

Lifeigy Sta	Qualified
Maximum	U Factor 0.30

Letter	Size	Quantity	Description	Location	Image	Notes
А	34x65	5	Double Hung	Great Room	Û	
В	34x53	5	Double Hung	Owners Bedroom, Bedroom #2, #3	Û	
B2	68x53	1	Double Hung	Dining Room	Û Û	
С	34x42	2	Double Hung	Owners Bath and Bath #2	Û	
E	34x53	3	Casement	Owners Bed, Bed #2, Bed #3		Egress 1 Hinged "Left" 2 Hinged "Right"
EG	55x48	2	Slider	Lower Level		Egress
К	36x49	2	Double Hung	Kitchen	Û	
L	24x49	1	Double Hung	Kitchen	Û.	



Appendix B: Exterior and Interior Door Schedule EXTERIOR DOORS

Therma-Tru Smooth Star Fiberglass Exterior Doors with full weather stripping and adjustable sills

6 9/16 primed jambs

5/4 x 4 flat exterior case, Double bore set-up

EZ Set Satin Nickel knob and deadbolt hardware, All doors keyed alike

	Quantity	Style	Opens	Size	Туре	Hardware	Image	Notes		
Foyer Entry	~- * ·····/	5.716		J.EC	.,,,,		290			
TOyer Lilly										
	1	S220 2 Panel Solid w/S100SL 6-Lite Sidelight	LH	3'-0"	2 Panel	Double Bore				
Mudroom to Garage										
	1	978HD 2 Panel Solid Steel Door	LH	3'-0"	2 Panel	Double Bore				
Dining Room to Dec	:k									
	1	S118 Full Glass	LH	3'-0"	Full Glass	Double Bore				
Exterior Door Hardw	are									
Knobs	3	EZ - Set Keyed Entry w/deadbolt				Satin Nickel		All Keyed Alike		
			IN'	TERIOR DOORS	<u>'</u>					
2 Panel, Hollow core, Eased Edge Casing be Dexter Stratus Satin I Ball catches and (2) D Interior Single Doors	oth sides Nickel Hardware Dummy knobs per pail	board, 4 9/16 PFJ spli	t jambs							
	16	Masonite Smooth	See Plans - will display more clearly with plans	TBD	2 Panel Hollow Core	Double Bore				
Interior Door Hardwo	are	I								
Knobs	16	EZ - Set				Satin Nickel				
							a de			
Base Bumps	16					Satin Nickel				



						НОІ	MES
		Appei	ndix C: Light	Fixture Sched	lule		
	Quantity	Description	SKU	Item	Color	Image	Notes
Garage Exterior	•						
Deck Exterior	1	One Light Wall Lantern	143190	Maxim 35015BK	Black	4	
Deck Exterior							
	1	LED Outdoor Wall Mount	3636345	Maxim 51116FTBK	Black		
Deck Exterior - Clic	k Light in Soffit						
	1	Click Lights - LED Flush Mount	040842	Green Creative	White		
Front Porch							
	2	Click Lights - LED Flush Mount	040842	Green Creative	White		
Foyer	ı						
	1	Two Light Semi Flush Mount	086620	Generation Lighting 773730EN3-962	Brushed Nickel		
Foyer - Click Light							
	1	Click Lights - LED Flush Mount	040842	Green Creative	White		
Mudroom							
	2	Click Lights - LED Flush Mount	040842	Green Creative	White		
Kitchen Island							
	3	One Pendant Light	090083	Generation Lighting 6137301EN3-962	Brushed Nickel		
Kitchen							
	4	Click Lights - LED Flush Mount	040842	Green Creative	White		
Kitchen Light above	sink	-					
	1	Click Lights - LED Flush Mount	040842	Green Creative	White		



						ПС	MES
Dining Room							
Court Brown	1	Five Light Chandelier	090121	Generation Lighting 3137305EN3-962	Brushed Nickel	***	
Great Room				I I		I	
	1	Three Light Flush Mount	725440	Maxim 2681FTSN	Satin Nickel		
Powder							
	1	Two Light Vanity Wall	090109	Generation Lighting 4437302EN3-962	Brushed Nickel	10 . 40	
Owners Bedroom				I I		I	
	1	Three Light Flush Mount	725440	Maxim 2681FTSN	Satin Nickel		
Owners Vanity							
	2	Two Light Vanity Wall	090109	Generation Lighting 4437302EN3-962	Brushed Nickel		
Owners Bath - Click	Light above showe	r					
	1	Click Lights - LED Flush Mount	040842	Green Creative	White		
Owners WIC Closet							
	1	Two Light Flush Mount	725441	Maxim 2680FTSN	Satin Nickel	*	
Laundry Room				I		I	
	1	Two Light Flush Mount	725441	Maxim 2680FTSN	Satin Nickel	*	
Stairwells - Main to 2	2nd Floor						
	1	One Light Wall Sconce	090179	General Lighting #4137301EN3-962	Brushed Nickel		1 - Main to Second Floor
Stairwells - Main to I	L					I	
	1	Click Lights - LED Flush Mount	040842	Green Creative	White		1 - Main to Lower Level



						11 0	IVIES	
Jpstairs Hallway								
	2	Click Lights - LED Flush Mount	040842	Green Creative	White			
Bedroom #2								
	1	Two Light Flush Mount	725441	Maxim 2680FTSN	Satin Nickel	*		
Bedroom #3								
	1	Two Light Flush Mount	725441	Maxim 2680FTSN	Satin Nickel	2		
Bath #2								
	1	Three Light Vanity Wall	090101	Generation Lighting 4437303EN3-962	Brushed Nickel	in in in		
Bath #2 - Click Light	Bath #2 - Click Light above shower							
	1	Click Lights - LED Flush Mount	040842	Green Creative	White			



		Арр	endix D: Plum	nbing Schedu	ıle		
	Qty.	Description	Manutacturer	Product No.	Finish	Image	Notes
Kitchen	,-	Site Plan Date: 11/8/21					
Sink	1	McAllister Double Bowl Undermount Sink	Sterling	11406-NA	Stainless Steel		32" L x 18" W, 8" Deep. Dearborn Stainless Basket Strainer
Faucet	1	Simplice with Spray	Kohler	K-596-VS	Vibrant Stainless	3	
Garbage Disposal	1	Badger 5, 1/2 HP	Insinkerator	N/A	N/A		
Powder Bath							
Faucet	1	Alteo Center set Lavatory Faucet	Kohler	K-45100-4-CP	Polished Chrome	TE	
Toilet	1	American Standard Edgemere	American Standard	204AA104.020	White		
Owner's Bath					I	I	I
Faucet	2	Alteo Center set Lavatory Faucet	Kohler	K-45100-4-CP	Polished Chrome	TE	
Shower	1	Ensemble Curve 34"x60" Shower Base	Sterling	72131100-0	White		Tile Shower Walls, see flooring tile section. Straight Curtain Rod Installed.
Shower Trim	1	Alteo Shower Trim	Kohler	K-T45106-4G-CP	Polished Chrome		
Toilet	1	American Standard Edgemere	American Standard	204AA104.020	White		29" L x 16" W x 30" H



) IVI L J
Bath #2							
Faucet	1	Alteo Center set Lavatory Faucet	Kohler	K-45100-4-CP	Polished Chrome	78	
Tub/Shower	1	Ensemble Curve 60" Tub/Shower	Sterling	71220120-0	White	= =	Straight Curtain Rod Installed.
Tub/Shower Trim	1	Alteo Tub/Shower Trim	Kohler	K-TS45104-4G-CP	Polished Chrome	6	
Toilet	1	American Standard Edgemere	American Standard	765AA101.020	White		



Appendix E: Finish Hardware Schedule									
	Qty.	Description	Manufacturer	Product No.	Finish	Image	Notes		
)wner's Bath									
Knob	6	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel				
Robe Hook	1	Alteo Robe Hook	Kohler	K-37055-CP	Polished Chrome				
Tissue Holder	1	Alteo Pivoting Toilet Tissue Holder	Kohler	K-37054-CP	Polished Chrome				
Towel Bar	1	Alteo 24" Towel Bar	Kohler	K-37051-CP	Polished Chrome	6			
owder Bath					<u>'</u>				
Towel Ring	1	Alteo Towel Ring	Kohler	K-37057-CP	Polished Chrome				
Tissue Holder	1	Alteo Pivoting Toilet Tissue Holder	Kohler	K-37054-CP	Polished Chrome				
ath #2					<u>'</u>				
Knob	6	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel				
Robe Hook	1	Alteo Robe Hook	Kohler	K-37055-CP	Polished Chrome	J			
Tissue Holder	1	Alteo Pivoting Toilet Tissue Holder	Kohler	K-37054-CP	Polished Chrome				
Towel Bar	1	Alteo 24" Towel Bar	Kohler	K-37051-CP	Polished Chrome				
itchen Surround									
Knob	26	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel	8			
itchen Island									
Knob	6	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel				



Appendix F: Flooring Schedule

	Wood Floors								
Location	Make	Species	Finish	Size		Image			
Foyer		ороско		0.20		290			
Kitchen Dining Room Great Room Stair Landing to 2nd Floor	Lauzon Expert	Maple	Natural Tradition	4-1/4" Width					
	Make /Shile	Einiah /Calar	Tile	Ovientation	Tile Cresid	т.	Notes		
_	Make/Style	Finish/Color	Tile Size	Orientation	Tile Grout	Image	Notes		
Foyer	I				I		I		
	Anatolia Davenport	TBD	12" x 24"	TBD	TBD				
Mudroom									
	Anatolia Davenport	TBD	12" x 24"	TBD	TBD				
Powder Room									
	Anatolia Davenport	TBD	12" x 24"	TBD	TBD				
Owners Bath									
	Anatolia Davenport	TBD	12" x 24"	TBD	TBD				
Owners Bath Showe	er Walls								
	Anatolia Davenport	TBD	12" x 24"	TBD	TBD				
Bath #2									
	Anatolia Davenport	TBD	12" x 24"	TBD	TBD				



	Carpet							
	Make	Style	Color	Details		Image		
Upstairs Hall						1		
	Shaw	Turn the Page	TBD					
Owners Bedroom						<u>'</u>		
	Shaw	Turn the Page	TBD					
Owners WIC				ı		1		
	Shaw	Turn the Page	TBD					
Bedroom 2					·	<u> </u>	·	
	Shaw	Turn the Page	TBD					
Bedroom 3						<u>'</u>		
	Shaw	Turn the Page	TBD					
			Vinyl Flo	oors				
	Make	Style	Color			Image	Notes	
Laundry Room								
	Tarkett	Fresh Start	TBD					



						11 0	IVIES
		Ap	pendix G: App	liance Sche	dule		
Appliance	Quantity	Manufacturer	Model	Color	Description	Image	Notes
(itchen							
Refrigerator	1	GE	GNE27JYMFS	Stainless	GE Energy Star 27.0 Cu. Ft. French Door		
Gas Range	1	GE	JGB735SPSS	Stainless	GE 30" Free- Standing Gas Range		
Dishwasher	1	GE	GDT550PYRFS	Stainless	GE Dishwasher with Top Controls		
Microwave	1	GE	JVM3160RFSS	Stainless	GE 1.6 Cu. Ft. Over- the-Range- Microwave Oven		
aundry Room							
Washer							Available as option
Gas Dryer							Available as option