

# CV Owen - Milton, VT



## DUPLEX MODEL HOME - CONSTRUCTION SPECIFICATIONS

**Builder**  
Clearview Properties, LLC  
1037 Hinesburg Road, Suite A  
South Burlington, VT 05403

**Homeowner/Project**  
Clearview #44L - 338 Horseshoe Circle  
Milton, VT 05468

**Specification Date:** 4/6/23  
**Site Plan Date:**  
**Plan Date:**  
**Electric Plan Date:**

Owen Plan: One story home with unfinished lower level. Approximately 1,323 square feet of living space; 1,323 square feet of unfinished Lower Level, 477 square foot 2-car garage, a 52.5 square foot front porch and a 168 square foot rear deck.

Location	Total Square Feet
First Floor	1,323
<b>Total Finished Square Feet</b>	<b>1,323</b>
Lower Level	1,323
Garage	477
Front Porch	53
Rear Deck	168

### Personal Choice Lists

PCL #	Color Code	Date
Selections	<b>GRAPE</b> <b>ORANGE</b> <b>GOLD</b> <b>GREEN</b> <b>BLUE</b> <b>PURPLE</b> <b>PINK</b> <b>HUNTER</b> <b>SKY BLUE</b> <b>LAVENDER</b> <b>BROWN</b> <b>NAVY</b> <b>CRANBERRY</b> <b>AQUA</b> <b>PEACH</b> <b>RED</b>	10/17/2023

### Specification and Appendix Approval

- Appendix A: Window Schedule
- Appendix B: Exterior and Interior Door Schedule
- Appendix C: Lighting Schedule
- Appendix D: Plumbing Schedule
- Appendix E: Finish Hardware Schedule
- Appendix F: Flooring Schedule
- Appendix G: Appliance Schedule

Client \_\_\_\_\_ Date \_\_\_\_\_

Client \_\_\_\_\_ Date \_\_\_\_\_

Builder Collin Frisbie \_\_\_\_\_ Date \_\_\_\_\_

# CV Owen - Milton, VT






## DUPLEX MODEL HOME - CONSTRUCTION SPECIFICATIONS

Section	Information	Image
<b>Permits</b>		
	Builder responsible to obtain all necessary permits including: - Soil Erosion and Sediment Control - Zoning	
<b>Surveys</b>		
	Home is to be staked by builder	
<b>Site Clearing</b>		
	Builder is responsible for all site clearing, as needed	
<b>Utilities Connections</b>		
	Builder responsible for all site work and site balance to include	
Water	Connection to City of Milton water system	
Sewer	Connection to City of Milton sewer system	
Gas	Connection to Natural Gas lines at road.	
Power	Underground power	
Cable	Cable TV conduit to house	
	All excavation, fill and labor is included	
<b>Energy Package</b>		
	Home to be built to VT Residential Building Energy Standards (RBES)	
	Compliant with Act 250 Stretch Code	
<b>Home to Include</b>		
	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light. Vented to the outside	
	Additional caulking and air sealing of joists to reduce air infiltration into the home, including shoe plate; windows; and where wires and pipes go to cold spaces	
	R-15 Rigid Thermax insulation on Interior of Lower Level - floor to top of concrete wall	
	Selected use of closed cell foam to improve overall air sealing of attic in home	
	Blower Door Test as home completed required for VT RBES	
Solar Prep	Home solar ready with conduit running from LL up to Attic Space	
<b>Foundation</b>		
Type	Poured Concrete	
Wall Height	9'	
Lookout Height	4' Frost Wall	
Strength	Min. 3000 PSI @2 days with steel reinforcement	
Footer	Continuous 8" x 16" reinforced	
<b>Flat Work Concrete</b>		
Lower Level	Poured Concrete	
Finish	Smooth	
"Keyway" Joints	Saw cut	
Thickness	4"	
Strength	House: Min. 3000 PSI @ 28 days Garage: Min. 4000 PSI @ 28 days	
Moisture Barrier	Tarred damp proofing membrane sprayed on exterior of foundation walls. 6 mil poly under concrete house slab.	
Ground water controls	Footing drains installed below footers around Lower Level and drained to daylight in back yard. Drain tile buried in clean stone; covered with mirafi fabric; clean sand fill against foundation. Site graded to shed surface water away from house.	
Rock Wall	Boulder rock walls as needed for the grading of the yard. Boulders from the site are machine-placed to create walls.	
Deck Prep	Yes	
Lower Level Slab Plumb	Available as an option	
<b>Driveway/Entrance</b>		
Drive	12" thick gravel two car driveway on top of mirafi fabric. Driveway to be finish paved with 2" of compacted asphalt.	
Walkway	42" Sidewalk from front porch to driveway	

# CV Owen - Milton, VT



Frame		
Exterior Walls	2x6 SPF 24" o.c.	
Interior Walls	2x4 SPF 24" o.c.	
Plate Height	9'-1" on first floor and 9' in lower level	
Plate	2x6 treated southern yellow pine with foam sill seal	
Floor Framing	2x10 SPF 19.2" o.c.	
Sub Flooring	3/4" 4x8 T&G OSB glued and nailed	
Girders	2 or 3 ply 2x12, nailed and glued, as specified by engineering load design, supported by 3-1/2" concrete filled lally columns in Lower Level	
Sheathing	7/16" 4x8 OSB	
Roof	Pre-engineered roof trusses 24" o.c. 5/8" T&G OSB rated sheeting	
Roof Pitch	Pitches: 8/12 at Main House; 8/12 at Front Porch; 5/12 at front of Garage; 6/12 at Garage taper; 6/12 at rear of Garage	
House Wrap	Professional house wrap with flashing around all windows and doors	
Roofing		
	Ice and water shield on eaves and valleys. Vented on ridge to achieve proper ventilation.	
Underlayment	Owens Corning ProArmor Synthetic Roof Underlayment	
Shingles	Owens Corning TruDefinition Shingles Limited Lifetime Warranty	
Color	Onyx	
Siding/Exterior Elements		
Siding	Norandex Woodsman Select	 Tumbleweed
Gable Ends	Vinyl Shakes, <b>Color to be Tumbleweed</b>	
Clapboard	Double 4", <b>Color to be Tumbleweed</b>	
Board and Baton	None	
Eaves	Two piece aluminum wrapped - White	
Soffit	Perforated soffit for proper venting	
Corners	6" White Vinyl Corners with Foam Backer	
Trim Details	Frieze board and Garage Door Trim to be PVC	
Drip Edge	Galvanized	
Shutters	Available as Option	
Gutters & Downspouts		
Gutters & Downspouts	White Seamless Gutters	
Windows		
<b>See Appendix A: Window Schedule</b>		
Brand	Harvey Slimline	
Color	White	
Construction	Vinyl, Low-E, Insulated Double-Pane	
Exterior Casing	J Channel Only (Brickmould)	
U-Factor	0.30	
Grills	Grills Between Glass 4 over 0	
Screens	Fiberglass Mesh	
Exterior Doors		
<b>See Appendix B: Exterior and Interior Door Schedule</b>		
Brand	Therma-Tru	
Color	See Exterior Paint Section	
Construction	Insulated Fiberglass	
Exterior Casing	5/4x4 Flat	
Storm Doors	None	
Overhead Garage Doors		
Model	8300 Series Insulated Steel Door	
Size	16' x 7'	
Design	Colonial Raised Panel Door	
Color	Manufacturer White	
Opener	8" lift master 1/2 horsepower electric opener	
Remotes	2 remotes included	
Frame Key Pad	Keyless entry punch pad	

# CV Owen - Milton, VT





Decks & Porches	
<b>Covered Entry Porch</b>	
Porch Framing	6' x 9' framed with PT 2x8 joists
Decking	5/4x6 PT decking
Posts	PVC wrapped and PT 6x6 Posts, 2x8 roof beams - White. Posts wrapped top and bottom.
Roof	Roof to be truss framed, roof shingles to match house
Ceiling	White vinyl bead board
Stairs	Stairs from porch to walkway to be PT box steps with 5/4x6 PT treads. Stained Total Wood Preservative - stain to be selected by Owner
Rail	Available as an Option
Finish	Porch posts, beams - CPVC White
Color	Porch decking, stair tread, risers and PT Rim stained with Total Wood Preservative - <b>stain to be Black Walnut</b>
<b>Rear Deck</b>	
Deck Framing	<b>14' x 12' deck framed with PT 2x10 joists</b>
Decking	<b>5/4x6 #1 PT decking</b>
Stairs	<b>Available as an option</b>
Rail	<b>Pressure treated rail and balusters at 36"</b>
Color	<b>Pressure treated decking, no paint or stain</b>
Exterior Paint	
Exterior Doors - Excluding Front Door	Painted Satin Finish, White
Exterior Trim - Including Frieze Board and Door Surrounds	Painted Satin Finish, White
Front Door	2 coats Exterior Paint, <b>Color to be BM Montpelier AF-555, OK to Color Match</b>
Sidelight	Painted Satin Finish, <b>Color to be BM Montpelier AF-555, OK to Color Match</b>
Front Porch Rail	Available as an Option
Front Porch Posts	CPVC Wrapped - White
Front Porch Roof Beams	CPVC Trim - White
Front Porch Rim board	Stained. Color to be <b>TWP Black Walnut</b>
Front Porch Stair Risers	Stained. Color to be <b>TWP Black Walnut</b>
Front Porch Decking	Stained. Color to be <b>TWP Black Walnut</b>
Electrical & Low Voltage	
	Underground electrical service, 40 circuit 200 AMP Panel with Surge Protection. Open double slot for future solar.
<b>Plugs and Switches</b>	
Switch Style	Toggle
Plate Style	Toggle screw on plates
Switch Color	White
Dimmers	Available as Option
Exterior Plugs	Per Electrical Plan
<b>Lighting</b>	
Lighting Fixtures	See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule)
Recessed Lights	13 Click Lights: Kitchen 4, Front Porch 2, Main Hallway 3, Mudroom 2, Hall to Owner's Bedroom 2
Under Cabinet Lighting	Available as Option
<b>Miscellaneous</b>	
Outlets	GFI protection for all interior and exterior 240-volt outlets. 120 volt outlets in future finished areas of basement. Minimum of 2 Island Outlets. Per Electrical Plan.
Door Chime	Nutone BK125LWH: One 2-note, white door chime
Smoke/CO2	1 CO/Smoke per floor (2 Total), 1 Smoke per bedroom (2 Total) - Kidde 120V Intelligent 10 Year Lithium Battery Smoke Alarm Model P4010ACS
Bath Vents	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM
Paddle Fan Boxes	Paddle fan rated boxes in all Bedrooms, Dining room, and Living room
Cat 5 (data/phone)	Yes, per electrical plan
TV Jacks	Yes, per electrical plan
Security/Surveillance	None
Central Vacuum	None
Audio	None
Solar Prep	Conduit running from LL up to Attic Space
Garbage Disposal	Available as Option









**CV Owen -  
Milton, VT**



<b>Light Fixtures</b>		
See Appendix C: Light Fixture Schedule		
<b>Plumbing</b>		
<b>Heating and Venting</b>		
Furnace	Ducane - 96G2UH045BV12	 
Furnace Size	40,000 BTU	
Efficiency Rating	96%	
Zones	Zone 1: First Floor	
Second Zone	Available as Option	
Air Conditioner	Available as Option	
Thermostat	Ecobee Thermostat; First Floor	
Bath Venting	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light. Vented to the outside (Owners Bath and Bath #2)	
Dryer Venting	Vented to the outside	
<b>Gas</b>		
Main Kitchen Range	Yes	
Main Fireplace	Available as Option	
Dryer	No, Electric	
Furnace	Yes	
Hot Water System	Yes	
Grill Line at Deck	Available as Option	
<b>Fireplace and Mantle</b>		
Fireplace in Living Room	Available as Option	
<b>Plumbing Fixtures</b>		
See Appendix D: Plumbing Schedule		
<b>Miscellaneous Plumbing</b>		
Outdoor Faucets	2 Frost-Free Hose Bibs, located at back of the main house and on the side of the front porch	
Hot Water Heater	State 50 Gallon Hybrid Electric water heater	
Laundry	Washer Box Valve with single handle shutoff and drain; appliances pricing optional	
Plumbing	PVC Drainage plumbing. PEX continuous piping for all domestic water. All plumbing installed according to National Plumbing Code by licensed plumber.	
Radon	Radon Piping runs from under Lower Level concrete slab through roof. This is a passive system, no fan.	
Utility Sink	Available as Option	


# CV Owen - Milton, VT



Cabinets & Countertops		
<b>Cabinets</b>		
<b>Kitchen</b>		
Brand	Fabuwood Galaxy/Allure Series	
Style	Full Overlay Doors	
Color	Color to be Frost	
<b>Kitchen Island</b>		
Brand	Fabuwood Galaxy/Allure Series	
Style	Full Overlay Doors	
Color	Color to be Frost	
<b>Owner's Bath</b>		
Size	72" Vanity with 2 bowls	
Brand	Fabuwood Galaxy/Allure Series	
Style	Full Overlay Doors	
Color	Color to be Timber	
<b>Bath #2</b>		
Size	42" Vanity with single bowl	
Brand	Fabuwood Galaxy/Allure Series	
Style	Full Overlay Doors	
Color	Color to be Horizon	
<b>Countertops</b>		
<b>Kitchen</b>		
Style	Classic Series Quartz	
Color	Color to be Desert Silver	
Edge Detail	Pencil Edge	
Cut-Outs	Under Mount Sink	
Backsplash	4" Quartz	
B/S Location	Perimeter Back Only	
<b>Kitchen Island</b>		
Style	Classic Series Quartz	
Color	Color to be Desert Silver	
Edge Detail	Pencil Edge	
Cut-Outs	None	
<b>Owner's Bath</b>		
Style	Cultured Marble with 2 integrated flush rectangle bowls	
Color	Cotton White	
Edge Detail	Square Edge	
Cut-Outs	None	
Back Splash	4" integral Cultured Marble	
B/S Location	Back Only	
<b>Bath #2</b>		
Style	Cultured Marble with 1 integrated flush rectangle bowl	
Color	Cotton White	
Edge Detail	Square Edge	
Cut-Outs	None	
Back Splash	4" integral Cultured Marble	
B/S Location	Back Only	
<b>Wall &amp; Trim Interior Detail Work</b>		
<b>Insulation</b>		
Exterior Walls	R-21 6" Fiberglass Batts with Poly Vapor Barrier	
Interior Walls	R-13 3-1/2" Fiberglass Batts for bath walls (Soundproofing)	
Rigid Insulation	Box sill in first and second floor joists insulated with rigid insulation	
Attic	R-60 Cellulose with backer boards at eaves for ventilation	
Garage	Not insulated	
Foundation	2-1/2" R-15 Thermax glued to concrete wall	
<b>Drywall</b>		
Living area walls	1/2" Sheet Rock, taped with 3 coats of joint compound at walls and ceilings	
Ceilings	Smooth Finish, minor shadow variations are possible in ceilings	
Garage	Unfinished	

# CV Owen - Milton, VT



Trim Details		
Casing	2-1/2" Colonial Casing	
Base	3-1/2" Colonial Base Board	
Wainscot	+/-60" High Wainscot at Mudroom under Black Metal Coat Hooks	
Crown	Available as Option	
Built - Ins		
	Bench with Cubbies, Black Metal Coat Hooks	
Mirrors		
Owners Bath	Plate Glass mirror with ground edge, no bevel	
Bath #2	Plate Glass mirror with ground edge, no bevel	
Interior Stairs/Railing		
<b>Main to Lower Level</b>	Carpet Grade Stairs	
	Rail on wall stained	
	Half wall, cap stained to match wood floor	
<b>Handrail Brackets</b>	Satin Nickel	
Closet Shelving		
	All closets systems will be vented wire and the system is indicated on the plan. See Closet Plan for Details.	
Interior Paint		
Painted Interior Walls	1 coat primer 2 coats Low VOC Flat Latex Paint, <b>Color to be BM Pale Oak OC-20, OK to Color Match</b>	
Accent Wall	None	
Ceilings	To match walls	
Interior Trim	Painted, 1 coat primer, 2 coats Semi-Gloss Latex Paint, Color to be <b>BM White Dove OC-17, OK to Color Match</b>	
Wainscot	Painted, 1 coat primer, 2 coats Semi-Gloss Latex Paint, Color to be <b>BM White Dove OC-17, OK to Color Match</b>	
Interior Doors	Painted, 2 coats of Semi-Gloss Latex Paint, <b>Color to be BM White Dove OC-17, OK to Color Match</b>	
Fireplace Mantle (optional)		
Main to Lower Level Stairs	Stained railing to Match Wood on First Floor	
Interior Doors		
<b>See Door Appendix B: Exterior and Interior Door Schedule</b>		
Finish Hardware		
<b>See Appendix E: Finish Hardware Schedule</b>		
Flooring		
<b>See Appendix F: Flooring Schedule</b>		
Appliances		
<b>See Appendix G: Appliance Schedule</b>		
Landscaping		
Lawn	All disturbed portions of yard to be seeded. Lawn area will generally include front yard, side yard and rear yard. Lawn area to be covered with approximately 4" of native topsoil.	
8 Foundation Shrubs	To be Selected by Owner, See Landscape Plan	
8 Perennial Flowers	To be Selected by Owner, See Landscape Plan	
Cleaning		
	House cleaned prior to closing, including washing of windows	
Warranty		
	Clearview Properties, LLC Warranty as per contract	
	<b>Continuing a policy of constant research and improvement, Clearview Properties, LLC reserves the right to make substitutions and specification changes.</b>	

# CV Owen - Milton, VT



## Appendix A: Window Schedule

Harvey Slimline All Vinyl Windows, Double insulated, Low E, GBG Grills 4 over 0  
 6 9/16 primed interior jambs, 2 1/2 colonial case interior  
 J Channel Only (Brickmould)  
 EZ-Tilt cleaning  
 Screens included  
 Energy Star Qualified  
 Maximum U Factor 0.30






	Letter	Size	Quantity	Description	Location	Image	Notes
	A	34x65	3	Double Hung	Living Room		
	B	34x53	2	Double Hung	Lower Level		
	B2	68x53	1	Double Hung	Dining Room		
	C	34x42	2	Double Hung	Owner Bath, Lower Level (Future Bath)		
	E	34x53	1	Casement	Owner Bedroom		
	E	34x53	1	Casement	Owner Bedroom		
	F2	68x53	1	Slider	Bedroom #2		
	EG	55x48	2	Egress	Lower Level		
	K	38x49	1	Double Hung	Kitchen		



**Appendix B: Exterior and Interior Door Schedule**





**EXTERIOR DOORS**

Therma-Tru Smooth Star Fiberglass Exterior Doors with full weather stripping and adjustable sills  
Grills between glass  
6 9/16 primed jambs  
5/4 x 4 flat exterior case, Double bore set-up  
EZ Set Satin Nickel knob and deadbolt hardware, All doors keyed alike

	Quantity	Description	Opens	Size	Type	Hardware	Image	Notes
<b>Foyer Entry</b>								
	1	S6021 1 Panel with S210SL	RH	3'-0" - 6'8"	1 Panel	Double Bore		
<b>Garage Entry</b>								
	1	S220 2 Panel	LH	3'-0" - 6'8"	2 Panel	Double Bore		
<b>Dining Room Entry from Deck</b>								
	1	S118-LE	LH	3'0-6'8"	Full Lite	Double Bore		
<b>Lower Level Entry</b>								
	1	S6021 1 Panel	LH	3'-0" - 6'8"	1 Panel	Double Bore		
<b>Exterior Door Hardware</b>								
Knobs	4	EZ - Set Keyed Entry w/deadbolt				Satin Nickel		All Keyed Alike

**INTERIOR DOORS**









2 Panel, Hollow core, Smooth molded hardboard, 4 9/16 PFJ split jambs  
Colonial Casing both sides  
Dexter Stratus Satin Nickel Hardware  
Ball catches and (2) Dummy knobs per pair included

<b>Interior Doors</b>								
	9	Masonite Smooth	See Plans - will display more clearly with plans	TBD	2 Panel Hollow Core	Double Bore		
<b>Interior Door Hardware</b>								
Knobs	9	EZ - Set				Satin Nickel		
Base Bumps	9					Satin Nickel		
Hinge Bumps	9					Satin Nickel		

CV Owen -  
Milton, VT







Appendix C: Light Fixture Schedule

	Quantity	Description	SKU	Item	Color	Image	Notes
<b>Garage Exterior</b>							
	1	One Light Outdoor Wall Lantern	143182	Maxim 35016BK	Black		
<b>Deck and Lower Level Entry</b>							
	2	One Light Outdoor Wall Lantern	143190	Maxim 35015BK	Black		
<b>Front Porch</b>							
	2	LED Flush Mount	62-1801	Satco	White		
<b>Mudroom/Foyer</b>							
	4	LED Flush Mount	62-1801	Satco	White		
<b>Kitchen Island</b>							
	2	ONE LIGHT PENDANT	3366571	Elegant Lighting#: LDPD2119	Black and Clear		
<b>Kitchen Surround</b>							
	4	LED Flush Mount	62-1801	Satco	White		
<b>Kitchen Sink</b>							
	1	LED Flush Mount	62-1801	Satco	White		
<b>Dining Room</b>							
	1	Six Light Chandelier	3694872	Elegant Lighting#: LD5056D30MB	Matte Black		

CV Owen -  
Milton, VT













Living Room							
	1	Three Light Flush Mount	725440	Maxim 2681FTSN	Satin Nickel		
Stairwell							
	1	LED WALL SCONCE	3331446	W.A.C. Lighting#: WS-45105-27-BK	Black		Main to Lower Level
Owners Bedroom Hallway							
	2	LED Flush Mount	62-1801	Satco	White		
Owners Bedroom							
	1	Three Light Flush Mount	725440	Maxim 2681FTSN	Satin Nickel		
Owners Vanity							
	2	TWO LIGHT BATH SCONCE	3549785	Elegant Lighting#: LD7314W14CH	Chrome and Clear		Pointed Down
Owners Closet							
	1	Two Light Flush Mount	725441	Maxim 2680FTSN	Satin Nickel		
Bedroom #2							
	1	Two Light Flush Mount	725441	Maxim 2680FTSN	Satin Nickel		
Bath #2							
	1	THREE LIGHT BATH SCONCE	3549787	Elegant Lighting#: LD7314W23CH	Chrome and Clear		Pointed Down
Other							
Garage, Future, Lower Level	8	PC Lights					Supplied by Electrician

CV Owen -  
Milton, VT




Appendix D: Plumbing Schedule

	Qty.	Description	Manufacturer	Product No.	Finish	Image	Notes
<b>Kitchen</b>							
Sink	1	32" Undermount 16 Gauge Stainless Steel Double Bowl Kitchen Sink	Krauss	KBU32	Stainless Steel		32" L x 18" W, 8.5"D, (2) Strainers and Grates
Faucet	1	Simpliçe	Kohler	K - 596-VS	Vibrant Stainless		Deck Plate Optional
<b>Owner's Bath</b>							
Faucet	2	Simpliçe® Centerset bathroom sink faucet, 1.2 gpm	Kohler	K-27388-4-CP	Chrome		
Shower	1	ENSEMBLE™ CURVE 60" x 34" Vikrell® shower, center drain	Sterling	72230100-0	White		Straight Curtain Rod Installed.
Shower Fixture	1	Simpliçe® Rite-Temp® shower trim kit, 1.75 gpm	Kohler	K-TS27392-4G-CP	Chrome		
Toilet	1	Edgemere Right Height Elongated Toilet	American Standard	204AA104.020	White		16 1/2" Rim Height
<b>Bath #2</b>							
Faucet	1	Simpliçe® Centerset bathroom sink faucet, 1.2 gpm	Kohler	K-27388-4-CP	Chrome		
Tub/Shower	1	60-1/4" x 32" Curve Bath/Shower with RH Drain	Sterling	71220120-0	White		Straight Curtain Rod Installed.
Tub/Shower Trim	1	Simpliçe® Rite-Temp® bath and shower trim kit, 1.75 gpm	Kohler	K-TS27391-4G-CP	Chrome		
Toilet	1	Edgemere Right Height Elongated Toilet	American Standard	204AA104.020	White		16 1/2" Rim Height

CV Owen -  
Milton, VT








Appendix E: Finish Hardware Schedule

	Qty.	Description	Manufacturer	Product No.	Finish	Image	Notes
<b>Kitchen Surround</b>							
Knob	18	BLACKROCK™ 1-5/16in(33mm) Diameter Knob	Amerock	BP55270G10	Satin Nickel		
<b>Kitchen Island</b>							
Pulls	4	BLACKROCK™ 1-5/16in(33mm) Diameter Knob	Amerock	BP55270G10	Satin Nickel		
<b>Owner's Bath</b>							
Knob	7	BLACKROCK™ 1-5/16in(33mm) Diameter Knob	Amerock	BP5527026	Polished Chrome		
Robe Hook	1	Simplice® Robe hook	Kohler	K-27395-CP	Chrome		
Tissue Holder	1	Simplice® Pivoting toilet paper holder	Kohler	K-27397-CP	Chrome		
Towel Bar	1	Simplice® 24" towel bar	Kohler	K-27394-CP	Chrome		
<b>Bath #2</b>							
Knob	7	BLACKROCK™ 1-5/16in(33mm) Diameter Knob	Amerock	BP5527026	Polished Chrome		
Robe Hook	1	Simplice® Robe hook	Kohler	K-27395-CP	Chrome		
Tissue Holder	1	Simplice® Pivoting toilet paper holder	Kohler	K-27397-CP	Chrome		
Towel Bar	1	Simplice® 24" towel bar	Kohler	K-27394-CP	Chrome		

CV Owen -  
Milton, VT







Appendix F: Flooring Schedule

Wood Floors							
Location	Make	Style	Finish	Size		Image	
Foyer, Hallway, Kitchen, Dining Room	Hallmark	Novella	Hawthorne Oak				7/16ths
Tile Floors							
Location	Make/Style	Finish/Color	Tile Size	Orientation	Tile Grout	Image	Notes
Owner's Bath	Anatolia Form - Hexagon Frame	Ice Matte	7" Hex	N/A	Smoke Grey		Standard Underlayment. Transitions to 7/16" Wood.
Mudroom	Anatolia Davenport	Earth	12 x 24	50% Stagger Short Edge to the Door	Stormy Grey		Standard Underlayment. Transitions to 7/16" Wood.
Vinyl Floors							
	Make	Style	Color			Image	Notes
Bath #2	Tarkett	Easy Living	Rich Onyx-Grey				Standard Underlayment. Transitions to Tile
Laundry	Tarkett	Easy Living	Rich Onyx-Grey				Standard Underlayment. Transitions to Carpet

CV Owen -  
Milton, VT



Carpet							
	Make	Style	Color	Details		Image	
Living Room	Dreamweaver	Pinpoint	Greystone				Transitions to 7/16" Wood
Owners Bedroom	Dreamweaver	Pinpoint	Greystone				Transitions to Tile at Owners Bathroom
Owners WIC	Dreamweaver	Pinpoint	Greystone				Transitions to Dreamweaver Carpet
Den/Bedroom 2	Dreamweaver	Pinpoint	Greystone				Transitions to Dreamweaver Carpet

CV Owen -  
Milton, VT



**Appendix G: Appliance Schedule**

Appliance	Quantity	Manufacturer	Model	Color	Description	Image	Notes
<b>Kitchen</b>							
Refrigerator	1	GE	GNE27JYMFS	Stainless	GE Energy Star 27.0 Cu. Ft. French Door		Fingerprint Resistant Door
Gas Range	1	GE	JGB735SPSS	Stainless	GE 30" Free Standing Convection Gas Range		
Dishwasher	1	GE	GDT550PYRFS	Stainless	GE Dishwasher with Top Controls		
Microwave	1	GE	JVM3160RFSS	Stainless	GE 1.6 Cu. Ft. Over-the-Range-Microwave Oven		
<b>Laundry Room</b>							
Washer							Available as option
Electric Dryer							Available as option