

#### **CONSTRUCTION SPECIFICATIONS**

Builder Sterling Homes 1037 Hinesburg Road South Burlington, VT 05403

PCL#

Homeowner/Project

Gardenside Colonial Base

Specification Date: 8/14/23 Site Plan Date: 8/8/23 Plan Date: 8/8/23

**Colonial Plan:** Two story New England style home with un-finished Lower Level. Two floors of finished area with approximately 2,232 square feet of living space; 1,136 square feet of unfinished Lower Level, 576 square foot 2-car garage, 153 square foot front porch and 168 square foot rear deck.

 Location
 Total Square Feet

 First Floor
 1,136

 Second Floor
 1,096

 Total Finished Square Feet
 2,232

 Garage
 576

 Front Porch
 153

 Rear Deck
 168

Color Code Date

KED

**Personal Choice Lists** 

ORANGE

GREEN

BLUE

PURPLE

PINK

RUST

HUNTER

SKY BLUE

LAVENDER

BROWN

NAVY LIME

**CRANBERRY** 

AQUA

PEACH

**GRAPE** 

#### **Specification and Appendix Approval**

Appendix A: Window Schedule
Appendix B: Exterior and Interior Door Schedule
Appendix C: Lighting Schedule
Appendix D: Plumbing Schedule
Appendix E: Finish Hardware Schedule
Appendix F: Flooring Schedule
Appendix G: Appliance Schedule

Client		Date
Client		Date
Builder	Collin Frisbie	Date



		HOWES
	CONSTRUCTION SPECIFICATIONS	
Section	Information	Image
Permits		
	Builder responsible to obtain all necessary permits including:	
	- Soil Erosion and Sediment Control	
	- Well - N/A	
	- Septic System - N/A	
	- Zoning	
Surveys		
	Home is to be staked by builder	
Site Clearing	Home is to be staked by builder	
Site Clearing	Duilday is yearn weible fav all site alequing as wooded	
Utilities Connections	Builder is responsible for all site clearing, as needed	
Othlities Connections	Duildow years and his few all site ways and site belongs to include	
N/-+	Builder responsible for all site work and site balance to include	
Water	Connection to Town of Shelburne water system	
Sewer	Connection to Town of Shelburne sewer system	
Gas	Connection to Natural Gas lines at road.	
Power	Underground power	
Cable	Cable TV conduit to house	
Enorgy Packago	All excavation, fill and labor is included	
Energy Package	Home to be built to an VT Decidential Duilding Francy (Standards (DDFC)	
Hama ta Individa	Home to be built to an VT Residential Building Energy Standards (RBES)	
Home to Include		
	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light	
	Vented to the outside with Panasonic FV-WCCS2 bath fan timer.	
	Dura Dan DDF44 Durana was also The superabet Sinet Share and Control Share	
	PurePro DP511 Programmable Thermostat; First Floor and Second Floor	
	Additional caulking and sealing of joists to reduce air infiltration into the home, including shoe	
	plate; windows; and where wires and pipes go to cold spaces	
	R-15 Rigid Thermax insulation on Interior of Lower Level - floor to top of concrete wall	
	Selected use of closed cell foam to improve overall air sealing of attic in home	
Foundation	Blower Door Test required for VT RBES	
	Poured Concrete	
Type Wall Height	7'-10"	
	4' Frost Wall	
Lookout Height Strength	Min. 3000 PSI @2 days with steel reinforcement	
Footer	Continuous 8" x 16" reinforced	
Flat Work Concrete	Continuous 8 x 10 Tennorceu	
Lower Level	Poured Concrete	
Finish	Smooth	
"Keyway" Joints	Saw cut	
Thickness	4"	
Strength	House: Min. 3000 PSI @ 28 days Garage: Min. 4000 PSI @ 28 days	
Sueligui	Tarred damp proofing membrane sprayed on exterior of foundation walls.	
Moisture Barrier	6 mil poly under concrete house slab.	
	Footing drains installed below footers around Lower Level and drained to daylight in back yard.	
Ground water controls	Drain tile buried in clean stone; covered with mirafi fabric; clean sand fill against foundation. Site	
Ground water controls	graded to shed surface water away from house.	
	Boulder rock walls as needed for the grading of the yard.	
Rock Wall	Boulders from the site are machine-placed to create walls.	
Driveway/Entrance	200.00.5 on the site are machine proces to areate walls.	
	12" thick gravel two car driveway on top of mirafi fabric.	CO-MINISTER MINISTER
Drive	Driveway to be finish paved with 2" of compacted asphalt.	
Walkway	42" Sidewalk from front porch to driveway will be Belgard, Catalina Grana Pavers in Sable Blend	The same
Mailbox	Across the street on Webster Road	
IVIAIIDUX	ACLOSS THE STREET OIL MEDICEL MODU	



		HOWES
Frame		
Exterior Walls	2x6 SPF 24" o.c.	
Interior Walls	2x4 SPF 24" o.c.	7
Plate Height	9'-1" on first floor; 8'-1" on second floor and 7'-10" in lower level	
Plate	2x6 treated southern yellow pine with foam sill seal	7
Floor Framing	11-7/8" TJI I-joists at 24" o.c.	
Sub Flooring	3/4" 4x8 T&G OSB glued and nailed	
	2 or 3 ply Truss Joist Microlam LVL, nailed and glued, as specified by engineering load design,	
Girders	supported by 3-1/2" concrete filled lally columns in Lower Level	
Sheathing	7/16" 4x8 OSB	
Roof	Pre-engineered roof trusses 24" o.c. 5/8" T&G OSB rated sheeting	
	7/12; 6/12 at Main House	
Roof Pitch	7/12 at Garage	
	4/12 at Front Porch	
House Wrap	Professional house wrap with flashing around all windows and doors	
Roofing	Trotessional house wide with hashing dround all willdows and doors	<u> </u>
	Ice and water shield on eaves and valleys. Vented on ridge to achieve proper ventilation.	
Underlayment	Owens Corning ProArmor Synthetic Roof Underlayment	
Shingles	Owens Corning TruDefinition Shingles Limited Lifetime Warranty	
Color	Color to be selected by owner	$\dashv$
Siding/Exterior Elements	Color to be selected by owner	
	Norandex Woodsman Select	
Siding  Gable Ends	Vinyl Shakes, Color to be selected by owner	$\dashv$
		$\dashv$
Clapboard	Double 4", Color to be selected by owner  None	_
Board and Baton		$\dashv$
Eaves	Two piece aluminum wrapped - White	_
Soffit	Perforated soffit for proper venting	_
Corners	6" White Vinyl Corners with Foam Backer	_
Trim Details	Frieze board and Garage Door Trim to be PVC	_
Drip Edge	Galvanized	_
Shutters	Available as option	
Gutters & Downspouts	unt is control of the	
Gutters & Downspouts	White Seamless Gutters	
Windows		
	See Appendix A: Window Schedule	
Brand	Harvey Slimline	
Color	White	
Construction	Vinyl, Low-E, Insulated Double-Pane	
Exterior Casing	Flat	
U-Factor	0.30	
Grills	Between Glass 6 over 0	
Screens	Fiberglass Mesh	
Exterior Doors		
	See Appendix B: Exterior and Interior Door Schedule	
Brand	Therma-Tru	_
Color	See Exterior Paint Section	_
Construction	Insulated Fiberglass	_
Exterior Casing	5/4x4 Flat	_
Storm Doors	None	<u> </u>
Overhead Garage Doors		
Model	8300 Series Insulated Steel Door	_
Size	16' x 7'	
Design	Sonoma Panel w/ No Windows	
Color	Manufacturer White	
Opener	8" lift master 1/2 horsepower electric opener	
Remotes	2 remotes included	
Hardware	None	
Frame Key Pad	Keyless entry punch pad	



		HOMES
Decks & Porches		
Covered Entry Porch		
Porch Framing	19'-6" x 8' framed with PT 2x8 joists	
Decking	5/4x6 #1 PVC Azek Harvest Collection	
Posts	CPVC wrapped and PT 6x6 Posts and 2x8 roof beams - White	
Roof	Roof to be truss framed, roof shingles to match house	
Ceiling	White vinyl bead board	
Stairs	Stairs from porch to walkway to be PT box steps with 5/4x6 #1 Azek PVC Decking Treads	
Rail	Composite rails and balusters	
Hardware	CPVC to be screwed and plugged, no paint	
Finish	Porch posts, beams, rim board and stair risers - white CPVC Trim	
Color	Porch decking and stair tread to be Azek Harvest Collection PVC - Color Selected by owner	
Rear Deck	Fortificecking and stall tread to be Azek Hai vest collection F ve - color selected by owner	
Porch Framing	12' x 14' Square foot deck framed with PT 2x10 joists	
Decking	5/4x6 #1 PVC Azek Harvest Collection.	
Decking	•	
Stairs	Stairs from deck to rear yard to be PT box steps with 5/4x6 #1 Azek PVC Decking Treads, White	
D. 1	CPVC Trim Stair Risers	
Rail	Composite rails and balusters	
Hardware	CPVC to be screwed and plugged, no paint	
Color	Porch decking and stair tread to be Azek Harvest Collection PVC - Color Selected by owner	
Exterior Paint	Description of the second seco	
Exterior Doors - Excluding Front Door	Painted Satin Finish, White	
Exterior Trim - Including Frieze Board	Painted Satin Finish, White	
and Door Surrounds	·	
Front Door	2 coats Exterior Paint, Color to be Selected by Owner	
Sidelight	Painted Satin Finish, White	
Front Porch Rail	Composite Rail, White	
Front Porch Posts	CPVC wrapped, White	
Front Porch Roof Beams	CPVC Trim, White	
Front Porch Rim board	CPVC Trim, White	
Front Porch Stair Risers	CPVC Trim, White	
Front Porch Decking	Azek Harvest Collection PVC Decking color to be selected by owner	
Rear Deck Rail	Composite Rail, White	
Rear Deck Rim board	CPVC Trim, White	
Rear Deck Stair Risers	CPVC Trim, White	
Rear Porch Decking	Azek Harvest Collection PVC Decking color to be selected by owner	
Electrical & Low Voltage	J T	
	Underground electrical service, 150 AMP Panel	
Plugs and Switches		
Switch Style	Toggle	a.
Plate Style	Toggle screw on plates	
Switch Color	White	
Dimmers	Available as an Option	U 5
	Per Electrical Plan	Φ
Exterior Plugs	Per Electrical Plan	
Lighting		
Lighting Fixtures	See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule)	
Recessed Lights	None	
Under Cabinet Lighting	Available as an Option	
Miscellaneous		
Door Chime	Nutone BK125LWH: One 2-note, white door chime	
Smoke/CO	1 CO/Smoke per floor (3 Total), 1 Smoke per bedroom (3 Total)	
Bath Vents	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light. 50	
Datii Velita	CFM Bath Fan in Powder Room with Panasonic FV-WCCS2 bath fan timer.	
Cat 5 (data/phone)	Yes, per electrical plan	
TV Jacks	Yes, per electrical plan	
Security/Surveillance	None	
•	Rough in only, 1 outlet per floor	
Central Vacuum		
Audio	None	
	None	



	Plumbing	HOWE3
Heating and Venting	riumung	
Furnace	Ducane - 96G2UH070BV12	
Furnace Size	60,000 BTU	
Efficiency Rating	96.00%	<u> </u>
Zones	Zone 1: First Floor & LL, Zone 2: Second Floor	
Air Conditioner	Ducane - 4AC16L36P	The state of the s
Thermostat	PurePro DP511 Programmable Thermostat; First Floor and Second Floor	
Bath Venting	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light in Owner's Bath and Bath #2, Vented to the outside with Panasonic FV-WCCS2 bath fan timer. 50 CFM Bath Fan in Powder Room with Panasonic FV-WCCS2 bath fan timer.	
Dryer Venting	Vented to the outside	
ias		
Main Kitchen Range	Yes	
Main Fireplace	Yes	
Gas Dryer	No, elec.	
Furnace	Yes	
Hot Water System	Yes	
Grill Line at Deck	N/A	
Fireplace and Mantle	1.4	
Fireplace in Living Room		
Model	Empire DVCD36FP30N direct vent gas fireplace	
Mantle		
Mantie	Custom Built in Place Mantle (See picture/detail)	
Tile Surround	6" Slate Tile on Top and 2 Sides of Fireplace Face. Color to be Selected by Owner.	and the best of
Tile Hearth	12" Slate Tile Hearth to be full width of Mantle above, Flush with flooring. Color to be Selected by Owner.	
Venting	Direct vent to outside through wall	
Plumbing Fixtures		
	See Appendix D: Plumbing Schedule	
Miscellaneous Plumbing		
Outdoor Faucets	2 Frost-Free Hose Bibs, located at back of the main house and on the side of the front porch	TH.
Hot Water Heater	Rinnai R75-Lsi on demand water heater	
Laundry	Washer Box Valve with single handle shutoff and drain; appliances pricing optional	
Edulary	PVC Drainage plumbing. PEX continuous piping for all domestic water.	
Drainage	All plumbing installed according to National Plumbing Code by licensed plumber.	
	Radon Piping runs from under Lower Level concrete slab through roof.	PS .
Radon	This is a passive system, no fan.	E B
Utility Sink	Rough in only for future sink	
Othity Sink	Cabinets & Countertops	
Cabinets	counct a countertops	
Kitchen		
Brand	Wellborn Forest	
Style	Shelby, MDF	
Color	~	
Owner's Bath	Painted	The second secon
Size	72" Vanity with 2 bowls	
Brand	Wellborn Forest	POLAR PAINT
Style	Shelby, MDF	
Color	Painted	
Bath #2		
Size	60" Vanity with single bowl	The second secon
Brand	Wellborn Forest	
Style	Shelby, MDF	
Color	Painted	



		TI O WI E S
Countertops		
Kitchen Perimeter		
Style	Classic Series Quartz	
Color	To Be Selected by Owner	
Edge Detail	Pencil Edge	
Cut-Outs	Under Mount Sink	The state of the s
Backsplash	4" Quartz	
B/S Location	Perimeter Back Only	
Kitchen Island		
Style	Classic Series Quartz	
Color	To Be Selected by Owner	
Edge Detail	Pencil Edge	
Cut-Outs	None	Kitchen Tops (not color, but Style)
Owner's Bath		
Style	Cultured Marble with 2 integrated flush rectangle bowls	76
Color	Cotton White	
Edge Detail	Square Edge	
Cut-Outs	None	11 30
Back Splash	4" integral Cultured Marble	
B/S Location	Back Only	
Bath #2		
Style	Cultured Marble with 1 integrated flush rectangle bowl	
Color	Cotton White	
Edge Detail	Square Edge	
Cut-Outs	None	
Back Splash	4" integral Cultured Marble	
B/S Location	Back Only	
	Wall & Trim Interior Detail Work	
Insulation		
Exterior Walls	R-21 6" Fiberglass Batts with Poly Vapor Barrier	
Interior Walls	R-13 3-1/2" Fiberglass Batts for bath walls (Soundproofing)	
Rigid Insulation	Box sill in first and second floor joists insulated with rigid insulation	
Attic	R-60 Cellulose with backer boards at eves for ventilation	
Garage	Not insulated	
Foundation	3-1/2" R-21 Thermax glued to concrete wall	
Drywall	1.60.00	
Living area walls	1/2" Sheet Rock, taped with 3 coats of joint compound at walls and ceilings	
Ceilings	Smooth Finish, minor shadow variations are possible in ceilings	
Garage	Unfinished	
Trim Details	0.4/0   = 1.51	
Casing	3-1/2" Eased Edge with 5/4x4 head casing	1.5
Base	5-1/2" Colonial Base Board	
Wainscot	36" High Wainscot at Mudroom	
Built - Ins		
	Field-built shelves in Living Room	
Mirrors		
Owners Bath	Plate Glass mirror with ground edge, no bevel	
Bath #2	Plate Glass mirror with ground edge, no bevel	
Powder Room	By Owner	



Interior Stairs/Railing				
Main to Second Floor	Brown Maple Hardwood Stairs Box Stair Construction			
	Treads to match hardwood flooring and risers painted to match interior trim.	/ <u> =</u>		
	Half wall with cap sealed to match hardwood			
	Hand Rails to match wood floors (including rail on wall)			
Main to Lower Level	Carpet Grade Stairs			
	Half wall with hardwood cap and sealed railing on wall			
Handrail Brackets	Satin Nickel			
Closet Shelving				
	All closets systems will be vented wire and the system is indicated on the plan. See Closet Plan for Details.			
Interior Paint				
Painted Interior Walls	1 coat primer 2 coats Low VOC Flat Latex Paint, Color to be selected by owner.			
Accent Wall	Color and Location to be selected by owner			
Ceilings	To match walls			
Interior Trim	Painted, 1 coat primer, 2 coats Semi-Gloss Latex Paint, Color to be selected by owner.			
Interior Doors	Painted, 2 coats of Semi-Gloss Latex Paint, Color to be selected by owner.			
Fireplace Mantle	Painted, 2 Coats of Semi-Gloss Latex Paint, Color to be selected by owner.			
Main to Second Floor Stairs	Main to Second Floor Stairs  Treads, Rail and Newel to Match Wood Floor Risers and Baluster Posts Painted to Match Interior Trim			
Main to Lower Level Stairs	Handrail and Cap to Match Wood on First Floor			
Interior Doors	Translation and Cap to Water Wood on First Floor			
Interior Boors	See Door Appendix B: Exterior and Interior Door Schedule			
Finish Hardware	See Book Appellant B. Exterior and Interior Book Selectaile			
Timon Haraware	See Appendix E: Finish Hardware Schedule			
Flooring				
	See Appendix F: Flooring Schedule			
Appliances	COOT PPONTANT TO STATE OF THE S			
	See Appendix G: Appliance Schedule			
Landscaping	Ph Ph			
1 0	All disturbed portions of yard to be seeded.			
Lawn	Lawn area will generally include front yard, side yard and rear yard.			
	Lawn area to be covered with approximately 4" of native topsoil.			
10 Foundation Shrubs	To be Selected by Owner, See Landscape Plan *Two Must Be Evergreen			
12 Perennial Flowers	To be Selected by Owner, See Landscape Plan			
2 Small Yard Trees	To be Selected by Owner, See Landscape Plan			
Cleaning		•		
-	House cleaned prior to closing, including washing of windows			
Warranty		·		
	Gardenside Properties, LLC Warranty as per contract			
	Continuing a policy of constant research and improvement, Gardenside Properties, LLC. reserves the right to make substitutions and specification changes.			
	reserves the right to make substitutions and specification changes.			



#### **Appendix A: Window Schedule**

Harvey Slimline Windows, Double insulated, Low E, GBG Grills 6 over 0 6 9/16 primed interior jambs, 3-1/2" Eased Edge with 5/4x4 head casing Flat exterior case with built in J and nailing flange EZ-Tilt cleaning
Screens included
Energy Star Qualified
Maximum U Factor 0.30

Letter	Size	Quantity	Description	Location	Image	Notes
А	34x65	6	Double Hung	Great Room, Eating Area	û	
В	34x53	14	Double Hung	Office, Owners Bedroom, Bedroom #2, #3, Garage	Û	
С	34x42	3	Double Hung	Owners Bath, Bath #2 & Laundry	Û	
E	30x30	2	Awning	Powder Room, Mudroom		6 Lite Awning
EG	55x48	3	Slider	Lower Level		Egress, Nail Fin Only, 4 Lites per Sash
К	42x49	1	Double Hung	Kitchen	Û	



#### Appendix B: Exterior and Interior Door Schedule EXTERIOR DOORS

 $Therma-Tru\ Smooth\ Star\ Fiberglass\ Exterior\ Doors\ with\ full\ weather\ stripping\ and\ adjustable\ sills$ 

Grills between glass

6 9/16 primed jambs

5/4 x 4 flat exterior case, Double bore set-up

EZ Set Satin Nickel knob and deadbolt hardware, All doors keyed alike

	Quantity	Description	Opens	Size	Туре	Hardware	Image	Notes
Foyer Entry		-	<u> </u>		7.		_	
· ·	1	S601 2 Panel w/ 12" S210SL Sidelight knob side	RH	3'-0"	Half Glass	Double Bore		
Mudroom to Garag	je							
	1	S220 2 Panel Solid	RH	3'-0"	2 Panel	Double Bore		
Great Room to Dec	k							
	1	S118 Full Glass	LH	3'-0" X 6'-8"	Full Glass	Glass		
Exterior Door Hardy	vare							
Knobs	3	EZ - Set Keyed Entry w/deadbolt				Satin Nickel	<b>F</b>	All Keyed Alike
			IN	TERIOR DOORS				
Colonial Casing both Dexter Stratus Satin	sides Nickel Hardware	dboard, 4 9/16 PFJ spli						
Interior Single Door	s							
	16	Masonite Smooth	See Plans - will display more clearly with plans	TBD	2 Panel Hollow Core	Double Bore		
Interior Door Hardw	rare							
Knobs	16	EZ - Set				Satin Nickel		
Base Bumps	16					Satin Nickel		
Hinge Bumps	16					Satin Nickel	7	



HOMES  Appendix C: Light Fixture Schedule							
		Apper	idix C: Light	nxiore scried	ole		
	Quantity	Description	SKU	Item	Color	Image	Notes
Garage Exterior							
	1	One Light Outdoor Wall Lantern	143190	Maxim 35015BK	Black		
Deck Exterior							
	1	One Light Outdoor Wall Lantern	143190	Maxim 35015BK	Black		
Front Porch							
	3	LED Flush Mount	62-1801	Satco	White		
Foyer							
	1	Two Light Semi Flush Mount	086620	Generation Lighting 773730EN3-962	Brushed Nickel		
Mudroom							
	3	LED Flush Mount	62-1801	Satco	White		
Kitchen Island							
	2	One Pendant Light	090083	Generation Lighting 6137301EN3-962	Brushed Nickel		
Kitchen							
	7	LED Flush Mount	62-1801	Satco	White		
Dining Room						an-	
	1	Five Light Chandelier	090121	Generation Lighting 3137305EN3-962	Brushed Nickel		



						НС	OMES
Office							
	1	Two Light Flush Mount	725441	Maxim 2680FTSN	Satin Nickel		
Great Room		·					
	1	Three Light Flush Mount	725440	Maxim 2681FTSN	Satin Nickel		
Pantry							
	1	LED Ceiling Wrap	177424	Nuvo Lighting 65- 1081	White		
Mudroom Closet							
	1	Three Light Flush Mount	177424	Nuvo Lighting 65- 1081	White		
Powder							
	1	Two Light Vanity Wall	090109	Generation Lighting 4437302EN3-962	Brushed Nickel	Ha . What	
Stairwells							
	2	One Light Wall Sconce	517528	90179	Satin Nickel		1 - Main to Second Floor and 1 - in Main to Lower Level
Upstairs Hall							
	3	LED Flush Mount	62-1801	Satco	White		



						НС	MES
Owners Bedroom							
	1	Three Light Flush Mount	725440	Maxim 2681FTSN	Satin Nickel		
Owners Vanity							
	2	Two Light Vanity Wall	090109	Generation Lighting 4437302EN3-962	Brushed Nickel	THE NAME OF THE PERSON NAME OF T	
Owners WIC							
	1	Two Light Flush Mount	216910	Maxim 2680FTSN	Satin Nickel		
Bedroom #2							
	1	Two Light Flush Mount	725441	Maxim 2680FTSN	Satin Nickel	-	
Bedroom #3							
	1	Two Light Flush Mount	725441	Maxim 2680FTSN	Satin Nickel		
Laundry Room							
	1	Two Light Flush Mount	725441	Maxim 2680FTSN	Satin Nickel		
Bath #2							
	1	Three Light Vanity Wall	090101	Generation Lighting 4437303EN3-962	Brushed Nickel	in in in	



		Ann	endix D: Plum	hina Schedu	مار	HC	OMES
1211	Qty.	Description	Manufacturer	Product No.	Finish	Image	Notes
<b>Sink</b>	1	McAllister Double Bowl Undermount Sink	Sterling	11406-NA	Stainless Steel		
Faucet	1	Simplice with Spray	Kohler	K-596-VS	Vibrant Stainless	3	
Garbage Disposal	1	Badger 5, 1/2 HP	Insinkerator	N/A	N/A		
Owner's Bath		'					
Faucet	2	Alteo Center set Lavatory Faucet	Kohler	K-45100-4-CP	Polished Chrome		
Shower	1	Ensemble Curve 34"x60" Shower Base	Sterling	72131100-0	White		Tile Shower Walls, see flooring tile section. Straight Curtain Rod Installed.
Shower Trim	1	Alteo Shower Trim	Kohler	K-T45106-4-CP	Polished Chrome	8	
Toilet	1	American Standard Edgemere	American Standard	204AA104.020	White		



Bath #2						н	OMES
Faucet	1	Alteo Center set Lavatory Faucet	Kohler	K-45100-4-CP	Polished Chrome	T	
Tub/Shower	1	Ensemble Curve 60" Tub/Shower LH Drain	Sterling	71220110-0	White		Straight Curtain Rod Installed.
Tub/Shower Trim	1	Alteo Tub/Shower Trim	Kohler	K-TS45104-4G-CP	Polished Chrome	9	
Toilet	1	American Standard Edgemere	American Standard	204AA104.020	White		
Powder Bath							
Faucet	1	Alteo Center set Lavatory Faucet	Kohler	K-45100-4-CP	Polished Chrome		
Pedestal Sink	1	American Standard Edgemere	American Standard	445400.02	White		
Toilet	1	American Standard Edgemere	American Standard	204AA104.020	White		



Appendix E: Finish Hardware Schedule									
Kitabaan Caasaa ah	Qty.	Description	Manufacturer	Product No.	Finish	Image	Notes		
Kitchen Surround									
Knob	26	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel				
Citchen Island									
Knob	6	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel				
Powder Bath									
Towel Ring	1	Alteo Towel Ring	Kohler	K-37057-CP	Polished Chrome				
Tissue Holder	1	Alteo Pivoting Toilet Tissue Holder	Kohler	K-37054-CP	Polished Chrome				
Owner's Bath									
Knob	7	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel				
Robe Hook	1	Alteo Robe Hook	Kohler	K-37055-CP	Polished Chrome				
Tissue Holder	1	Alteo Pivoting Toilet Tissue Holder	Kohler	K-37054-CP	Polished Chrome				
Towel Bar	1	Alteo 24" Towel Bar	Kohler	K-37051-CP	Polished Chrome				
Bath #2									
Knob	8	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel				
Robe Hook	1	Alteo Robe Hook	Kohler	K-37055-CP	Polished Chrome				
Tissue Holder	1	Alteo Pivoting Toilet Tissue Holder	Kohler	K-37054-CP	Polished Chrome				
Towel Bar	1	Alteo 24" Towel Bar	Kohler	K-37051-CP	Polished Chrome				



#### **Appendix F: Flooring Schedule**

			Wood FI	oors			
Location	Make	Style	Finish	Size		Image	
Foyer		•			'		
Foyer Kitchen, Pantry Eating Space Living Room Stair Landing to 2nd Floor	Lauzon Expert	Maple	Natural Tradition	4-1/4" Width			
			Tile Flo			'	
	Make/Style	Finish/Color	Tile Size	Orientation	Tile Grout	Image	Notes
Mudroom							
	Undefasa Rajasthan	TBD	13" x 13"	TBD	TBD		
Powder Room			ı		1		
	Undefasa Rajasthan	TBD	13" x 13"	TBD	TBD		
Owners Bath			1		<u>'</u>		_
	Undefasa Rajasthan	TBD	13" x 13"	TBD	TBD		
Owners Bath Showe	er Walls		1				
	Undefasa Rajasthan	TBD	13" x 13"	TBD	TBD		
Bath #2					·	_	
	Undefasa Rajasthan	TBD	13" x 13"	TBD	TBD		
Fireplace Surround	& Hearth						
	Slate	TBD	TBD	TBD	TBD		6" - Top and Sides of fireplace front 12" Hearth width of mantle



					11 (	J IVI E 3
			Carp	et		
	Make	Style	Color	Details	Image	
Second Floor Hall Bedroom #2 Bedroom #3 Owners Bedroom Owners WIC Office	Shaw	Turn the Page	TBD			
			LVP Flo	ors		
	Make	Style	Color	Size	Image	Notes
aundry Room						
	Stonecast	Monumental	TBD	12" x 24"		



						НС	OMES
		Ap	pendix G: App	liance Sche	dule		
Appliance	Quantity	Manufacturer	Model	Color	Description	Image	Notes
Kitchen	Quality	Mandacidici	Model	Color	Description	inage	Itoles
Refrigerator	1	GE	GNE27JYMFS	Stainless	GE Energy Star 27.0 Cu. Ft. French Door		
Gas Range	1	GE	JGB735SPSS	Stainless	GE 30" Free- Standing Gas Range	00 0 00	
Dishwasher	1	GE	GDT550PYRFS	Stainless	Fingerprint Resistant Top Controls with Stainless Steel Interior		
Microwave	1	GE	JVM3160RFSS	Stainless	GE 1.6 Cu. Ft. Over- the-Range- Microwave Oven		
Laundry Room							
Washer							Available as option
Gas Dryer							Available as option