

### **MODEL HOME - CONSTRUCTION SPECIFICATIONS**

#### Builder

Clearview Properties, LLC 1037 Hinesburg Road, Suite A South Burlington, VT 05403 Homeowner/Project Taylor Plan Clearview #34 371 Horseshoe Circle Milton VT, 05486 Specification Date: Site Plan Date: Plan Date: Electric Plan Date:

Model Plan: Two story home with partially finished lower level. Two floors of finished area with approximately 2,185 square feet of living space; 105 square feet of finished Lower Level, 447 square foot 2-car garage, aand a 32 square foot front porch

Location	Total Square Feet		
First Floor	1,040		
Second Floor	1,040		
Lower Level	105		
Total Finished Square Feet	2,185		
Lower Level	390		
Garage	447		
Front Porch	32	Demond Chaine Linte	
		Personal Choice Lists	Date
PCL #		Color Code GRAPE	Date
		ORANGE	
		GOLD	
		GREEN	
		BLUE	
		PURPLE	
		PINK	
		HUNTER	
		SKY BLUE	
		LAVENDER	
		BROWN	
		NAVY	
		CRANBERRY	
		AQUA	
		PEACH	
		RED	
		Specification and Appendix Approval	
		Appendix A: Window Schedule	
		Appendix B: Exterior and Interior Door Schedule	
		Appendix C: Lighting Schedule	
		Appendix D: Plumbing Schedule	
		Appendix E: Finish Hardware Schedule	
		Appendix F: Flooring Schedule	
		Appendix G: Appliance Schedule	
Client			Date
Client			Date
Builder	Collin Frisbie		Date



MODEL HOME - CONSTRUCTION SPECIFICATIONS						
Section	Information	Image				
Permits						
	Builder responsible to obtain all necessary permits including:					
	- Soil Erosion and Sediment Control					
	- Zoning					
Surveys						
	Home is to be staked by builder					
Site Clearing						
	Builder is responsible for all site clearing, as needed					
Utilities Connections						
	Builder responsible for all site work and site balance to include					
Water	Connection to City of Milton water system					
Sewer	Connection to City of Milton sewer system					
Gas	Connection to Natural Gas lines at road.					
Power	Underground power					
Cable	Cable TV conduit to house					
	All excavation, fill and labor is included					
Energy Package						
	Home to be built to VT Residential Building Energy Standards (RBES)					
	Compliant with Act 250 Stretch Code					
Home to Include						
nome to include	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light.					
	Vented to the outside					
	Additional caulking and air sealing of joists to reduce air infiltration into the home, including shoe					
	plate; windows; and where wires and pipes go to cold spaces					
	R-15 Rigid Thermax insulation on Interior of Lower Level - floor to top of concrete wall					
	Selected use of closed cell foam to improve overall air sealing of attic in home					
	Blower Door Test as home completed required for VT RBES					
Solar Prep	Home solar ready with conduit running from LL up to Attic Space					
Foundation						
Туре	Poured Concrete					
Wall Height	8'					
Lookout Height	4' Frost Wall					
Strength	Min. 3000 PSI @2 days with steel reinforcement					
Footer	Continuous 8" x 16" reinforced					
Flat Work Concrete						
Lower Level	Poured Concrete					
Finish	Smooth					
"Keyway" Joints	Saw cut					
Thickness	4"					
Strength	House: Min. 3000 PSI @ 28 days Garage: Min. 4000 PSI @ 28 days					
	Tarred damp proofing membrane sprayed on exterior of foundation walls.					
Moisture Barrier	6 mil poly under concrete house slab.					
	Footing drains installed below footers around Lower Level and drained to daylight in back yard.					
Ground water controls	Drain tile buried in clean stone; covered with mirafi fabric; clean sand fill against foundation. Site					
	graded to shed surface water away from house.					
	Boulder rock walls as needed for the grading of the yard.					
Rock Wall	Boulders from the site are machine-placed to create walls.					
Slab Plumb	Not available with this home design					



Driveway/Entrance		
	12" thick gravel two car driveway on top of mirafi fabric.	
Drive	Driveway to be finish paved with 2" of compacted asphalt.	
Walkway	42" Sidewalk from front porch to driveway	
Frame		1
Exterior Walls	2x6 SPF 24" o.c.	
Interior Walls	2x4 SPF 24" o.c.	
Plate Height	9'-1" on first floor; 8'-1" on second floor and 8' in lower level	-
Plate	2x6 treated southern yellow pine with foam sill seal	-
Floor Framing	2x10 SPF 19.2" o.c.	-
Sub Flooring	3/4" 4x8 T&G OSB glued and nailed	-
	2 or 3 ply 2x12, nailed and glued, as specified by engineering load design, supported by 3-1/2"	-
Girders	concrete filled lally columns in Lower Level	
Sheathing	7/16" 4x8 OSB	-
Roof	Pre-engineered roof trusses 24" o.c. 5/8" T&G OSB rated sheeting	-
Roof Pitch	Pitches: 8/12 and 7/12 at Main House; 7/12 at Front Porch	
House Wrap	Professional house wrap with flashing around all windows and doors	-
Roofing		•
	Ice and water shield on eaves and valleys. Vented on ridge to achieve proper ventilation.	
Underlayment	Owens Corning ProArmor Synthetic Roof Underlayment	
Shingles	Owens Corning TruDefinition Shingles Limited Lifetime Warranty	-
Color	Color to be Selected by Owner	
Siding/Exterior Elements		•
Siding	Norandex Woodsman Select	
Gable Ends	Shakes, Color to selected by owner	-
Clapboard	Double 4", Color to be selected by owner	-
Board and Baton	None	
Eaves	Two piece aluminum wrapped - White	
Soffit	Perforated soffit for proper venting	
Corners	6" White Vinyl Corners with Foam Backer	
Trim Details	Frieze board and Garage Door Trim to be PVC	
Drip Edge	Galvanized	
Shutters	Available as Option	
Gutters & Downspouts		
Gutters & Downspouts	White Seamless Gutters	
Windows		
	See Appendix A: Window Schedule	
Brand	Harvey Slimline	_
Color	White	
Construction	Vinyl, Low-E, Insulated Double-Pane	
Exterior Casing	J Channel Only (Brickmould)	
U-Factor	0.30	_
Grills	Grills Between Glass 6 over 0	_
Screens	Fiberglass Mesh	
Exterior Doors		
	See Appendix B: Exterior and Interior Door Schedule	
Brand	Therma-Tru	-
Color	See Exterior Paint Section	-
Construction	Insulated Fiberglass	-
Exterior Casing	5/4x4 Flat	-
Storm Doors	None	<u> </u>



Overhead Garage Doors		
Model	8300 Series Insulated Steel Door	
Size	16' x 7'	
Design	Colonial Raised Panel Door	
Color	Manufacturer White	
Opener	8" lift master 1/2 horsepower electric opener	
Remotes	2 remotes included	
Frame Key Pad	Keyless entry punch pad	
Decks & Porches		
Covered Entry Porch		
Porch Framing	4' x 8' Patio Pavers, No Joists or Decking	
Posts	PVC wrapped and PT 6x6 Posts, 2x8 roof beams - White. Posts wrapped top and bottom.	
Roof	Roof to be truss framed, roof shingles to match house	
Ceiling	White vinyl bead board	
Stairs	No Steps	
Rail	Available as an Option	
Finish	Porch posts, beams	
Deck	Available as an Option	
Exterior Paint		
Exterior Doors - Excluding Front Door	Painted Satin Finish, White	
Exterior Trim - Including Frieze Board and Door Surrounds	Painted Satin Finish, White	
Front Door	2 coats Exterior Paint, Color to be Selected by Owner	
Sidelight	Painted Satin Finish, White	
Front Porch Posts	Painted White	
Front Porch Roof Beams	Painted White	



ectrical & Low Voltage		
ettittal & Low Voltage		
	Underground electrical service, 40 circuit 150 AMP Panel with Surge Protection. Open double slot	
	for future solar.	
Plugs and Switches		
Switch Style	Toggle	a
Plate Style	Toggle screw on plates	
Switch Color	White	
Dimmers	Available as Option	T.
Exterior Plugs	Per Electrical Plan	
Lighting		
Lighting Fixtures	See Lighting Finish Schedule (Appendix C: Light Fixtures Schedule)	
Recessed Lights	None	
Under Cabinet Lighting	Available as Option	
Miscellaneous		
Outlets	GFI protection for all interior and exterior 240-volt outlets. 120 volt outlets in future finished areas of basement. Minimum of 2 Island Outlets. Per Electrical Plan.	
Door Chime	Nutone BK125LWH: One 2-note, white door chime	
Smoke/CO	1 CO/Smoke per floor (3 Total), 1 Smoke per bedroom (3 Total) - Kidde 120V Intelligent 10 Year Lithium Battery Smoke Alarm Model P4010ACS	
Bath Vents	Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM	$\bigcirc$
Paddle Fan Boxes	Paddle fan rated boxes in all Bedrooms, Dining room, and Living room	
Cat 5 (data/phone)	Yes, per electrical plan	=
Coax Cable	Yes, per electrical plan	
Security/Surveillance	None	
Central Vacuum	None	
Audio	None	
Solar Prep	Conduit running from LL up to Attic Space	
Garbage Disposal	Available as Option	
ght Fixtures		
Bit interes	Constant and the Cold States States and Advance	
	See Appendix C: Light Fixture Schedule Plumbing	
eating and Venting	Plumbing	
eating and Venting	Plumbing	
Furnace	Plumbing	
Furnace Furnace Size	Plumbing Ducane 45,000 BTU	
Furnace Furnace Size Efficiency Rating	Plumbing           Ducane           45,000 BTU           96%	72
Furnace Furnace Size Efficiency Rating Zones	Plumbing       Ducane       45,000 BTU       96%       Zone 1: First Floor, Second Floor, Lower Level	72
Furnace Furnace Size Efficiency Rating Zones Second Zone	Plumbing       Ducane       45,000 BTU       96%       Zone 1: First Floor, Second Floor, Lower Level       Available as an Option	72
Furnace Furnace Size Efficiency Rating Zones Second Zone Air Conditioner	Plumbing       Ducane       45,000 BTU       96%       Zone 1: First Floor, Second Floor, Lower Level       Available as an Option       Available as an Option	72
Furnace Furnace Size Efficiency Rating Zones Second Zone	Plumbing         Ducane         45,000 BTU         96%         Zone 1: First Floor, Second Floor, Lower Level         Available as an Option         Available as an Option         Ecobee Thermostat; First Floor and Second Floor	72
Furnace Furnace Size Efficiency Rating Zones Second Zone Air Conditioner	Plumbing         Ducane         45,000 BTU         96%         Zone 1: First Floor, Second Floor, Lower Level         Available as an Option         Available as an Option         Ecobee Thermostat; First Floor and Second Floor         Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light.	72
Furnace Furnace Size Efficiency Rating Zones Second Zone Air Conditioner Thermostat Bath Venting	Plumbing         Ducane         45,000 BTU         96%         Zone 1: First Floor, Second Floor, Lower Level         Available as an Option         Available as an Option         Ecobee Thermostat; First Floor and Second Floor         Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light.         Vented to the outside	
Furnace Furnace Size Efficiency Rating Zones Second Zone Air Conditioner Thermostat Bath Venting Dryer Venting	Plumbing         Ducane         45,000 BTU         96%         Zone 1: First Floor, Second Floor, Lower Level         Available as an Option         Available as an Option         Ecobee Thermostat; First Floor and Second Floor         Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light.	
Furnace Furnace Size Efficiency Rating Zones Second Zone Air Conditioner Thermostat Bath Venting Dryer Venting as	Plumbing         Ducane         45,000 BTU         96%         Zone 1: First Floor, Second Floor, Lower Level         Available as an Option         Available as an Option         Ecobee Thermostat; First Floor and Second Floor         Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light.         Vented to the outside         Microwave/Hood Vent vented to the outside	
Furnace Furnace Size Efficiency Rating Zones Second Zone Air Conditioner Thermostat Bath Venting Dryer Venting as Main Kitchen Range	Plumbing         Ducane         45,000 BTU         96%         Zone 1: First Floor, Second Floor, Lower Level         Available as an Option         Available as an Option         Ecobee Thermostat; First Floor and Second Floor         Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light.         Vented to the outside         Microwave/Hood Vent vented to the outside         Yes	
Furnace Furnace Size Efficiency Rating Zones Second Zone Air Conditioner Thermostat Bath Venting Dryer Venting as Main Kitchen Range Main Fireplace	Plumbing         Ducane       45,000 BTU         96%       20ne 1: First Floor, Second Floor, Lower Level         Available as an Option       Available as an Option         Ecobee Thermostat; First Floor and Second Floor       Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light.         Vented to the outside       Microwave/Hood Vent vented to the outside         Yes       Available as Option	
Furnace Furnace Size Efficiency Rating Zones Second Zone Air Conditioner Thermostat Bath Venting Dryer Venting as Main Kitchen Range Main Fireplace First Floor Dryer	Plumbing         Ducane       45,000 BTU         96%       20ne 1: First Floor, Second Floor, Lower Level         Available as an Option       Available as an Option         Ecobee Thermostat; First Floor and Second Floor       Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light.         Vented to the outside       Microwave/Hood Vent vented to the outside         Yes       Available as Option         No       No	
Furnace Furnace Furnace Size Efficiency Rating Zones Second Zone Air Conditioner Thermostat Bath Venting Dryer Venting as Main Kitchen Range Main Fireplace First Floor Dryer Furnace	Plumbing         Ducane       45,000 BTU         96%       20ne 1: First Floor, Second Floor, Lower Level         Available as an Option       Available as an Option         Ecobee Thermostat; First Floor and Second Floor       Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light.         Vented to the outside       Microwave/Hood Vent vented to the outside         Yes       Available as Option         No       Yes	
Furnace Furnace Furnace Size Efficiency Rating Zones Second Zone Air Conditioner Thermostat Bath Venting Dryer Venting as Main Kitchen Range Main Fireplace First Floor Dryer Furnace Hot Water System	Plumbing         Ducane       45,000 BTU         96%       20ne 1: First Floor, Second Floor, Lower Level         Available as an Option       Available as an Option         Ecobee Thermostat; First Floor and Second Floor       Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light.         Vented to the outside       Microwave/Hood Vent vented to the outside         Yes       Available as Option         No       Yes         Hybrid Electric       Hybrid Electric	
Furnace Furnace Furnace Size Efficiency Rating Zones Second Zone Air Conditioner Thermostat Bath Venting Dryer Venting as Main Kitchen Range Main Fireplace First Floor Dryer Furnace Hot Water System Grill Line	Plumbing         Ducane       45,000 BTU         96%       20ne 1: First Floor, Second Floor, Lower Level         Available as an Option       Available as an Option         Ecobee Thermostat; First Floor and Second Floor       Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light.         Vented to the outside       Microwave/Hood Vent vented to the outside         Yes       Available as Option         No       Yes	
Furnace Furnace Size Furnace Size Efficiency Rating Zones Second Zone Air Conditioner Thermostat Bath Venting Dryer Venting as Main Kitchen Range Main Fireplace First Floor Dryer Furnace Hot Water System Grill Line replace and Mantle	Plumbing         Ducane         45,000 BTU         96%         Zone 1: First Floor, Second Floor, Lower Level         Available as an Option         Available as an Option         Ecobee Thermostat; First Floor and Second Floor         Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light.         Vented to the outside         Microwave/Hood Vent vented to the outside         Yes         Available as Option         No         Yes         Hybrid Electric         Available as Option	
Furnace Furnace Furnace Size Efficiency Rating Zones Second Zone Air Conditioner Thermostat Bath Venting Dryer Venting as Main Kitchen Range Main Fireplace First Floor Dryer Furnace Hot Water System Grill Line	Plumbing         Ducane       45,000 BTU         96%       20ne 1: First Floor, Second Floor, Lower Level         Available as an Option       Available as an Option         Ecobee Thermostat; First Floor and Second Floor       Panasonic WhisperLite™ Fan/Light - Quiet, Spot Ventilation Solution, 110 CFM Bath Fan/Light.         Vented to the outside       Microwave/Hood Vent vented to the outside         Yes       Available as Option         No       Yes         Hybrid Electric       Hybrid Electric	



Miscellaneous Plumbing		
Outdoor Faucets	2 Frost-Free Hose Bibs, located at back of the main house and on the side of the front porch	
Hot Water Heater	State 50 Gallon Hybrid Electric water heater	-
Laundry	Washer Box Valve with single handle shutoff and drain; appliances pricing optional	
· · · · · · · · · · · · · · · · · · ·	PVC Drainage plumbing.	
Plumbing	PEX continuous piping for all domestic water.	
	All plumbing installed according to National Plumbing Code by licensed plumber.	
	Radon Piping runs from under Lower Level concrete slab through roof.	_
Radon	This is a passive system, no fan.	
Utility Sink	Available as an Option	
	Cabinets & Countertops	
Cabinets		
Kitchen		
Brand	Fabuwood Galaxy/Allure Series	
Style	Full Overlay Doors	
Color	Color to be determined by Owner	
Kitchen Island		
Brand	Fabuwood Galaxy/Allure Series	
Style	Full Overlay Doors	
Color	Color to be determined by Owner	
Owner's Bath		
Size	72" Vanity with 2 bowls	
Brand	Fabuwood Galaxy/Allure Series	
Style	Full Overlay Doors	
Color	Color to be determined by Owner	
Bath #2		
Size	60" Vanity with single bowl	
Brand	Fabuwood Galaxy/Allure Series	
Style	Full Overlay Doors	
Color	Color to be determined by Owner	
Powder Room		
Size	30" Vanity with single bowl	
Brand	Fabuwood Galaxy/Allure Series	
Style	Full Overlay Doors	
Color	Color to be determined by Owner	



Countertops		
Kitchen		
Style	Classic Series Quartz	
Color	To Be Selected by Owner	
Edge Detail	Pencil Edge	
Cut-Outs	Under Mount Sink	
Backsplash	4" Classic Series Quartz	
B/S Location	Perimeter Back Only	
Kitchen Island		
Style	Classic Series Quartz	
Color	To Be Selected by Owner	
Edge Detail	Pencil Edge	
Cut-Outs	None	Kitchen Tops (not color or Style)
Owner's Bath		
Style	Cultured Marble with 2 integrated flush rectangle bowls	The Community
Color	Cotton White	
Edge Detail	Square Edge	ALL
Cut-Outs	None	
Back Splash	4" integral Cultured Marble	
B/S Location	Back Only	
Bath #2		
Style	Cultured Marble with 1 integrated flush rectangle bowls	
Color	Cotton White	The
Edge Detail	Square Edge	-
Cut-Outs	None	
Back Splash	4" integral Cultured Marble	
B/S Location	Back Only	
Powder Room		
Style	Cultured Marble with 1 integrated flush rectangle bowls	
Color	Cotton White	- III A
Edge Detail	Square Edge	
Cut-Outs	None	100
Back Splash	4" integral Cultured Marble	
B/S Location	Back Only	
	Wall & Trim Interior Detail Work	
Insulation		
Exterior Walls	5-1/2" 'R-21 Timberfill Dense-Pack	
Interior Walls	3-1/2" 'R-11 Fiberglass Batts for bath walls (Soundproofing)	
<b>Rigid Insulation</b>	Box sill in first and second floor joists insulated with 3" Foam R-21	
	Rim insulated with 4" Foam R-26.	
Attic	18" R-60 Timberfill with backer boards at eves for ventilation	
Garage	Ceiling Timberfill dense pack with 1.5I rigid foam below	
Foundation	2-1/2" R-15 Thermax glued to concrete wall	
Drywall		
Living area walls	1/2" Sheet Rock, taped with 3 coats of joint compound at walls and ceilings	
Ceilings	Smooth Finish, minor shadow variations are possible in ceilings	
Garage	5/8" at Celling Only, 1 Coat Tape and Mud	
Trim Details		
Casing	2-1/2" Colonial Casing	
Base	3-1/2" Colonial Base Board	
Crown	Available as Option	
Built - Ins		
Mirrors		
Owners Bath	Plate Glass mirror with ground edge, no bevel	
Bath #2	Plate Glass mirror with ground edge, no bevel	
Powder Room	By Owner	



Interior Stairs/Railing		
	Council Crucic Stairs	
Main to Second Floor	Carpet Grade Stairs First Floor to Landing to be half wall with a hardwood cap and railing on wall. Cap to be Maple, sealed Natural.	
	Rail on wall stained	
Main to Lower Level	Carpet Grade Stairs	
	Rail on wall stained	
Handrail Brackets	Satin Nickel	
Closet Shelving		
	All closets systems will be vented wire and the system is indicated on the plan. See Closet Plan for Details.	
Interior Paint		
Painted Interior Walls	1 coat primer 2 coats Low VOC Flat Latex Paint, Color to be selected by owner.	
Accent Wall	None	
Ceilings	To match walls	
Interior Trim	Painted, 1 coat primer, 2 coats Semi-Gloss Latex Paint, Color to be Selected by Owner, OK to Color Match	
Wainscot	Painted, 1 coat primer, 2 coats Semi-Gloss Latex Paint, Color to be Selected by Owner, OK to Color Match	
Interior Doors	Painted, 2 coats of Semi-Gloss Latex Paint, Color to be Selected by Owner, OK to Color Match	
Fireplace Mantle (optional)		
Main to Second Floor Stairs	Rail Sealed to Matching Wood Floor	
Main to Lower Level Stairs	Stained railing to Match Wood on First Floor	
Interior Doors		1
	See Door Appendix B: Exterior and Interior Door Schedule	
Finish Hardware		
	See Appendix E: Finish Hardware Schedule	
Flooring		
	See Appendix F: Flooring Schedule	
Appliances		
	See Appendix G: Appliance Schedule	
Landscaping		
Lawn	All disturbed portions of yard to be seeded. Lawn area will generally include front yard, side yard and rear yard.	
	Lawn area to be covered with approximately 4" of native topsoil.	
8 Foundation Shrubs	To be Selected by Owner, See Landscape Plan	
8 Perennial Flowers	To be Selected by Owner, See Landscape Plan	
Cleaning		I
	House cleaned prior to closing, including washing of windows	
Warranty		
	Clearview Properties, LLC Warranty as per contract	
	Continuing a policy of constant research and improvement, Clearview Properties, LLC reserves the right to make substitutions and specification changes.	
		l



#### **MODEL HOME - CONSTRUCTION SPECIFICATIONS**

Harvey Slimline All Vinyl Windows, Double insulated, Low E, GBG Grills 6 over 0 6 9/16 primed interior jambs, 2 1/2 colonial case interior J Channel Only (Brickmould) EZ-Tilt cleaning Screens included Energy Star Qualified Maximum U Factor 0.30

Letter	Size	Quantity	Description	Location	Image	Notes
A	35x65	4	Double Hung	Living Room, Foyer		
A2	68x65	2	Double Hung	Dining Room		
в	34x53	10	Double Hung	Den, Owner's Bedroom, Bedroom #2, Bedroom #3, Halls		
c	34x41	5	Double Hung	Powder Room, Owners Bath, Bath #2, Storage, Laundry Room		
F	24x24	1	Awning	Foyer		
к	42x49	1	Double Hung	Kitchen		



#### **MODEL HOME - CONSTRUCTION SPECIFICATIONS**

EXTERIOR DOORS

Therma-Tru Smooth Star Fiberglass Exterior Doors with full weather stripping and adjustable sills

6 9/16 primed jambs 5/4 x 4 flat exterior case, Double bore set-up

Dexter Stratus Satin Nickel knob and deadbolt hardware, All doors keyed alike

	Quantity	Description	Opens	Size	Туре	Hardware	Image	Notes
oyer Entry								
	1	S601 2 Panel	RH	3'-0" 6'-8"	2 Panel	Double Bore		
Garage Entry								
	1	S220 2 Panel	RH	3'-0" 6'-8"	2 Panel	Double Bore		
Garage To Storage	•							
	2	S220 2 Panel	LH	3'-0" 6'-8"	2 Panel	Double Bore		
Living to Future Dec	.k	•				:	:	
	1	7280 Harvey Sliding Patio Door	LH	6'-0" 6'-8"	Slider	Glass		Left Panel Active when viewed from exterior
Exterior Door Hardy	vare							
Knobs	3	Dexter Stratus - Set Keyed Entry w/deadbolt				Satin Nickel		All Keyed Alike



**INTERIOR DOORS** 2 Panel, Hollow core, Smooth molded hardboard, 4 9/16 PFJ split jambs Colonial Casing both sides Dexter Stratus Set Satin Nickel Hardware Ball catches and (2) Dummy knobs per pair included Interior Doors See Plans - will display 14 Masonite Smooth TBD 2 Panel Hollow Core Double Bore more clearly with plans See Plans - will display Foyer, Office, BR #2, 3 Masonite Smooth TBD Double Doors Double Bore more clearly with plans BR #3 Interior Door Hardware Knobs 14 Dexter Stratus Satin Nickel Dummy for Ball 6 Dexter Stratus Satin Nickel Knobs Latch Double Doors 3 Base Bumps 20 Satin Nickel Satin Nickel Hinge Bumps 20



MODEL HOME - CONSTRUCTION SPECIFICATIONS								
	Quantity	Description	SKU	ltem	Color	Image	Notes	
Garage Exterior		· · · · · · · · · · · · · · · · · · ·			-			
	1	One Light Outdoor Wall Lantern	534299	Maxim 1024PE	Pewter			
3-Season Porch Exte	erior			•				
	1	One Light Outdoor Wall Lantern	967425	Maxim 1025PE	Pewter			
Front Porch								
	2	Click Lights - LED Flush Mount	040842	Green Creative	White			
Foyer					·			
	2	Click Lights - LED Flush Mount	040842	Green Creative	White			
Kitchen Island								
	2	One Light Mini Pendant	738588	Kichler 43668NI	Brushed Nickel			
Kitchen								
	6	Click Lights - LED Flush Mount	040842	Green Creative	White			



Dining Room							
Living Room	1	Five Light Chandelier	738590	Kichler 43665NI	Brushed Nickel	1105	
	2	Three Light Flush Mount	725440	Maxim 2681FTSN	Satin Nickel		
Powder		· · · · · · · · · · · · · · · · · · ·					
	1	Two Light Bath	738932	Kichler 45569NI	Brushed Nickel		Pointed Down
Laundry Room							
	1	Two Light Flush Mount	725441	Maxim 2680FTSN	Satin Nickel		
Powder Room/Laun	dry Hall	•					
	1	Click Lights - LED Flush Mount	040842	Green Creative	White		
Pantry							
	1	Click Lights - LED Flush Mount	040842	Green Creative	White		
Den							
	1	Two Light Flush Mount	725441	Maxim 2680FTSN	Satin Nickel		
First Floor Hall		1					
	2	Click Lights - LED Flush Mount	040842	Green Creative	White		
Stairwells						 	
	3	One Light Wall Sconce	738960	Kichler 45568NI	Brushed Nickel		
Upstairs Hall							
	4	Click Lights - LED Flush Mount	040842	Green Creative	White		
Owners Bedroom							
	1	Three Light Flush Mount	725440	Maxim 2681FTSN	Satin Nickel		



Owners Vanity							
	2	Two Light Bath	738932	Kichler 45569NI	Brushed Nickel		Pointed Down
Owners W/C		-				1	
	1	Click Lights - LED Flush Mount	040842	Green Creative	White		
Owners Hall						1	
	1	Click Lights - LED Flush Mount	040842	Green Creative	White		
Owners Closet - eac	:h	1				1	
	2	Two Light Flush Mount	725441	Maxim 2680FTSN	Satin Nickel		
Bedroom #2		-					
	1	Two Light Flush Mount	725441	Maxim 2680FTSN	Satin Nickel		
Bedroom #3		-					
	1	Two Light Flush Mount	725441	Maxim 2680FTSN	Satin Nickel		
Bath #2				1		1	
	1	Three Light Bath	738938	Kichler 45570NI	Brushed Nickel		Pointed Down
Other		I	l	1	l	I	
Garage, Mech Space	6	PC Lights					Supplied by Electrician



MODEL HOME - CONSTRUCTION SPECIFICATIONS									
	Qty.	Description	Manufacturer	Product No.	Finish	Image	Notes		
Kitchen									
Sink	1	32" Undermount 16 Gauge Stainless Steel Double Bowl Kitchen Sink	Krauss	KBU32	Stainless Steel		32" L x 18" W, 8.5"D (2) Strainers and Grates		
Faucet	1	Arbor Single-Handle Pull- Down Sprayer	Moen	7594C	Chrome	A			
Owner's Bath		-				1			
Faucet	2	Eva Two-Handle Sink Faucet	Moen	6410	Chrome	M			
Shower Stall	1	Ensemble Curve 60" Shower Stall	Sterling	72230100-0	White	)			
Shower Fixture	1	Eva Collection Eco- Performance Trim Kit	Moen	T2132	Chrome	se s	Moen 2520 Shower Valve		
Toilet	1	Edgemere Right Height Elongated Toilet	American Standard	204AA.104	White	P	16 1/2" Rim Height		



Bath #2									
Faucet	1	Eva Two-Handle Sink Faucet	Moen	6410	Chrome	70			
Tub/Shower Trim	1	Ensemble 60" x 32" Tub/Shower with LH drain	Sterling	71220110-0	White		Straight Curtain Rod Installed.		
Tub/Shower Trim	1	Eva Conversion Eco- Performance Tub/Shower Trim	Moen	T2133	Chrome	ţ, O	Moen 2520 Shower Valve		
Toilet	1	Edgemere Right Height Elongated Toilet	American Standard	204AA.104	White	P	16 1/2" Rim Height		
Powder Bath		1							
Faucet	1	Eva Two-Handle Sink Faucet	Moen	6410	Chrome	M			
Toilet	1	Edgemere Right Height Elongated Toilet	American Standard	204AA.104	White		16 1/2" Rim Height		



MODEL HOME - CONSTRUCTION SPECIFICATIONS									
	Qty.	Description	Manufacturer	Product No.	Finish	Image	Notes		
Owner's Bath	Giy.	Description	Manufactorer	incuberino.	1111311	intege	Noies		
Knob	7	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel	9			
Robe Hook	1	Eva Single Robe Hook	Moen	YB2803CH	Chrome				
Tissue Holder	1	Eva Collection Pivoting Toilet Paper Holder	Moen	YB2808CH	Chrome	Ĉ.			
Towel Bar	1	Eva 24 in. Towel Bar	Moen	YB2824CH	Chrome				
Powder Bath	1	1		1	1				
Knob	2	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel	9			
Towel Ring	1	Eva Bathroom Hand Towel Ring	Moen	YB2886CH	Chrome	Ś			
Tissue Holder	1	Eva Collection Pivoting Toilet Paper Holder	Moen	YB2808CH	Chrome	Å.			
Bath #2	1			1	1				
Knob	8	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel				
Robe Hook	1	Eva Single Robe Hook	Moen	YB2803CH	Chrome				
Tissue Holder	1	Eva Collection Pivoting Toilet Paper Holder	Moen	YB2808CH	Chrome	L			
Towel Bar	1	Eva 24 in. Towel Bar	Moen	YB2824CH	Chrome				
Kitchen Surround									
Knob	19	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel	9			
Kitchen Island									
Knob	10	Allison Value 1-1/4" Diameter Knob	Amerock	53005-G10	Satin Nickel	9			



### MODEL HOME - CONSTRUCTION SPECIFICATIONS

WOOD									
Location	Make	Style	Finish	Size		Image			
	· · · · ·								
1st Floor Hallway Kitchen Dining Room Living Room	Lauzon	Expert	TBD	TBD			Height 3/4"		
	11		TILE				1		
Location	Make/Style	Finish/Color	Tile Size	Orientation	Tile Grout	Image	Notes		
	·								
Owner's Bath	Anatolia Davenport	TBD	12 x 24	TBD	TBD		Standard Underlayment. Transitions to Mudroom Tile.		
Powder Room	Anatalia Dauranat	TBD	12 x 24	TBD	TBD		Standard Underlayment.		
Powder Room	Anatolia Davenport	IBD	12 X 24	IBD	IBD		Transitions to Mudroom Tile.		
	1						1		
Foyer	Anatolia Davenport	TBD	12 x 24	TBD	TBD		Standard Underlayment. Transitions to Mudroom Tile.		



CARPET								
Location	Make	Style	Color	Details		Image		
					1			
Den	Dreamweaver	Pinpoint	TBD				Transitions to 3/4" Wood.	
					-	-		
Owner's Bedroom, Owners WIC	Dreamweaver	Pinpoint	TBD				Transitions to Owners Bath Tile.	
Bedroom 2, Bedroom 3	Dreamweaver	Pinpoint	TBD				Transitions to Dreamweaver Carpet.	
					•	•		
Upstairs Hall, Staircase to First Floor, Staircase to Second Floor	Dreamweaver	Pinpoint	TBD				Transitions to 3/4" Wood.	
					1		- 1	
LL Office	Dreamweaver	Pinpoint	TBD				Transitions to Tile	
Location			VINY		1			
	Make	Style	Color	Details		Image		
Bath #2	Tarkett	Fresh Start	TBD	TBD	TBD		Transitions to Carpet	
Laundry	Tarkett	Fresh Start	TBD	TBD	TBD		Transitions to Wood	



MODEL HOME - CONSTRUCTION SPECIFICATIONS								
Appliance	Quantity	Manufacturer	Model	Color	Description	Image	Notes	
Kitchen	1		1	1			1	
Refrigerator	1	GE	GNE27JYMFS	Stainless	GE Energy Star 27.0 Cu. Ft. French Door		Fingerprint Resistant Door	
Gas Range	1	GE	JGB735SPSS	Stainless	GE 30" Free Standing Gas Convection Range			
Dishwasher	1	GE	GDT550PYRFS	Stainless	GE Dishwasher with Top Controls			
Microwave	1	GE	JVM3160RFSS	Stainless	GE 1.6 Cu. Ft. Over- the-Range- Microwave Oven			
Laundry Room	-	-				-		
Washer							Available as option	
Electric Dryer							Available as option	